NATIONAL OBSERVATORY OF ATHENS
METEOROLOGICAL INSTITUTE

CLIMATOLOGICAL BULLETIN

1946 - 1950

Compiled under the direction of
Prof. ELIAS G. MARIOLOPOULOS
Director
of the Meteorological Institute

ATHENS, GREECE
1962

YEAR 1946

Year : 1946 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	8.9	13.6	6.1	7.2	9			78	6.5	755.2	N	1.0	1.3
2	9.4	13.3	5.8	7.3	9			73	6.3	58.1	ENE	1.1	1.5
3	8.8	11.4	8.5	7.8	9	8.6	6.58	82	7.2	54.0	NE	3.1	1.6
4	7.0	9.4	5.1	6.1	11	0.0	0.83	81	6.2	55.1	NNE	4.6	1.3
5	7.3	8.8	5.7	6.2	11	7.2	17.00	83	6.4	53.8	NNE	7.5	1.0
6	8.8	12.1	6.7	8.6	9	8.2	14.17	86	7.7	53.5	N	3.7	1.2
7	7.2	12.2	4.1	6.3	11	0.3	0.42	82	6.3	54.4	NW	1.7	1.0
8	8.9	12.1	6.2	7.0	9	0.7	0.50	74	6.5	56.2	NNW	5.6	2.0
9	8.9	15.4	5.8	7.2	9			71	6.2	58.5	N	1.2	1.7
10	10.0	16.3	5.7	7.5	8			62	5.8	58.2	S	1.0	2.7
11	11.1	17.3	6.9	8.8	7			73	6.8	58.7	SSW	1.1	2.4
12	11.1	16.4	6.8	9.9	7			79	8.1	58.2	SSE	1.5	2.0
13	12.7	17.0	8.1	11.4	5			78	8.7	53.2	SW	3.4	2.7
14	12.9	15.7	10.8	12.1	5	0.0	0.12	89	10.0	50.3	SE	2.6	1.4
15	13.3	16.7	11.7	11.7	5			82	9.0	50.6	SSW	2.2	2.5
16	13.8	17.9	11.8	13.3	4			93	11.0	53.8	SSE	8.9	2.5
17	12.8	17.7	10.7	10.6	5			79	8.3	59.1	NNE	4.1	2.0
18	7.8	9.1	7.5	5.3	10			70	5.6	63.4	NNE	9.4	2.2
19	7.3	12.6	5.0	5.2	11			68	5.1	59.9	N	3.1	1.8
20	8.1	10.6	5.6	7.1	10			83	6.8	56.8	NW	0.1	1.1
21	9.7	14.8	7.1	8.5	8	0.0	0.17	82	7.5	58.8	NNE	4.0	1.0
22	4.8	8.8	5.0	2.9	13			72	4.6	64.3	NNE	13.2	2.1
23	5.5	8.0	2.9	3.4	12			63	4.2	60.7	NNE	10.5	2.9
24	6.2	7.3	4.4	5.3	12	2.2	5.00	81	6.0	59.7	NNE	8.3	1.5
25	6.6	10.0	6.1	5.3	11	0.0	4.00	77	5.7	62.6	NNE	7.1	2.2
26	4.8	6.5	4.1	2.6	13	0.0	0.17	67	4.3	62.9	N	12.2	2.5
27	4.3	5.0	3.7	3.3	14	0.0	2.00	80	5.4	58.5	N	7.6	1.8
28	5.4	7.4	2.8	4.7	13	16.4	21.50	85	5.6	53.9	NE	2.3	0.9
29	7.6	11.1	5.9	6.3	10	0.6	1.00	78	6.2	53.3	N	1.2	1.1
30	8.1	12.9	4.1	6.0	10			74	5.8	51.4	S	0.8	1.6
31	11.0	15.4	7.7	9.2	7			73	7.1	47.3	SSW	2.9	2.8
Sum					287	44.2	73.46				NNE		56.3
Avg.	8.7	12.3	6.4	7.2				77	6.7	756.6	(6)	4.4	1.8

ar : 1946 Month : January

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth sa indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	3.7	5.7	7	6	7.7	8.0	10.7	11.5	12.3	13.3	0		1
2	1.8	7.0	7	7	8.7	8.6	10.5	11.3	12.1	13.2	0		2
3	0.0	8.3	6	6	8.3	8.1	10.4	11.2	11.9	13.0	2		3
4	0.0	9.3	6	6	7.0	7.1	9.5	10.6	11.6	12.9	1		4
5	0.0	10.0	7	6	6.3	6.2	9.0	10.2	11.2	12.7	2		5
6	0.4	10.0	6	8	9.2	9.3	9.4	10.2	11.2	12.7	2		6
7	6.1	2.3	7	8	9.5	8.5	9.3	10.3	11.2	12.7	1		7
8	5.6	4.3	7	8	8.5	9.5	9.5	10.3	11.2	12.6	1		8
9	7.6	0.7	7	8	9.0	8.9	9.3	10.2	11.1	12.4	1		9
10	9.0	0.0	7	7	9.5	9.8	9.2	10.1	11.0	12.3	1		10
11	7.6	6.3	6	7	10.7	9.1	9.3	10.0	10.9	12.2	1		11
12	8.0	0.3	7	6	11.9	10.9	9.7	10.2	11.0	12.2	1		12
13	7.6	4.0	7	8	13.3	12.2	10.3	10.6	11.2	12.3	1		13
14	1.2	7.7	7	6	12.6	11.8	11.1	11.1	11.4	12.3	1		14
15	4.1	7.0	7	7	13.5	12.7	11.6	11.4	11.6	12.4	1		15
16	2.7	8.3	6	6	14.0	13.4	11.9	12.1	11.9	12.5	1		16
17	3.5	7.7	6	7	12.9	13.8	12.2	12.0	12.1	12.6	1		17
18	1.1	9.3	6	7	7.3	7.2	11.2	11.6	11.8	12.6	1		18
19	6.5	5.3	7	7	8.2	10.4	9.9	10.9	11.6	12.5	0		19
20	0.0	10.0	5	6	7.0	8.1	9.8	10.6	11.4	12.4	0		20
21	3.4	8.3	6	7	10.8	10.7	10.1	10.6	11.3	12.4	0		21
22	0.7	10.0	6	6	4.6	4.8	9.3	10.2	11.0	12.2	0		22
23	6.8	5.7	6	7	6.4	6.9	8.3	9.6	10.7	12.0	0		23
24	0.0	10.0	6	6	5.9	5.6	8.3	9.4	10.5	11.9	2		24
25	1.1	10.0	7	6	7.1	7.1	8.5	9.4	10.4	11.8	0		25
26	6.1	6.3	6	6	5.5	6.5	8.2	9.1	10.1	11.6	0		26
27	0.0	10.0	6	6	4.2	3.9	7.5	8.7	9.9	11.4	1		27
28	0.0	10.0	6	6	4.6	4.8	7.2	8.5	9.7	11.3	2		28
29	2.8	9.3	7	8	7.5	8.4	8.0	8.7	9.7	11.3	1		29
30	8.5	2.3	7	8	8.1	7.3	8.5	9.0	9.9	11.2	1		30
31	7.1	5.3	7	7	11.4	9.9	9.0	9.4	10.1	11.3	1		31
Sum	113.0											⊙7, ◑8, ✳5, ≤1, ≡1, ⊕1, ⊍2, ⊔1, ⊓17	
Avg.		6.8	6.5	6.8	8.8	8.7	9.6	10.3	11.1	12.3			

Year : 1946 Month : Februar

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	7.3	8.7	5.6	5.5	11	1.5	2.83	76	5.6	745.7	NW	5.4	2.1
2	8.2	11.3	6.5	6.2	10	0.0	0.67	70	5.7	56.9	N	5.8	2.4
3	9.0	15.6	4.7	7.2	9			74	6.3	58.4	NNW	0.7	2.1
4	9.8	14.5	4.7	8.1	8			80	7.1	58.2	S	0.8	1.7
5	11.3	16.3	7.7	9.4	7			74	7.2	53.8	WSW	2.5	2.9
6	11.5	15.9	7.2	9.2	6			73	7.3	50.8	WSW	1.1	2.8
7	9.8	13.2	6.9	5.9	8			57	4.7	52.0	NNW	4.5	3.4
8	9.5	14.0	5.7	6.8	8			67	5.9	57.3	SSW	2.8	3.3
9	12.4	16.4	9.2	10.4	6			73	7.9	49.2	SW	4.8	4.7
10	14.3	16.4	11.5	12.1	4			74	9.0	46.1	S	5.9	4.5
11	10.0	12.1	9.3	8.3	8	2.0	3.17	82	7.4	50.3	NNE	2.6	1.4
12	9.1	10.7	8.0	7.2	9	0.8	1.42	75	6.4	48.2	NNE	5.4	1.5
13	9.7	15.0	5.9	7.0	8	0.1	1.58	65	5.7	45.7	NW	0.8	1.8
14	2.7	4.4	1.4	0.4	15	1.6	2.67	68	3.5	49.7	WNW	4.5	1.5
15	1.2	4.7	0.0	-0.4	17	0.0	0.42	69	3.3	51.9	NW	3.6	2.2
16	-0.2	3.7	-3.0	-0.7	18	0.0	1.17	82	4.0	52.9	NW	4.8	1.7
17	5.3	8.8	-0.2	3.3	13			70	4.4	51.0	S	1.5	2.6
18	7.2	11.5	4.7	4.0	11	1.6	3.00	58	4.0	48.1	NW	2.1	2.1
19	11.1	16.2	5.4	7.7	7			58	5.6	48.4	WSW	1.4	3.6
20	11.3	15.1	6.5	9.5	7			74	7.7	50.7	S	1.8	2.1
21	13.9	17.3	10.4	11.2	4			69	8.3	45.8	SSW	3.4	4.0
22	13.5	16.6	12.1	11.4	4	0.0	0.17	76	8.6	44.7	S	4.7	3.7
23	7.1	12.9	8.2	5.0	11	5.9	4.50	78	5.6	43.0	W	2.3	1.8
24	7.0	12.2	1.5	3.6	11	2.3	1.50	52	3.7	49.6	WSW	2.1	3.2
25	11.4	16.5	6.9	9.7	7			73	7.5	51.8	SSE	0.6	2.2
26	12.5	16.9	8.6	10.3	5	0.0	0.08	74	7.8	54.7	S	0.5	2.2
27	12.6	17.3	8.9	10.7	5			77	8.2	57.1	S	0.9	2.4
28	12.8	16.7	9.2	11.0	5			77	8.4	53.4	SE	4.6	2.1
Sum					242	15.8	23.18				S		72.0
Avg.	9.3	13.3	6.2	7.2				71	6.3	750.9	(6)	2.9	2.6

: 1946 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)						
		Toward sea	Toward land	Green	Bare	30	60	90	120			
0.5	8.0	8	8	6.6	6.7	9.1	9.5	10.2	11.3	1		1
4.7	6.3	6	7	9.0	8.4	8.6	9.3	10.1	11.2	1		2
8.7	0.3	7	8	9.6	10.0	8.4	9.1	9.9	11.1	1		3
8.7	0.7	6	7	10.8	10.1	8.9	9.4	10.0	11.1	0		4
9.2	0.0	6	7	12.0	11.2	9.6	9.8	10.2	11.3	0		5
7.1	6.7	7	8	12.0	11.5	9.8	10.0	10.3	11.2	0		6
8.3	5.3	8	8	9.3	10.8	10.1	10.2	10.5	11.3	0		7
7.8	6.0	7	8	11.2	12.3	9.8	10.2	10.5	11.3	0		8
5.4	7.0	7	7	12.8	13.4	10.0	10.6	10.7	11.5	0		9
–	9.3	7	7	14.7	14.1	11.3	10.8	10.9	11.5	0		10
0.0	9.3	3	2	8.5	8.5	11.1	11.0	11.0	11.5	1		11
0.5	10.0	6	7	8.1	7.7	10.2	10.6	10.9	11.4	2		12
5.2	6.0	6	8	10.7	11.8	9.9	10.9	10.8	11.5	1		13
3.6	9.3	7	7	2.4	3.4	9.1	9.9	10.3	11.5	2		14
1.9	8.0	8	4	1.7	3.1	7.3	8.8	9.9	11.2	1		15
6.7	8.0	5	7	0.7	2.1	6.2	8.3	9.4	11.0	1		16
9.2	2.3	8	8	5.5	6.0	6.4	7.8	9.1	10.8	0		17
7.5	5.0	9	9	8.5	8.8	7.9	8.3	9.3	10.7	0		18
9.6	0.3	8	9	12.2	13.3	8.8	9.3	9.6	10.7	0		19
6.5	5.7	7	6	11.6	11.8	9.8	9.7	9.9	10.7	0		20
1.1	6.3	7	7	13.9	14.1	10.7	10.6	10.3	10.9	0		21
2.3	9.3	8	7	13.9	13.5	11.7	10.9	10.6	11.1	0		22
2.1	8.7	7	7	6.1	6.2	10.9	10.9	10.7	11.1	2		23
9.6	4.7	8	8	7.9	8.3	9.0	9.8	10.4	11.0	1		24
10.3	4.0	8	7	12.5	14.3	9.9	10.0	10.4	11.1	0		25
10.1	1.3	8	8	12.6	13.8	10.8	10.6	10.6	11.2	1		26
9.4	0.7	6	7	12.8	15.3	11.4	10.9	10.9	11.3	0		27
2.0	5.0	8	8	13.7	14.5	12.0	11.3	11.1	11.4	0		28
n 158.0											●7, ◍8, ✳3, ⚹1, ⩙1, ≡1, ⌀3, ⌴1, Ω13	
g.	5.5	7.0	7.2	9.7	10.2	9.6	9.9	10.3	11.2			

Year : 1946 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	15.2	16.9	13.5	11.8	3			64	8.4	745.7	SSE	4.3	4.6	
2	14.0	17.1	12.1	10.1	4			62	7.0	44.2	SW	3.8	3.7	
3	13.0	17.4	10.2	10.5	5			67	7.9	46.5	S	1.6	2.9	
4	13.8	17.4	11.9	11.2	4	7.2	3.03	74	8.4	40.3	SE	6.4	3.8	
5	10.9	13.5	9.4	7.6	7			58	5.4	43.0	WSW	7.0	5.1	
6	12.1	17.7	8.5	8.1	6			53	5.3	48.5	WSW	1.7	3.8	
7	11.5	15.2	8.4	9.2	6			72	7.1	48.3	S	1.2	2.4	
8	12.0	15.9	10.5	10.2	6	8.1	3.25	76	7.9	43.8	ENE	1.9	1.7	
9	12.6	17.3	8.7	11.8	5			82	9.3	45.8	S	0.9	1.4	
10	13.3	17.0	9.7	12.0	5	1.4	1.28	81	9.2	48.2	S	2.0	1.6	1
11	10.1	11.9	8.3	8.0	8	26.0	3.70	78	6.9	46.9	W	1.9	1.1	1
12	10.0	13.7	8.5	8.0	8	0.3	0.63	73	6.6	48.8	N	2.7	1.6	1
13	9.7	14.9	6.3	7.2	8			67	6.0	51.1	N	1.8	1.8	1
14	10.1	14.3	6.1	7.0	8			63	5.5	53.1	SSW	0.9	2.3	1
15	10.8	15.0	7.6	9.0	7	7.3	3.00	69	7.1	47.0	NNE	5.4	2.0	1
16	10.7	13.2	8.9	9.2	7	19.8	4.00	77	7.4	44.5	N	3.9	1.6	1
17	8.9	11.3	8.2	6.3	9			67	5.5	48.5	NNE	7.3	2.3	1
18	8.4	11.0	6.6	5.6	10			62	5.0	53.0	NNE	6.9	2.5	1
19	8.0	10.5	6.9	5.5	10	0.0	1.00	65	5.3	57.0	N	4.8	2.2	1
20	6.9	8.5	6.2	4.6	11	0.1	0.32	68	4.9	60.3	N	4.4	1.9	2
21	8.0	10.6	6.2	5.3	10			62	4.9	61.7	N	3.1	2.3	2
22	10.4	15.6	5.9	7.4	8			55	5.3	60.1	S	0.4	3.0	2
23	12.0	16.1	7.5	9.8	6			63	7.0	56.9	SSE	1.8	2.9	2
24	14.5	19.7	10.7	11.2	3			63	7.6	55.1	S	0.9	3.8	2
25	14.3	18.0	10.6	11.8	4			69	8.6	54.5	S	0.7	2.3	2
26	15.9	21.4	12.3	12.7	2			65	8.6	52.2	SSE	1.3	3.8	2
27	11.2	16.7	11.4	8.2	7	3.0	3.50	73	6.8	52.8	NNE	3.5	2.2	2
28	6.7	8.8	6.0	4.3	11	1.4	3.05	65	4.7	56.4	N	7.2	2.1	2
29	9.3	14.0	5.6	5.2	9			47	3.8	57.0	W	2.4	3.6	2
30	11.3	17.5	6.5	8.2	7			51	5.3	58.3	N	2.4	3.7	3
31	11.6	15.4	7.4	9.2	6			64	6.5	58.4	SSW	0.8	2.7	3
Sum					210	74.6	26.76				N		82.7	Su
Avg.	11.2	15.0	8.6	8.6				66	6.6	751.2	(6)	3.1	2.7	Av

ar : 1946 Month : March

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	10.8	6.7	6	6	13.7	13.7	12.3	11.7	11.4	11.5	0		1
2	8.4	2.7	7	7	13.8	16.1	12.6	11.9	11.6	11.7	0		2
3	6.7	7.0	7	7	12.2	13.4	12.5	12.0	11.8	11.8	0		3
4	0.5	10.0	4	4	13.0	12.7	12.7	12.3	12.1	12.1	1	◍$^{1-2}$ ◍$^{0-1}$	4
5	8.4	1.0	8	8	11.2	13.0	11.7	11.9	12.1	12.1	1		5
6	10.0	0.7	9	9	13.6	16.4	11.6	11.7	11.9	12.2	0		6
7	9.6	8.3	7	6	12.8	14.2	11.9	11.9	11.9	12.3	0	⊖^{0} ⊐^{1}	7
8	1.3	8.7	6	7	12.0	13.0	12.6	12.1	12.1	12.2	0	◍^{1} ◍^{1}	8
9	9.8	2.0	6	6	13.6	14.0	12.1	12.0	12.0	12.3	1	⊐^{2}	9
10	7.3	6.7	5	6	13.7	13.9	12.6	12.3	12.2	12.4	2	◍^{0} ◍^{1} ⊼	10
11	0.6	8.7	8	8	8.3	9.1	12.2	12.2	12.2	12.4	2	◍^{2} ◍^{0} △ ⊼$^{1-2}$ ∈	11
12	2.8	6.0	7	8	14.8	11.8	11.6	11.9	12.1	12.4	1	◍	12
13	7.3	4.3	9	8	9.4	10.4	11.1	11.5	12.0	12.4	0	⊐^{0}	13
14	9.1	5.0	6	6	10.3	12.1	10.9	11.3	11.8	12.4	0	⊖^{0} ⊐^{2}	14
15	0.9	10.0	7	8	10.8	11.1	11.2	11.3	11.8	12.4	0	◍$^{1-2}$ ◍^{1} ⊼	15
16	0.4	9.3	8	8	10.8	10.9	11.5	11.5	11.9	12.4	1	◍^{2} ◍^{1}	16
17	3.8	9.7	6	7	9.1	10.2	11.0	11.3	11.7	12.3	1		17
18	4.1	9.0	8	6	8.5	9.2	10.5	11.1	11.6	12.3	0		18
19	1.8	9.0	8	7	7.7	10.3	10.4	10.8	11.5	12.2	0	◍^{0}	19
20	1.0	10.0	8	7	6.4	7.3	10.1	10.7	11.3	12.1	0	◍^{0}	20
21	3.3	6.3	6	6	7.0	8.4	9.8	10.5	11.2	12.0	0		21
22	8.2	3.0	8	9	10.6	14.4	9.9	10.4	11.1	12.0	0		22
23	10.4	0.0	7	6	13.7	17.7	11.1	11.0	11.3	11.9	0	⊐^{0}	23
24	10.2	1.7	7	7	15.5	18.4	12.4	11.8	11.6	12.1	0		24
25	10.4	0.3	8	8	14.6	21.2	13.2	12.8	12.1	12.2	0	⊐^{1}	25
26	10.6	2.3	6	5	16.6	23.1	14.0	13.0	12.5	12.4	0	⊐^{1}	26
27	2.6	8.7	7	7	10.9	14.7	14.2	13.5	12.7	12.6	0	◍^{0} ◍^{0} ⊐^{1}	27
28	5.7	6.0	9	8	7.2	9.3	11.7	12.4	12.5	12.7	2	◍^{0} ◍$^{0-1}$	28
29	10.3	1.3	8	8	12.0	17.0	11.1	11.8	12.4	12.8	0		29
30	10.6	1.3	7	7	13.4	19.3	12.0	12.1	12.4	12.7	0		30
31	10.7	0.3	7	7	13.1	17.3	12.5	12.4	12.5	12.8	0		31
Sum	197.6											◍8, ◍11, △1, ⊼3, ⊖2, ∈1, ⊐8	
Avg.		5.4	7.1	7.0	11.6	13.7	11.8	11.8	11.9	12.3			

Year : 1946 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)	
1	13.8	18.2	9.7	10.9	4			63	7.5	757.8	SSW	1.1	2.9	
2	14.0	19.0	9.8	11.0	4			63	7.3	57.2	SSW	1.0	3.3	
3	15.8	20.1	11.3	12.1	2			59	7.6	59.5	S	0.5	3.5	
4	17.4	23.1	13.4	11.8	1			48	6.6	60.8	N	1.1	4.0	
5	18.3	25.1	14.0	13.5	0			50	7.7	58.7	NNE	1.2	5.0	
6	18.1	23.4	13.8	13.0	0			52	7.7	55.1	S	1.0	5.6	
7	18.3	24.2	14.5	13.4	0			52	8.1	51.7	SSW	0.8	5.1	
8	17.4	23.1	13.9	13.1	1			55	8.2	51.8	NNE	4.5	4.5	
9	16.0	20.3	13.9	11.5	2			57	7.3	53.7	NNE	4.1	4.2	
10	15.7	20.7	11.4	12.6	2			66	8.7	52.4	SSW	0.7	3.2	1
11	17.2	21.1	13.4	12.5	1			55	7.7	49.1	WSW	2.3	5.1	1
12	16.2	24.1	13.7	12.4	2			57	8.0	47.5	NNE	4.4	4.7	1
13	12.7	17.4	9.7	9.7	5			63	7.0	52.6	NNE	2.9	3.7	1
14	14.6	18.9	9.7	10.5	3			53	6.4	56.0	N	6.0	4.3	1
15	15.5	21.9	10.4	11.5	2	0.0	0.33	52	7.0	55.3	NNW	0.9	4.2	1
16	12.9	14.7	11.7	11.1	5	5.2	5.50	75	8.7	53.1	NNE	1.0	1.7	1
17	12.5	14.7	11.8	10.6	5	2.4	2.42	79	8.5	51.1	WNW	3.4	1.8	1
18	13.0	15.9	11.0	9.0	5			59	6.1	51.4	WNW	2.3	3.2	1
19	13.0	18.6	9.2	9.8	5			57	6.6	50.7	S	1.6	4.0	1
20	14.3	19.1	9.6	11.5	4			64	7.8	52.6	S	1.1	3.2	2
21	15.4	20.6	11.5	11.8	3			59	7.6	54.3	SSW	1.2	3.9	2
22	15.2	19.3	11.5	10.8	3	0.0	0.03	56	6.4	50.9	SSW	1.1	3.9	2
23	13.1	15.0	12.7	11.6	5	6.5	8.50	83	9.4	48.2	SSE	1.0	1.7	2
24	14.4	19.7	11.9	12.7	4	11.8	12.33	78	9.6	48.1	SW	1.8	1.4	2
25	15.1	18.9	11.1	13.4	3			78	10.0	51.1	S	1.8	2.2	2
26	15.6	18.1	13.5	13.2	2	0.1	2.05	72	9.6	51.6	SSW	1.5	2.2	2
27	18.5	22.9	14.3	14.4	0	0.0	0.25	60	9.4	46.5	WSW	3.4	4.7	2
28	18.0	23.7	13.9	13.5	0			58	8.1	48.6	SW	3.6	5.8	2
29	17.9	21.5	14.2	14.1	0			64	9.4	49.2	SW	1.4	3.5	2
30	18.0	22.3	13.1	15.0	0			65	10.3	47.9	S	1.6	3.9	3
Sum					73	26.0	31.41				SSW		110.4	Su
Avg.	15.6	20.2	12.1	12.1				62	8.0	752.5	(6)	2.8	3.7	Av

r : 1946 Month : April

Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)						
				Green	Bare	30	60	90	120			
11.1	0.3	6	6	15.3	21.5	13.3	12.9	12.8	12.9	0	D_0	1
11.0	0.0	7	6	15.7	20.3	14.0	13.4	13.1	13.1	0	D_2	2
10.9	0.3	6	7	16.3	21..	14.1	13.8	13.4	13.2	0		3
10.7	0.3	6	6	18.0	23.7	15.3	14.4	13.8	13.4	0		4
11.0	0.0	7	7	20.4	27.1	16.1	14.9	14.1	13.6	0		5
11.2	0.3	7	6	19.3	25.2	16.8	15.5	14.5	13.9	0		6
9.7	3.7	7	6	19.9	25.6	17.2	16.0	15.0	14.3	0		7
7.4	7.0	5	5	18.8	24.4	17.6	16.4	15.4	14.5	0		8
9.1	2.0	7	8	16.1	23.2	17.6	16.6	15,6	14.7	0		9
11.1	0.7	7	7	16.6	24.3	17.5	16.7	15.8	15.0	0		10
5.3	5.0	6	6	17.0	20.3	17.4	16.8	16.1	15.1	0		11
8.0	5.3	8	7	16.8	23.9	17.5	16.8	16.2	15.3	0		12
10.5	5.3	8	7	13.3	20.0	16.8	16.6	16.2	15.4	0		13
10.4	4.7	7	8	17.5	23.6	16.8	16.5	16.1	15.6	0		14
5.4	8.7	8	9	18.1	24.7	16.9	16.7	16.3	15.6	0	$\mathcal{G}^0$	15
0.0	10.0	6	6	12.7	14.0	16.5	16.5	16.2	15.8	1	$\mathcal{G}^0$ $\mathcal{G}^1$	16
0.0	8.7	7	7	12.5	12.9	15.3	16.0	15.9	15.8	1	$\mathcal{G}^1$ $\mathcal{G}^0$	17
5.4	6.3	9	7	14.0	18.7	14.9	15.3	15.7	15.7	1	$\oplus^0$	18
8.2	5.0	9	8	15.8	21.0	15.1	15.3	15.6	15.6	0	D_0	19
11.2	0.7	7	7	16.8	22.3	15.7	15.6	15.6	15.6	0	D_1	20
10.9	0.7	7	7	18.2	24.7	16.3	15.9	15.7	15.6	0		21
7.7	8.0	9	8	16.1	22.6	16.8	16.4	16.0	15.7	0	$\mathcal{G}^0$	22
0.0	10.0	7	7	12.4	13.1	16.3	16.6	16.0	15.8	1	$\mathcal{G}^{0-1}$ $\mathcal{G}^{0-1}$	23
4.9	6.7	9	9	15.6	17.0	15.9	16.0	15.9	15.8	2	$\mathcal{G}^1$ $\mathcal{G}^{0-1}$	24
11.3	1.7	9	8	16.9	20.3	16.0	16.0	15.9	15.8	1	Ω^2	25
1.4	8.7	8	6	15.5	16.7	16.0	15.9	15.9	15.8	1	$\mathcal{G}^0$	26
10.6	4.0	7	7	20.1	24.0	16.5	16.0	15.9	15.8	1	$\mathcal{G}^0$	27
11.7	1.0	8	8	18.9	26.5	17.5	16.6	16.1	15.9	0		28
11.7	1.0	8	7	18.6	25.1	18.2	17.1	16.4	15.9	0		29
11.1	4.0	7	7	19.8	25.0	18.5	17.5	16.7	16.1	0	D_0	30
248.9											$\mathcal{G}$ 4, $\mathcal{G}$ 8, $\oplus$ 1, Ω 6	
	4.0	7.3	7.0	16.8	21.3	16.4	15.9	15.5	15.1			

Year : 1946 Month : May

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipti. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	(1) Wind (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	15.5	17.5	13.5	14.0	2	12.7	6.83	81	10.9	746.2	SE	0.8	1.5
2	18.0	22.1	14.0	14.4	0			62	9.4	45.8	NW	3.6	2.7
3	18.8	23.9	15.5	15.3	0	7.5	0.82	67	11.3	47.9	ENE	1.1	3.4
4	18.7	23.8	14.4	14.9	0	0.0	0.02	65	10.2	49.1	S	1.3	3.2
5	19.3	23.9	15.1	14.8	0			58	9.2	48.0	SSW	1.7	4.5
6	16.8	20.2	14.9	13.9	1	1.8	1.47	71	10.6	46.1	N	3.2	2.6
7	18.3	23.8	14.2	15.3	0			63	10.3	48.9	NNE	1.8	2.9
8	19.2	26.0	15.8	16.2	0			65	11.1	48.5	SSW	1.5	3.6
9	18.4	23.4	14.8	15.5	0			70	10.9	48.4	SSE	1.5	3.2
10	19.1	22.7	15.9	16.1	0	0.2	0.18	70	11.3	51.9	SSW	2.1	3.3
11	19.7	25.1	16.1	16.0	0			65	10.7	54.9	N	2.1	3.1
12	18.6	22.7	13.8	15.3	0			66	10.4	55.2	SSW	1.6	3.6
13	19.6	25.0	15.1	15.5	0			62	10.2	54.2	SW	1.7	4.4
14	19.7	23.9	15.7	14.6	0			57	8.8	51.1	SW	1.8	3.4
15	20.2	23.6	16.7	16.9	0	0.0	0.05	61	11.7	48.7	SSW	1.9	4.0
16	21.8	27.5	17.4	16.3	0			57	9.8	50.1	SSW	1.9	4.7
17	20.5	24.5	17.4	17.1	0	0.5	2.25	65	12.1	52.5	SSW	1.6	4.1
18	20.7	24.9	17.0	17.2	0	0.2	1.00	67	12.0	53.2	SSW	1.6	3.9
19	21.5	25.7	17.9	17.6	0			64	12.0	52.0	SW	1.4	2.4
20	23.2	30.0	19.0	17.7	0			53	10.8	49.5	NNE	1.8	2.8
21	24.1	30.1	19.7	17.8	0			49	10.6	49.2	NNE	1.9	3.1
22	23.0	27.5	18.7	17.7	0			56	11.3	49.6	SSW	1.3	2.6
23	23.4	27.4	19.5	16.8	0			46	9.7	47.9	SSW	2.1	4.5
24	22.7	27.6	19.5	17.0	0	0.1	0.42	54	10.7	44.3	ENE	3.6	2.9
25	20.2	23.6	17.0	16.6	0	1.6	1.92	69	11.6	41.8	W	4.7	4.3
26	22.9	27.2	19.3	17.3	0			56	11.1	46.0	WSW	3.8	6.8
27	22.7	27.9	18.7	15.9	0			46	9.0	46.6	WSW	3.2	7.9
28	22.3	27.7	18.1	15.8	0			48	9.2	46.5	WSW	2.7	7.8
29	22.0	26.8	18.1	17.2	0			60	11.2	50.0	S	2.4	5.8
30	22.1	26.8	18.9	18.9	0			64	13.5	52.5	SSW	1.0	5.5
31	24.1	30.3	19.9	18.5	0			56	11.5	53.3	ENE	2.5	5.8
Sum					3	24.6	14.96				SSW		124.3
Avg.	20.6	25.2	16.8	16.3				61	10.8	749.4	(6)	2.1	4.0

ear : 1946 Month : May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	1.1	9.7	5	4	14.0	15.5	18.0	17.4	16.9	16.2	2	
2	9.3	3.3	8	9	17.6	18.9	17.2	17.3	16.9	16.4	2	
3	9.2	6.7	8	8	16.7	17.3	17.6	17.2	16.8	16.5	2	
4	10.4	4.3	8	7	19.3	19.7	17.8	17.2	16.9	16.5	1	
5	11.5	0.7	7	7	20.5	24.9	18.3	17.3	16.9	16.5	0	
6	0.1	9.7	6	4	15.3	14.9	18.1	17.7	17.2	16.7	2	
7	6.2	7.0	7	8	21.7	23.9	17.4	17.3	17.1	16.7	0	
8	9.2	4.0	9	9	22.9	23.0	18.7	17.6	17.2	16.8	0	
9	8.3	5.0	8	8	16.4	22.0	19.4	18.1	17.4	16.8	0	
10	8.8	6.0	8	6	21.3	24.0	19.3	18.4	17.7	17.0	0	
11	7.7	5.3	7	6	22.6	27.8	20.2	18.9	18.0	17.2	0	
12	10.3	2.7	8	7	19.5	26.8	20.4	19.4	18.3	17.3	0	
13	11.7	3.3	8	7	21.6	29.1	20.6	19.8	18.5	17.2	0	
14	11.6	1.0	8	8	22.3	29.4	21.2	20.1	18.8	17.7	0	
15	8.5	6.0	8	6	22.0	29.4	21.4	20.3	19.2	17.9	0	
16	11.8	3.3	7	6	21.7	27.4	21.9	20.6	19.4	18.1	0	
17	6.5	8.0	7	6	21.0	31.0	22.0	21.0	19.6	18.3	0	
18	11.8	2.7	7	7	21.8	29.4	21.5	20.8	19.8	18.5	0	
19	9.1	4.7	9	8	23.2	30.6	22.4	21.1	20.0	18.6	0	
20	8.8	3.0	7	8	24.1	35.4	23.1	21.6	20.3	18.9	0	
21	11.3	2.0	7	7	25.2	35.4	23.7	22.1	20.6	19.1	0	
22	10.5	6.7	8	8	23.8	31.4	24.3	22.4	21.0	19.3	0	
23	10.9	6.3	7	7	25.8	33.7	24.0	22.7	21.0	19.6	0	
24	4.2	6.3	9	8	21.3	25.6	23.7	22.6	21.2	19.9	0	
25	4.3	8.3	8	8	24.4	31.5	22.8	22.3	21.5	20.0	1	
26	8.7	4.3	7	8	24.0	32.4	23.2	22.2	21.4	19.9	0	
27	11.3	4.0	8	9	25.0	34.2	23.9	22.7	21.5	20.1	0	
28	12.0	4.3	8	8	24.5	35.7	24.3	23.1	21.8	20.2	0	
29	11.7	1.3	8	7	23.0	31.9	24.6	23.3	21.9	20.4	0	
30	12.1	1.0	7	7	25.0	33.8	24.5	23.5	22.2	20.5	0	
31	5.3	8.0	8	9	24.9	34.9	24.9	23.3	22.3	20.8	0	
Sum	274.2											5, 10, 3, 1, 2, 13.
Avg		4.8	7.6	7.3	21.7	28.0	21.3	20.3	19.3	18.2		

Year : 1946 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)	
1	25.3	31.0	20.6	17.9	0			44	10.0	749.7	NNE	4.3	7.7	
2	25.0	29.9	19.3	18.5	0			48	11.5	49.7	S	1.9	7.2	
3	25.9	31.3	21.5	20.0	0			53	13.0	50.4	SSW	1.5	6.7	
4	27.4	34.1	22.3	20.5	0			48	12.9	47.4	WSW	3.5	10.1	
5	25.0	28.7	22.5	18.3	0			46	11.1	46.8	N	5.1	8.4	
6	22.0	25.7	19.4	17.1	0			58	11.5	48.5	N	4.8	6.0	
7	23.2	27.7	18.7	17.5	0	0.2	0.17	55	10.9	50.4	N	6.6	5.4	
8	26.4	30.5	21.9	18.6	0			41	10.7	51.7	N	6.6	7.7	
9	27.7	31.4	23.0	18.5	0			35	9.6	52.4	N	4.9	8.2	
10	28.5	34.2	23.3	18.5	0			28	8.7	50.5	NNE	4.6	9.3	
11	27.3	32.4	23.0	19.4	0			42	11.4	50.8	SSW	1.8	5.3	
12	27.0	31.1	23.5	19.8	0			45	12.2	52.4	S	1.6	7.4	
13	28.2	33.4	23.4	19.9	0			42	11.9	51.3	S	2.9	8.8	
14	27.8	31.9	24.0	19.7	0			42	12.0	48.5	SW	2.5	10.5	
15	24.9	31.0	20.9	17.7	0			45	10.6	50.7	W	4.3	10.6	
16	23.8	27.9	20.2	18.4	0			55	11.8	52.6	S	1.9	7.4	
17	22.9	26.8	20.5	18.4	0	0.2	0.95	60	12.6	49.4	SSW	1.4	4.6	
18	23.2	28.1	19.8	18.5	0	0.0	0.08	57	12.3	50.2	S	1.7	5.3	
19	24.0	29.6	18.8	17.3	0			49	10.4	55.9	NNE	2.7	5.5	
20	25.4	31.2	18.6	17.7	0			38	9.3	57.0	NNE	4.1	7.8	
21	26.5	31.5	20.0	18.3	0			37	9.7	55.4	NNE	4.9	8.3	
22	27.5	32.6	22.1	18.7	0			36	9.9	53.3	-	-	9.1	
23	27.4	32.1	22.4	18.0	0			32	9.0	52.2	-	-	10.4	
24	26.4	31.1	22.4	18.7	0			39	10.5	51.0	SSW	1.7	8.0	
25	28.2	33.7	23.0	18.9	0			38	10.0	49.7	NE	2.9	3.0	
26	28.2	33.7	23.7	20.9	0			42	13.0	50.8	NNE	3.0	9.1	
27	28.3	33.1	23.4	20.7	0			45	12.8	50.2	NE	2.5	7.6	
28	26.5	30.7	23.0	20.0	0			51	13.0	50.0	WNW	3.9	9.4	
29	26.9	30.9	22.6	19.4	0			45	11.7	51.7	N	7.5	10.9	
30	28.1	31.5	23.9	19.1	0			37	10.5	53.9	NNE	7.6	12.3	
Sum					0	0.4	1.20				N		243.3	
Avg.	26.2	31.0	21.7	18.8				44	11.1	751.1	(6)	3.7	8.1	

ar : 1946 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
10.9	1.7	7	8	24.9	36.6	25.3	23.8	22.4	21.0	0		1
11.8	0.0	7	8	25.9	34.5	26.1	24.4	22.9	21.1	0		2
11.7	1.3	8	7	27.8	36.4	26.5	24.7	23.2	21.3	0		3
11.4	3.0	7	8	28.6	39.5	26.9	25.1	23.5	21.4	0		4
10.7	3.0	9	8	27.6	39.5	27.2	25.6	23.8	21.7	0	∈°	5
4.7	5.0	6	7	20.3	26.9	26.3	25.6	24.0	22.3	0		6
7.4	7.3	7	8	23.9	31.9	25.9	25.1	23.8	22.4	0	◍°	7
11.2	1.7	8	8	27.4	35.5	27.1	25.1	23.8	22.4	0		8
11.7	0.7	8	8	28.6	41.4	28.4	25.6	24.0	22.5	0		9
9.6	1.0	8	8	29.8	40.3	29.5	26.4	24.4	22.8	0		10
12.1	1.0	7	7	27.9	35.3	29.6	27.0	24.8	22.9	0		11
11.4	0.7	8	6	27.8	38.6	29.2	26.9	25.0	23.1	0		12
11.1	0.7	7	7	29.2	38.8	29.5	27.0	25.2	23.5	0		13
10.9	3.0	8	8	27.6	35.9	29.6	27.3	25.5	23.4	0		14
12.3	0.3	8	9	29.0	39.7	28.9	26.9	25.4	23.4	0		15
11.2	1.0	8	8	25.9	34.6	27.9	26.9	25.5	23.6	0		16
4.2	7.3	8	7	26.6	32.5	27.1	26.5	25.3	23.7	0	◍° ◍° ☾	17
7.1	3.7	9	8	25.0	35.3	26.7	26.1	25.2	23.6	0	◍°	18
11.7	2.7	8	8	24.6	33.0	27.0	26.0	25.1	23.7	0		19
11.6	0.7	8	8	29.4	38.5	27.8	26.2	25.1	23.7	0		20
12.2	0.7	8	8	30.0	41.3	28.8	26.6	25.2	23.8	0		21
11.4	0.3	8	7	29.7	41.7	29.2	27.0	25.5	24.0	0		22
11.8	0.0	8	8	30.9	41.6	29.2	27.5	25.8	24.2	0		23
12.1	0.0	8	8	28.6	38.5	29.4	27.6	26.0	24.3	0		24
10.2	0.3	8	9	34.9	43.1	30.3	27.9	26.2	24.4	0		25
10.8	1.0	7	8	31.3	43.7	30.4	28.3	26.4	24.6	0		26
9.5	4.3	9	8	29.8	38.9	30.6	28.4	26.6	24.8	0		27
9.9	5.7	8	8	29.7	43.8	31.1	28.9	26.9	24.9	0		28
11.6	1.7	8	8	31.1	40.8	30.3	28.7	27.0	25.1	0	≺ 0-1	29
11.4	0.0	7	8	32.9	40.4	30.2	28.7	27.0	25.3	0		30
315.6											◍ 2, ◍ 2, ≺ 1, ∈ 1,	
	2.0	7.8	7.8	28.2	38.0	28.4	26.6	25.0	23.3		☾ 1.	

Year : 1964 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	28.7	32.5	25.5	18.8	0			35	9.8	754.0	NNE	10.0	12.4
2	27.9	32.8	23.0	17.4	0			30	8.0	51.7	N	7.8	11.2
3	29.4	34.8	24.2	18.1	0			27	7.7	48.2	N	5.8	12.2
4	28.8	33.7	24.5	18.8	0			32	9.6	50.2	N	5.4	10.8
5	28.0	33.2	23.9	18.9	0			37	10.3	50.2	NNE	4.5	9.6
6	29.7	36.5	22.9	21.5	0			41	13.3	49.4	N	3.0	10.6
7	31.2	38.1	24.9	22.9	0			42	14.9	50.4	ENE	1.7	11.3
8	29.6	35.9	25.1	20.8	0			42	12.4	50.5	-	-	10.8
9	28.4	34.3	24,1	20.7	0			44	12.9	48.2	S	3.0	8.6
110	27.5	33.8	22.7	19.6	0			43	11.6	44.9	WNW	6.0	11.2
11	25.5	30.4	20.3	18.7	0	0.2	1.25	49	11.4	47.9	N	5.7	7.4
12	24.9	33.1	21.1	18.7	0	3.0	1.33	50	11.1	48.0	S	1.7	6.9
13	24.7	30.2	19.8	17.1	0			44	9.3	49.4	S	2.0	7.3
14	24.6	29.1	20.5	19.6	0			57	13.5	49.6	S	2.2	6.9
15	25.9	31.3	20.9	19.4	0			53	12.2	48.8	S	2.5	7.1
16	27.4	32.5	22.7	20.8	0			52	13.8	48.6	SSW	1.1	7.7
17	30.1	36.7	23.9	21.1	0			42	12.4	50.3	NNE	2.6	8.5
18	29.4	34.5	24.4	19.8	0			35	10.8	50.6	NE	4.8	10,6
19	29.8	36.4	24.8	19.6	0			31	10.0	50.7	NE	3.5	11.1
20	30.7	38.0	24.1	20.3	0			31	10.6	50.0	NE	3.2	10.9
21	31.9	38.3	25.1	21.0	0			29	10.9	49.0	NE	3.7	11.4
22	31.3	39.8	26.3	21.1	0			37	12.2	47.0	S	1.4	10.7
23	30.3	34.1	25.9	20.8	0			37	11.9	46.6	NNE	8.7	10.6
24	27.7	30.8	25.3	20.6	0			49	13.7	48.8	N	11.5	10.4
25	26.7	30.1	23.5	18.8	0			43	11.1	50.6	N	11.1	9.9
26	27.5	31.5	24.1	18.6	0			38	10.2	51.9	N	10.5	10.2
27	28.9	32.8	24.4	19.9	0			37	11.3	51.5	N	10.1	10.6
28	28.6	32.4	24.6	19.4	0			39	11.0	49.8	NNE	9.8	8.7
29	28.3	32.2	24.0	18.9	0			35	9.9	47.7	NE	7.2	8.8
30	30.4	36.3	24.8	20.2	0			32	10.7	47.6	NE	6.7	11.2
31	29.4	33.8	26.3	18.5	0			30	8.9	50.5	NE	9.3	11.5
Sum					0	3.2	2.58				N		307.1
Avg.	28.5	33.9	23.8	19.7				39	11.2	749.5	(6)	5.6	1.0

ar : 1946 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.7	0.7	7	7	31.1	41.2	30.6	28.9	27.2	25.5	0		1
11.4	0.3	7	8	29.2	40.9	30.5	28.8	27.3	25.5	0		2
11.9	0.0	7	7	34.2	42.3	30.9	29.0	27.5	25.7	0		3
11.6	1.0	7	8	32.2	42.1	31.1	29.3	27.6	25.8	0		4
11.6	1.3	7	8	32.3	41.2	30.9	29.3	27.7	25.9	0		5
11.3	0.7	8	8	32.8	43.8	31.3	29.3	27.8	26.0	0		6
11.6	0.3	8	8	34.9	43.5	32.1	29.6	28.2	26.1	0		7
12.1	0.3	8	8	31.1	40.0	32.0	30.1	28.3	26.4	0		8
10.8	0.3	7	7	30.6	39.5	31.5	29.9	28.4	26.3	0		9
11.4	2.3	8	8	31.2	42.3	31.5	29.7	28.3	26.4	0		10
9.4	4.0	8	8	26.3	34.4	30.3	29.9	28.2	26.5	0	◎⁰ ●⁰⁻¹ K°	11
8.3	4.7	8	8	28.8	40.8	29.8	29.0	28.2	26.6	0	◎¹ ●¹	12
11.1	1.3	8	8	27.4	32.5	28.3	28.4	27.8	26.5	1		13
11.4	1.0	8	8	26.8	34.7	28.4	28.4	27.6	26.3	0		14
11.8	1.0	8	8	28.0	37.8	28.9	28.1	27.5	26.1	0		15
11.6	1.3	8	8	28.2	36.6	29.3	28.3	27.4	26.1	0		16
11.4	0.3	8	8	32.3	43.3	30.5	28.6	27.5	26.3	0		17
11.6	0.0	8	8	32.8	42.9	31.4	29.1	27.6	26.0	0		18
11.9	0.0	8	8	36.5	46.2	31.5	29.5	27.8	25.9	0		19
11.6	0.0	9	8	32.1	44.7	32.1	29.9	28.1	26.4	0		20
11.5	0.0	8	8	34.2	4[illegible].9	32.4	30.0	28.3	26.7	0		21
12.0	0.3	7	8	31.6	42.1	32.9	30.6	28.7	26.9	0		22
12.6	0.3	6	7	32.2	42.1	32.6	30.5	28.7	26.8	0		23
-	2.0	7	8	29.0	38.6	31.6	30.5	28.9	27.1	0		24
12.0	1.7	7	8	29.3	39.5	30.6	30.0	28.8	27.2	0		25
12.1	2.0	6	7	30.1	39.9	30.6	30.0	28.7	27.2	0		26
11.9	1.7	7	8	33.7	41.0	30.9	29.9	28.7	27.3	0		27
12.3	1.0	7	7	31.2	40.7	31.2	30.0	28.7	27.1	0		28
12.2	0.3	7	8	31.2	40.6	31.1	30.0	28.8	27.3	0		29
11.8	1.3	8	8	35.2	43.9	31.6	30.1	28.9	27.3	0		30
12.1	0.0	6	8	33.4	41.8	31.8	30.2	29.8	27.1	0		31
346.0											◎2, ●2, K 1	
	1.0	7.5	7.8	31.3	40.8	31.0	29.5	28.1	26.5			

Year : 1946 Month : Augus

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	30.0	36.5	24.8	19.4	0			31	9.7	750.5	ENE	4.3	10.1
2	31.5	39.0	24.6	20.8	0			30	10.5	48.8	E	2.7	10.1
3	29.9	33.9	26.1	20.2	0			35	11.5	49.8	NE	7.2	10.1
4	28.5	33.2	25.7	18.4	0			34	9.4	51.7	NE	6.6	10.0
5	28.9	34.2	23.7	18.5	0			30	8.8	51.2	N	6.9	10.6
6	31.8	39.2	25.6	20.5	0			29	13.7	49.7	N	3.7	10.5
7	32.1	38.7	26.9	20.3	0			25	10.0	47.7	ENE	4.3	11.5
8	31.2	38.3	26.5	20.5	0			31	11.1	47.1	NE	4.5	10.2
9	30.1	35.1	25.2	19.4	0			31	9.9	48.2	N	5.4	10.7
10	28.9	34.5	25.0	20.0	0			39	11.8	49.6	N	5.7	10.0
11	29.2	34.1	24.6	19.7	0			35	10.7	50.6	NNE	4.2	10.1
12	29.9	35.2	24.8	19.6	0			31	10.0	50.1	NNE	4.3	7.3
13	30.8	37.2	25.8	20.2	0			32	10.7	49.0	NNE	5.0	13.0
14	31.6	36.8	26.8	20.1	0			31	10.3	49.3	NNE	7.9	13.4
15	30.2	36.0	25.6	18.9	0			30	9.0	49.8	N	6.2	12.7
16	30.7	36.8	24.8	20.2	0			33	10.8	48.0	NNE	5.2	10.0
17	31.7	37.5	25.1	21.1	0			34	11.9	48.7	NNE	6.1	11.1
18	31.4	36.9	25.6	20.0	0			31	10.2	49.5	NE	6.2	10.6
19	30.2	34.7	25.2	20.0	0			34	11.0	49.7	NNE	5.9	10.9
20	30.4	35.5	26.0	20.5	0			35	11.5	49.1	N	5.5	10.7
21	30.8	37.0	26.4	21.2	0			36	12.5	48.0	SSW	1.6	10.1
22	30.0	36.0	25.0	20.5	0			39	12.0	47.0	S	2.3	9.7
23	30.4	36.2	26.1	19.7	0			32	10.1	46.5	WSW	2.8	12.6
24	27.7	33.3	23.0	17.7	0			32	8.7	46.2	W	2.3	11.6
25	26.6	31.5	22.2	18.4	0			42	10.2	47.5	S	2.5	9.2
26	27.0	31.9	23.0	20.1	0	0.0	0.43	49	12.9	45.5	WSW	3.6	8.3
27	27.0	33.6	22.3	18.4	0			42	10.2	46.3	S	3.5	7.1
28	27.1	32.6	22.8	19.6	0			48	12.7	46.5	SW	3.9	9.3
29	26.2	32.3	23.0	19.0	0			49	11.9	51.1	NE	4.3	6.9
30	25.9	31.7	20.5	18.4	0			45	10.7	53.7	NE	5.4	7.6
31	26.6	33.3	20.1	18.8	0			44	11.0	52.1	WSW	2.0	8.0
Sum					0	0.0	0.43				NE		314.5
Avg.	29.5	35.3	24.6	19.7				35	10.8	749.0	(6)	4.6	1.0

ar : 1946

Month : August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)
1	12.0	0.3	7	7	32.4	36.3	31.7	30.3	29.1	27.4	0	
2	11.9	0.3	7	8	36.3	44.0	32.3	30.5	29.1	27.5	0	
3	11.2	1.7	6	7	32.2	40.5	32.3	30.6	29.3	27.5	0	
4	12.2	0.3	7	8	32.1	43.4	31.6	30.6	29.3	27.6	0	
5	12.3	0.0	6	7	32.0	40.7	31.4	30.5	29.2	27.7	0	
6	12.2	0.3	8	8	35.2	47.2	32.1	30.6	29.4	27.9	0	
7	11.7	0.7	6	7	33.1	46.6	32.8	30.8	29.4	27.8	0	
8	10.6	1.7	7	8	33.3	41.6	32.7	31.1	29.6	27.9	0	
9	11.9	0.3	7	7	31.9	40.2	32.1	30.8	29.6	27.9	0	
10	11.9	0.3	8	9	33.3	41.3	32.4	30.9	29.7	28.1	0	
11	11.9	0.0	8	8	31.9	40.0	31.8	30.7	29.7	28.1	0	
12	12.2	0.0	7	8	33.6	41.5	31.7	30.8	29.6	28.1	0	
13	12.3	0.0	7	8	32.2	43.1	32.2	30.9	29.7	28.3	0	
14	12.3	0.0	7	8	34.9	42.8	32.3	31.1	29.8	28.1	0	
15	12.2	0.0	8	8	31.8	42.4	32.5	31.2	29.8	28.3	0	
16	11.6	0.0	7	8	31.9	43.8	32.2	31.0	29.9	28.3	0	
17	11.7	0.0	8	8	31.6	42.7	32.4	31.1	29.9	28.3	0	
18	11.8	0.0	8	8	31.6	42.7	32.3	31.0	29.9	28.5	0	
19	12.3	0.0	8	8	30.4	41.9	31.7	31.2	30.0	28.4	0	
20	12.3	0.0	7	8	31.5	42.0	32.4	31.1	30.0	28.6	0	
21	11.6	0.0	7	7	32.3	38.7	32.0	31.0	29.9	28.6	0	
22	11.7	0.3	8	8	31.2	38.9	31.8	30.9	30.0	28.7	0	
23	11.6	0.3	7	8	33.4	42.5	31.6	30.9	29.9	28.5	0	
24	11.9	0.3	8	8	30.8	38.3	30.9	30.6	29.7	28.3	0	
25	11.8	0.7	8	8	31.7	35.7	30.1	29.9	29.4	28.0	0	
26	11.6	1.0	8	8	31.5	36.6	29.9	29.9	29.3	28.1	0	☽° ☈°
27	11.8	0.7	8	8	29.2	37.3	29.8	29.5	29.2	27.9	0	
28	9.8	3.3	8	8	30.3	39.4	29.8	29.4	28.9	27.9	0	⊕° ☋°
29	11.4	1.3	7	8	31.0	39.7	29.8	29.3	28.7	27.5	0	
30	11.4	0.3	7	7	30.2	38.5	29.3	29.2	28.4	27.5	0	
31	11.4	0.0	7	8	28.0	35.7	29.1	29.1	28.5	27.6	0	
Sum	364.5											☽1, ☈1, ⊕1, ☋1,
Avg.		0.5	7.3	7.3	32.0	40.9	31.5	30.5	29.5	28.0		

Year : 1946 Month : September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	27.0	32.3	21.9	20.9	0			55	14.4	748.7	SW	1.3	6.1	
2	28.0	33.1	23.1	21.8	0			54	15.1	47.8	SW	1.7	6.4	
3	28.8	34.8	23.3	20.3	0			43	12.1	49.7	NE	2.1	7.5	
4	29.5	37.3	22.9	20.9	0			44	12.5	50.0	NE	2.7	9.8	
5	28.9	34.0	24.3	21.1	0			44	13.4	52.4	NE	4.4	8.2	
6	28.9	33.3	24.1	20.2	0			41	11.9	52.9	NE	6.8	8.9	
7	29.6	34.2	25.1	20.2	0			38	11.7	52.8	NE	9.0	10.6	
8	30.7	35.1	26.8	19.2	0			32	9.5	51.7	NE	6.7	10.1	
9	31.3	37.8	26.3	19.1	0			28	8.8	50.0	NE	4.2	10.8	
10	29.3	34.9	25.7	21.2	0			45	13.9	49.0	SSW	1.6	9.4	1
11	28.6	35.8	24.1	20.9	0			48	13.5	48.0	N	1.9	8.6	1
12	26.5	31.9	23.2	20.2	0			54	13.5	49.4	NNE	5.7	7.0	1
13	26.5	32.1	22.2	20.4	0			53	13.8	50.9	NNE	3.2	5.9	1
14	25.6	30.6	21.4	20.0	0			57	13.8	50.6	SW	1.3	7.2	1
15	25.5	30.1	21.6	20.6	0			60	14.9	51.0	SSW	1.4	5.3	1
16	25.2	30.6	21.5	19.0	0			55	12.3	54.0	NNE	5.1	7.2	1
17	24.4	28.2	21.8	17.3	0			47	10.1	54.0	NNE	6.2	7.0	1
18	24.0	29.2	20.7	16.3	0			42	8.8	50.7	NNE	4.4	7.3	1
19	24.1	31.3	19.1	18.0	0			48	11.3	49.3	NW	0.9	5.9	1
20	24.2	29.7	19.2	19.8	0			62	13.9	51.2	SSW	1.0	4.5	2
21	24.6	29.2	20.3	19.3	0			61	13.5	52.6	S	0.7	4.6	2
22	24.6	30.1	21.1	19.6	0			61	13.6	52.2	SW	0.7	4.5	2
23	24.0	28.4	20.1	18.5	0			55	12.1	53.1	NNE	4.2	5.0	2
24	23.6	28.4	19.4	17.3	0			49	10.5	54.3	NNE	4.3	7.0	2
25	23.1	28.8	19.0	17.0	0			50	10.3	55.9	N	3.7	6.1	2
26	24.7	30.2	19.6	17.6	0			43	10.2	55.5	NNE	3.8	7.7	2
27	24.1	28.3	20.8	16.1	0			41	8.5	55.3	N	5.6	8.1	2
28	22.3	26.5	20.1	16.7	0			54	10.8	54.3	NNE	5.6	6.3	2
29	21.6	25.5	17.6	15.4	0			48	9.0	54.4	NNE	4.7	6.4	2
30	21.7	28.5	17.1	17.0	0			58	11.3	53.4	NNE	1.2	4.5	3
Sum					0	0	-				NNE		213.9	Sum
Avg.	26.0	31.3	21.8	19.1				49	12.0	751.8	(6)	3.5	7.1	Avg

ar : 1946 Month : September

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)						
					Green	Bare	30	60	90	120			
	11.2	0.7	7	8	28.7	34.5	29.2	28.9	28.4	27.4	0		1
	10.5	0.3	7	7	28.6	36.9	29.4	28.9	28.5	27.5	0		2
	10.4	0.3	7	6	30.0	36.4	29.7	28.9	28.2	27.4	0		3
	10.1	0.7	7	7	34.3	39.2	29.9	29.0	28.2	27.2	0		4
	10.5	0.3	8	8	30.6	39.2	30.3	29.2	28.2	27.3	0		5
	10.4	1.0	8	7	30.9	37.9	30.1	29.3	28.3	27.2	0		6
	10.5	0.3	6	7	33.6	38.8	30.3	29.4	28.3	27.4	0		7
	10.4	0.3	7	8	31.6	37.8	30.5	29.2	28.3	27.2	0		8
	9.8	0.0	8	8	33.5	38.9	30.5	29.8	28.5	27.5	0		9
	10.1	0.0	7	7	32.3	35.5	30.3	29.6	28.7	27.7	0		10
	9.5	0.7	7	7	34.4	34.8	29.7	29.5	28.7	27.7	0		11
	8.5	2.3	8	8	28.9	34.0	29.6	29.3	28.6	27.7	0		12
	9.3	2.0	8	8	29.0	36.1	29.5	29.1	28.5	27.6	0		13
	9.7	2.3	7	7	28.2	33.8	28.7	28.7	28.4	27.7	0		14
	8.8	3.3	7	7	26.0	30.7	28.2	28.4	28.3	27.6	0		15
	7.0	5.0	8	8	25.6	33.9	28.2	28.3	28.1	27.4	0		16
	9.5	0.7	6	7	25.1	31.8	27.2	27.9	27.8	27.1	0		17
	9.6	4.3	8	9	24.1	30.9	26.9	27.6	27.7	27.0	0		18
	9.8	3.0	7	8	26.0	30.6	26.8	27.3	27.5	27.1	0		19
	9.9	0.3	8	7	26.8	31.6	26.8	27.2	27.4	26.8	0		20
	9.1	3.7	7	7	30.8	31.8	27.0	27.0	27.2	26.8	0		21
	6.6	3.7	8	7	26.0	30.1	26.7	27.0	27.1	26.7	0		22
	7.7	2.9	8	8	24.8	30.7	26.3	26.8	26.9	26.3	0		23
	9.7	0.7	7	8	29.6	31.6	26.1	26.6	26.7	26.0	0		24
	10.2	0.7	8	8	25.5	35.9	25.9	26.4	26.6	26.2	0		25
	10.6	1.3	7	8	24.9	32.0	26.1	26.4	26.5	26.1	0		26
	10.1	0.7	6	7	24.4	30.4	25.8	26.3	26.4	25.7	0		27
	9.7	1.7	6	7	23.5	30.0	25.5	26.2	26.2	25.9	0		28
	9.6	1.0	6	7	23.0	28.5	24.8	25.8	26.1	25.9	0		29
	9.4	2.0	7	7	24.3	26.8	24.9	25.6	26.1	25.9	0		30
m	288.2											R 1, S 1,	
		1.5	7.2	7.4	28.2	33.7	28.0	28.0	27.7	27.0			

Year : 1945 Month : October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	21.9	27.2	17.5	17.6	0			62	12.2	752.5	N	1.1	4.1	1
2	22.6	29.4	18.5	16.8	0			52	10.4	54.0	N	2.6	5.5	2
3	22.4	28.7	18.7	18.0	0			61	12.6	54.4	N	2.7	4.5	3
4	21.0	25.5	18.4	16.7	0			61	11.4	55.1	N	3.1	4.3	4
5	20.8	24.4	16.4	18.6	0			71	13.1	53.5	SE	4.3	4.9	5
6	21.1	23.8	17.0	17.6	0	1.9	1.83	76	12.8	49.6	S	3.6	4.4	6
7	22.2	26.1	17.6	19.4	0	0.9	0.78	75	14.9	47.6	SSW	3.9	4.6	7
8	23.4	28.8	19.8	18.5	0			62	12.7	49.8	SW	3.2	6.5	8
9	20.6	25.8	15.9	16.8	0			66	11.6	52.9	S	1.4	4.0	9
10	21.2	25.3	17.9	18.9	0	1.0	0.75	76	14.6	49.6	S	3.3	3.1	10
11	16.6	23.1	16.9	13.9	1	5.5	2.08	77	10.3	48.9	NNE	6.8	3.0	11
12	15.9	20.0	12.8	13.4	2	0.0	0.15	72	9.7	50.6	N	1.3	2.3	12
13	15.6	18.0	14.0	13.7	2	2.6	5.08	80	10.4	42.7	N	4.2	1.8	13
14	14.7	17.7	13.9	11.5	3	0.2	1.00	67	8.1	47.4	NNW	6.1	3.9	14
15	15.1	20.4	12.0	11.6	3			62	7.7	51.4	N	3.5	3.1	15
16	16.6	21.3	12.3	14.4	1			72	10.2	48.9	NE	1.6	2.8	16
17	15.8	19.1	13.8	13.2	2	25.7	5.75	73	9.6	51.0	NNE	7.9	2.3	17
18	15.1	18.8	12.9	11.8	3			65	8.1	54.5	N	5.8	3.5	18
19	14.8	18.9	12.3	11.9	3			68	8.4	55.7	NNE	3.0	2.3	19
20	14.6	20.0	9.6	10.6	3			58	6.9	53.2	NNE	3.9	3.4	20
21	16.3	19.8	10.5	13.9	2			70	9.9	57.0	SSW	1.5	2.7	21
22	19.6	24.7	15.0	17.3	0			76	13.0	54.5	S	0.7	3.0	22
23	20.6	24.6	17.2	18.1	0			76	13.5	53.3	-	-	3.4	23
24	20.8	23.6	18.8	18.2	0			77	13.8	50.1	SSE	7.8	4.3	24
25	20.5	25.2	19.7	17.9	0			76	13.9	52.2	S	6.5	3.3	25
26	12.2	16.4	11.1	8.6	6			66	6.5	61.9	NNE	14.0	3.6	26
27	10.7	13.2	8.3	6.9	8			55	4.8	63.4	NNE	11.8	4.3	27
28	12.3	17.2	8.0	9.8	6			63	7.1	56.5	N	1.9	3.1	28
29	16.7	20.4	12.6	16.0	1	4.2	2.08	84	12.7	50.8	SSE	2.4	1.7	29
30	18.7	23.0	14.7	16.0	0			77	11.6	50.9	S	1.7	2.6	30
31	19.4	22.9	16.6	17.7	0	0.1	0.17	81	13.5	54.0	SE	2.4	2.3	31
Sum					46	42.1	19.67				N		108.6	Sum
Avg.	18.0	22.4	14.9	15.0				70	10.8	752.7	(6)	4.1	3.5	Avg.

ar : 1946 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	9.1	1.7	6	7	23.4	26.7	24.4	25.3	25.8	25.6	0	D^0	1
2	9.5	0.7	7	6	24.0	27.3	25.1	25.3	25.7	25.4	0		2
3	5.9	5.7	7	7	23.1	25.4	24.6	25.2	25.5	25.3	0	$\equiv^{0-1}$	3
4	6.9	3.7	6	6	23.6	24.9	23.9	24.9	25.4	25.4	0	$\equiv^0$ $\wedge^0$	4
5	7.4	7.0	7	7	22.8	24.1	23.4	24.6	25.2	24.8	0	$\equiv^0$	5
6	2.9	8.3	8	8	20.0	20.6	22.9	24.0	24.9	25.0	1	$\circ^0$ $\circ^0$ $\cap^0$	6
7	8.1	5.3	8	8	23.1	24.0	23.2	24.0	24.8	24.6	1	$\circ^{0-1}$ $\circ^{0-1}$	7
8	8.9	3.3	8	8	27.5	28.2	24.5	24.3	24.7	24.6	0	$\in^{0-1}$	8
9	9.4	5.3	8	8	22.7	25.2	23.7	24.2	24.5	24.4	0	D^0	9
10	5.7	7.7	8	8	22.2	22.6	23.9	23.9	24.3	24.1	0	$\circ^{0-1}$ $\equiv^2$ $\in^0$	10
11	3.6	7.0	8	8	17.0	17.4	20.9	23.2	24.0	23.8	0	$\circ^{1-2}$ $\circ^0$ $\equiv^0$	11
12	0.2	9.7	7	8	17.3	17.8	19.4	22.0	23.4	23.3	0	$\circ^0$	12
13	0.3	9.7	8	8	16.5	16.7	18.6	21.3	22.9	23.2	1	$\circ^0$ $\circ^1$	13
14	5.1	5.7	7	7	14.2	15.9	18.2	20.8	22.4	22.9	1	$\circ^0$	14
15	8.0	6.7	7	8	17.6	21.2	18.6	20.5	22.1	22.6	0		15
16	7.1	8.7	8	7	19.4	20.6	19.2	20.7	21.9	22.5	0	$\equiv^{1-2}$	16
17	2.1	6.3	7	8	16.3	15.7	18.3	20.5	21.7	21.6	1	$\circ^{1-2}$ $\circ^{0-1}$ $\equiv^1$	17
18	7.4	3.7	7	7	15.0	15.5	17.6	19.8	21.4	22.0	1		18
19	5.3	5.7	7	7	15.2	16.8	17.7	19.5	21.1	21.7	0		19
20	9.1	0.7	7	8	15.0	16.8	17.5	19.2	20.7	21.5	0		20
21	7.0	6.3	7	6	17.2	17.4	17.4	19.2	20.7	21.3	0	D^0	21
22	8.3	1.0	7	7	18.3	19.0	19.3	19.8	20.7	21.4	0	D^0	22
23	8.9	6.0	7	6	20.4	21.0	20.4	20.2	20.8	21.4	0	D^1	23
24	6.4	6.0	6	6	21.4	21.2	21.0	20.7	21.0	21.6	0	$\wedge^0$ D^0	24
25	5.9	7.0	6	6	21.1	22.4	21.5	21.1	21.1	21.3	0		25
26	6.5	6.7	7	6	12.1	14.3	28.7	20.0	20.6	20.7	0		26
27	8.8	2.0	8	8	11.8	14.4	16.2	18.9	20.2	20.3	0		27
28	6.5	7.0	7	7	15.0	15.8	16.1	18.4	20.0	20.6	0		28
29	2.2	6.7	7	8	17.4	17.0	17.4	18.5	19.9	20.4	1	$\circ^{1-2}$ $\circ^1$	29
30	7.4	6.0	8	8	18.5	17.7	18.8	19.8	19.8	20.3	1	D^2	30
31	2.8	8.7	7	8	19.2	20.0	19.2	19.2	19.8	20.4	0	$\circ^0$ $\circ^0$ $\in^0$	31
um	193.7											$\circ$8, $\circ$9, $\equiv$6, $\wedge$2,	
g.		5.7	7.2	7.3	19.0	20.2	20.3	21.6	22.5	22.7		$\in$3, $\cap$1, D7	

Year : 1946 Month : November

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (4)	Vapor pressure (mb) (3)	Avg. Pressure at 0°C (mm) (4)	Wind (1) (5) Prevailing direction	Wind (1) (5) Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	Date
1	19.8	25.8	17.2	17.2	0			76	12.7	754.2	NNE	3.0	2.4	
2	17.8	22.6	14.9	15.0	0			72	10.7	57.7	N	3.9	2.7	
3	17.1	22.3	14.5	14.2	1	0.0	0.25	71	10.1	56.2	NNE	3.8	3.0	
4	15.7	17.5	14.7	13.1	2			72	9.5	54.4	NNE	7.1	3.0	
5	14.5	17.9	12.9	12.4	3	1.7	6.50	76	9.2	52.3	W	4.4	3.0	
6	13.4	16.8	11.7	11.0	5			74	8.4	54.5	NNE	8.2	2.9	
7	13.0	15.9	11.1	11.0	5	0.0	0.80	75	8.2	53.8	NNE	7.1	2.7	
8	16.9	21.8	12.7	15.3	1	2.8	2.33	80	11.6	58.9	S	2.5	2.0	
9	17.8	21.6	14.7	15.0	0			71	10.8	56.6	S	1.5	2.9	
10	17.4	21.2	14.3	15.6	1			79	11.7	52.7	SSW	0.9	2.0	10
11	19.7	24.0	15.8	17.3	0			77	12.8	52.3	SSE	3.3	2.5	11
12	20.6	24.3	16.8	17.9	0			75	13.3	52.7	SE	2.8	4.2	12
13	20.3	24.2	16.9	17.3	0			76	12.8	55.6	SSE	1.2	2.7	13
14	19.5	23.4	16.6	17.4	0			81	13.3	57.6	SSW	0.4	2.0	14
15	19.7	22.9	16.6	13.9	0			83	13.9	54.5	SE	5.3	2.7	15
16	19.7	22.4	17.6	16.8	0			75	12.5	52.9	SSE	2.0	2.5	16
17	19.1	21.2	16.5	16.8	0			77	12.7	49.7	SSE	4.2	2.6	17
18	17.4	22.1	14.7	12.8	1	0.1	0.30	64	8.5	40.2	SW	5.3	6.6	18
19	15.3	23.4	17.9	12.7	3	7.9	2.67	70	9.1	39.7	WSW	6.1	4.7	19
20	14.7	20.3	9.6	11.4	3			62	7.6	52.0	SSE	0.9	3.0	20
21	15.8	20.1	12.4	13.9	2			79	10.6	55.6	S	0.9	2.0	21
22	16.0	20.5	13.8	14.6	2			83	11.3	56.3	SSW	0.5	1.5	22
23	15.3	19.7	12.4	13.4	3			81	10.3	55.6	NNE	0.5	1.6	23
24	14.6	18.7	11.7	12.6	3			79	9.5	55.2	NNE	0.8	1.4	24
25	14.4	17.7	12.3	11.6	4			70	8.4	54.8	NNE	4.7	2.5	25
26	13.4	18.4	9.5	11.2	5			74	8.4	53.9	NE	1.0	1.7	26
27	13.9	19.0	11.1	12.3	4	0.4	1.83	80	9.4	52.2	SSW	0.4	1.7	27
28	13.9	18.8	10.4	12.3	4			83	9.5	53.4	SSW	0.4	1.4	28
29	13.6	18.5	10.2	11.5	4			76	8.6	54.9	WSW	0.9	2.0	29
30	13.1	18.1	9.2	11.1	5			77	8.3	56.7	SE	0.6	1.6	30
Sum					61	12.9	14.68				NNE		77.5	Sum
Avg.	16.4	20.7	13.7	14.1				76	10.5	753.2	(6)	2.8	2.6	Avg

ar : 1946 Month : November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)
1	6.0	7.0	8	8	20.0	20.8	19.5	19.5	19.9	20.3	0	
2	5.1	9.3	7	8	18.0	20.3	19.3	19.5	19.9	20.4	0	
3	7.1	6.0	7	7	17.4	19.5	19.1	19.2	19.9	20.2	0	
4	0.2	9.7	7	7	15.2	16.7	18.5	19.4	19.9	20.1	0	
5	1.5	9.0	8	8	15.0	15.8	17.4	18.7	19.7	20.3	0	
6	6.5	6.3	8	8	15.2	15.8	16.9	18.5	19.3	19.7	0	
7	1.6	10.0	7	8	13.6	15.1	16.4	17.9	19.1	19.7	0	
8	3.0	9.0	7	7	16.9	17.7	17.4	18.1	19.1	19.8	0	
9	8.2	3.0	7	8	17.2	17.0	17.6	18.1	19.0	19.7	0	
10	4.7	8.7	7	7	17.5	17.9	17.9	18.2	19.0	19.6	0	
11	6.7	7.0	7	8	21.0	20.6	18.8	18.6	19.1	19.5	•	
12	1.8	6.7	7	7	21.0	20.9	19.5	19.1	19.2	19.6	0	
13	1.5	9.3	8	7	19.7	20.0	19.6	19.3	19.4	19.6	0	
14	3.1	6.7	7	7	18.4	19.5	19.3	19.3	19.4	19.7	0	
15	0.3	6.0	7	7	18.8	19.7	19.7	19.5	19.5	19.7	0	
16	2.8	9.3	7	7	18.0	18.6	19.5	19.8	19.5	19.7	0	
17	0.0	7.7	7	7	17.7	18.4	19.0	19.3	19.5	19.7	0	
18	6.4	3.7	7	9	15.0	17.4	18.6	18.9	19.4	19.6	0	
19	5.2	5.3	7	7	15.0	15.7	17.6	18.8	19.4	19.7	1	
20	7.9	0.7	7	8	13.9	14.1	15.5	17.6	18.6	18.9	1	
21	5.3	5.3	7	8	14.7	15.0	16.3	17.4	18.4	18.7	0	
22	6.1	5.0	6	6	16.7	17.1	17.0	17.6	18.3	18.8	0	
23	5.5	4.7	7	7	14.9	14.9	17.0	17.5	19.2	18.8	0	
24	0.8	6.0	6	7	14.2	14.7	16.2	17.2	18.1	18.5	0	
25	6.2	7.2	7	8	14.9	16.0	16.2	17.1	17.9	18.5	0	
26	3.4	5.7	8	7	12.8	13.6	15.3	16.6	17.7	18.2	0	
27	3.5	6.3	6	6	14.6	15.6	15.9	16.7	17.6	18.2	0	
28	6.7	4.3	8	8	13.6	14.4	15.7	16.5	17.5	18.1	0	
29	7.7	3.7	8	8	14.5	14.4	15.7	13.5	17.4	18.0	0	
30	3.1	6.7	7	8	13.2	14.1	15.0	19.6	17.3	17.6	0	
Sum	127.9										-	●4, ◎7, K 3, ⊕ 4, ω3, Ω 17.
Avg.		6.4	7.1	7.4	16.3	17.0	17.6	18.2	18.9	19.3		

Year : 1946

Month : December

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	14.2	16.3	12.0	13.3	4	1.7	1.33	82	10.5	753.1	S	0.6	1.3	
2	13.7	18.6	11.2	12.3	4	1.9	1.75	83	9.4	49.3	NE	3.2	1.2	
3	12.4	14.7	11.8	10.2	6	0.1	0.25	77	8.0	48.8	NNE	5.2	2.1	
4	12.8	16.7	8.2	10.3	5			75	7.9	47.1	S	1.7	1.9	
5	16.7	18.7	12.2	14.3	1	0.2	0.30	76	10.8	45.7	SSE	9.2	5.2	
6	13.9	14.7	11.7	11.4	4	33.8	9.25	77	8.9	42.8	SE	6.6	4.4	
7	13.7	17.6	9.4	11.9	4	0.0	0.20	78	9.1	43.2	S	2.2	2.7	
8	12.5	15.0	10.4	9.6	5	0.1	0.25	68	7.1	41.8	SW	2.9	4.4	
9	12.3	15.4	8.0	9.9	6			71	7.6	44.7	S	1.0	2.1	
10	14.7	17.4	11.8	12.3	3	1.5	1.25	74	8.9	43.3	SSE	4.2	3.8	1
11	10.8	12.4	8.7	9.9	7	8.9	5.83	84	8.6	43.6	NE	2.2	1.4	1
12	10.5	13.7	8.0	9.3	7	11.5	4.18	85	7.9	41.3	NNE	4.2	1.1	1
13	8.3	10.4	7.9	6.4	10	4.0	2.67	79	6.3	47.7	NNE	10.8	2.0	1
14	6.7	9.8	5.4	5.0	11			76	5.4	54.9	NNE	10.1	2.1	1
15	6.7	8.5	5.0	5.0	11	0.0	0.02	75	5.4	56.9	NNE	10.0	2.0	1
16	6.5	8.1	5.5	5.0	11	8.3	16.83	83	5.9	52.7	NNE	11.1	1.7	1
17	6.7	9.0	5.7	5.3	11	0.1	3.33	78	5.6	51.5	N	11.8	2.0	1
18	3.9	7.0	2.0	2.4	14	0.0	1.00	76	4.5	56.9	NNE	11.7	1.6	1
19	3.3	4.0	2.3	2.0	15	0.0	1.00	77	4.4	57.8	NNE	11.4	1.8	1
20	4.6	6.5	1.9	3.6	13	2.9	10.00	79	5.0	56.7	NNE	8.5	1.2	2
21	6.2	7.5	5.2	4.8	12	2.6	4.08	80	5.5	57.2	NNE	8.0	1.5	2
22	8.9	13.7	5.4	7.7	9	0.5	1.75	79	6.9	58.0	N	0.7	1.1	2
23	10.8	13.8	8.1	9.0	7			79	7.5	56.2	ENE	2.0	0.9	2
24	12.4	15.7	10.4	11.2	6	17.3	2.00	81	9.1	45.4	N	4.4	2.5	2
25	11.4	16.3	7.7	10.1	7			78	8.1	51.7	SSW	0.6	1.8	2
26	11.7	16.1	8.6	10.8	6	4.1	5.42	86	8.5	50.0	ENE	1.9	1.0	2
27	8.5	9.3	7.2	6.3	9	4.0	5.33	81	6.4	39.8	NW	3.8	1.8	2
28	9.1	14.6	5.9	7.8	9			81	6.8	46.5	NE	0.8	1.1	2
29	9.4	11.8	7.5	8.6	9	19.6	8.00	89	8.0	47.7	NE	2.9	1.0	2
30	8.6	10.7	6.8	7.3	9	0.7	3.17	82	6.8	49.1	NW	2.1	1.1	3
31	9.6	11.4	7.5	8.8	8	0.3	2.75	84	7.7	49.6	NE	3.4	1.1	3
Sum					243	124.1	91.94				NNE		60.9	Sum
Avg.	10.1	12.8	7.7	8.5				79	7.4	749.4	(6)	5.1	2.0	Avg

ar : 1946 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	0.0	7.0	6	6	13.1	13.5	15.2	16.2	17.2	17.7	1		1
	1.1	9.0	8	8	14.5	14.1	14.5	16.0	17.0	17.5	2		2
	0.8	6.0	8	8	11.3	11.6	14.0	15.5	16.7	17.3	0		3
	7.1	7.0	7	7	12.4	10.7	13.4	15.0	16.4	17.1	0		4
	2.2	7.7	7	7	15.5	15.1	15.1	15.6	16.5	17.2	0		5
	0.1	9.3	5	6	11.2	12.1	14.7	15.6	16.5	17.2	2		6
	7.1	4.7	8	8	12.9	12.4	13.7	15.1	16.3	16.9	0		7
	4.1	5.7	8	8	11.8	10.0	13.6	14.9	16.1	17.0	0		8
	5.7	7.0	8	8	10.8	10.6	12.6	14.4	15.7	16.5	0		9
	4.1	6.3	7	9	12.6	12.6	13.9	14.7	15.8	16.7	1		10
	0.8	9.7	6	7	10.0	10.0	12.3	14.1	15.4	16.1	2		11
2	1.3	10.0	7	7	9.8	9.6	12.1	13.7	15.1	15.9	1		12
3	4.8	8.0	7	8	7.6	7.5	11.3	13.1	14.6	15.4	1		13
4	5.2	2.0	7	8	6.2	6.3	9.7	12.3	14.2	15.1	1		14
5	4.5	7.7	7	8	5.8	5.8	8.6	11.5	13.7	14.7	1		15
6	0.0	10.0	5	5	5.1	5.3	8.6	11.1	13.3	14.5	2		16
7	1.4	9.7	8	7	6.7	7.4	8.9	11.0	13.1	14.4	1		17
8	2.0	5.3	8	7	4.1	2.7	7.4	10.2	12.5	13.9	1		18
9	0.0	10.0	7	7	2.6	2.3	6.3	9.5	12.1	13.6	1		19
0	0.0	10.0	7	8	4.4	4.5	6.7	9.3	11.8	13.4	1		20
1	0.0	10.0	7	8	5.1	5.3	7.3	9.4	11.6	13.3	1		21
2	4.6	8.0	8	8	9.8	9.6	8.6	9.9	11.7	13.2	1		22
3	0.5	8.7	8	7	10.2	9.9	10.2	10.7	11.9	13.2	1		23
4	1.0	7.0	7	7	11.5	11.2	11.3	11.4	12.2	13.0	2		24
5	5.1	3.7	7	8	11.3	9.8	10.7	11.4	12.3	13.0	1		25
6	2.9	9.0	7	8	12.0	11.8	11.5	11.8	12.5	13.2	2		26
7	1.1	6.7	8	8	9.0	8.8	11.2	11.8	12.6	13.3	2		27
8	4.4	6.0	7	8	9.6	9.6	10.2	11.4	12.4	13.1	1		28
9	0.9	10.0	7	7	8.7	9.0	10.4	11.5	12.5	13.1	2		29
0	0.0	10.0	7	8	8.6	8.5	9.9	11.2	12.3	13.2	2		30
1	0.1	9.7	7	8	8.9	9.2	10.1	11.1	12.2	13.0	1		31
Sum	72.9										-	17, 22, 6, 3, 5, 1, 5, 1, 5, 14	
Avg.		7.8	7.1	7.5	9.5	9.3	11.1	12.6	14.0	14.9			

YEAR : 1946

Month	Air temperature (°C)							Dergree days (base 18 °C) (1)	Average of			Sunshine hrs (2)	
	Average			Absolute					Wet bulb temp. (3)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Total	Possible (9)
		Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date						
JAN.	8.7	12.3	6.4	17.7	17	2.8	28	287	7.2	77	6.7	113.0	303.
FEB.	9.3	13.3	6.2	17.3	21/27	-3.0	16	242	7.2	71	6.3	158.0	300.
MAR.	11.2	15.0	8.6	21.4	26	5.6	29	210	8.6	66	6.6	197.6	368.
APR.	15.6	20.2	12.1	25.1	5	9.2	19	73	12.1	62	8.0	248.9	393.
MAY	20.6	25.2	16.8	30.3	31	13.5	1	3	16.3	61	10.8	274.2	438.
JUNE	26.2	31.0	21.7	34.2	10	18.6	20	0	18.8	44	11.1	315.6	439.
JULY	28.5	33.9	23.8	39.8	22	19.8	13	0	19.7	39	11.2	346.0	446.
AUG.	29.5	35.3	24.6	39.2	6	20.1	31	0	19.7	35	10.8	364.5	418.
SEP.	26.0	31.3	21.8	37.8	9	17.1	30	0	19.1	49	12.0	288.2	370.
OCT.	18.0	22.4	14.9	29.4	2	8.0	28	46	15.0	70	10.8	193.7	344.
NOV.	16.4	20.7	13.7	25.8	1	9.2	30	61	14.1	76	10.5	127.9	301.
DEC.	10.1	12.8	7.7	18.7	5	1.9	20	243	8.5	79	7.4	72.9	294.
YEAR	18.3	22.8	14.9	39.8	July 22	-3.0	Febr. 16	1165	13.9	61	9.4	2700.5	4421.

Month	Avg. cloudiness (tenths) (3)	Avg. Visibility (11)		Average soiltemperature (°C) (3)						Number of days (4)				
		Toward sea	Toward Land	Surface		In cm depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 25.0°C (ice days)	Maximum ≥ 30.0°C (Summer days)	Masimum ≥ 20.0°C (Tropical days)	Minimum ≥ 200°C
				Green	Bare	30	60	90	120					
JAN.	6.8	6.5	6.8	8.8	8.7	9.6	10.3	11.1	12.3	0	0	0	0	0
FEB.	5.5	7.0	7.2	9.7	10.2	9.6	9.9	10.3	11.2	3	0	0	0	0
MAR.	5.4	7.1	7.0	11.6	13.7	11.8	11.8	11.9	12.3	0	0	0	0	0
APR.	4.0	7.3	7.0	16.8	21.3	16.4	15.9	15.5	15.1	0	0	1	0	0
MAY	4.8	7.6	7.3	21.7	28.0	21.3	20.3	19.3	18.2	0	0	16	3	0
JUNE	2.0	7.8	7.8	28.2	38.0	28.4	26.6	25.0	23.3	0	0	30	22	24
JULY	1.0	7.5	7.8	31.3	40.3	31.0	29.5	28.1	26.5	0	0	31	30	30
AUG.	0.5	7.3	7.8	32.0	40.9	31.5	30.5	29.5	28.0	0	0	31	31	31
SEP.	1.5	7.2	7.4	28.2	33.7	28.0	28.0	27.7	27.0	0	0	30	19	23
OCT.	5.7	7.2	7.3	19.0	20.2	20.3	21.6	22.5	22.7	0	0	9	0	0
NOV.	6.4	7.1	7.4	16.3	17.0	17.6	18.2	18.9	19.3	0	0	1	0	0
DEC.	7.8	7.1	7.5	9.5	9.3	11.1	12.6	14.0	14.9	0	0	0	0	0
YEAR	4.3	7.2	7.4	19.4	23.5	19.7	19.6	19.5	19.2	3	0	149	105	10

Y E A R : 1946

	Average Pressure at 0°C (m.m.) (1)	Wind (1) (5)		Precipitation			Tota evaporation (mm) (4)(7)	Number of days								
		Avg.Speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipi-tal (4)	Dew (4)	Hoarfrost (4)	Dry groud (10)
N.	756.6	4.4	NNE	44.2	16.4	28	56.3	7	8	0	5	0	14	17	1	9
B.	50.9	2.9	S	15.8	5.9	23	72.0	7	8	3	1	0	13	13	1	16
R.	51.2	3.1	N	74.6	26.0	11	82.7	8	11	0	0	1	11	8	0	22
R.	52.5	2.0	SSW	26.0	11.8	24	110.4	4	8	0	0	0	8	6	0	22
Y	49.4	2.1	SSW	24.6	12.7	1	124.3	5	10	0	0	0	10	13	0	25
NE	51.1	3.7	N	0.4	0.2	7/17	243.3	2	2	0	0	0	3	0	0	30
LY	49.5	5.6	N	3.2	3.0	12	307.1	2	2	0	0	0	2	0	0	30
G.	49.0	4.6	NE	0.0	0.0	26	314.5	0	1	0	0	0	1	0	0	31
P.	51.8	3.5	NNE	0	0	-	213.9	0	0	0	0	0	0	0	0	30
T.	52.7	4.1	N	42.1	25.7	17	108.6	8	9	0	0	0	10	7	0	23
V.	53.2	2.8	NNE	12.9	7.9	19	77.5	4	7	0	0	0	7	17	0	28
C.	49.4	5.1	NNE	124.1	33.8	6	60.9	17	22	0	6	3	25	14	0	6
AR	751.4	3.7	NNE	367.9	33.8	Dec. 6	1771.5	64	88	3	12	4	104	95	2	272

Month	Nomber of days																
	Moist and wet ground (10)	Show cover (10)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lighning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	(4)	(4)
AN.	22	0	3	14	14	5	7	0	1	0	0	2	1	0	1		
EB.	12	0	6	16	6	8	1	1	0	0	0	0	3	0	1		
AR.	9	0	8	12	11	10	0	3	0	0	0	1	2	0	0		
PR.	8	0	12	13	5	14	3	0	0	0	1	0	0	0	0		
AY	6	0	4	24	3	8	0	3	0	0	2	0	0	1	0		
UNE	0	0	20	10	0	18	0	0	1	0	0	1	0	1	0		
ULY	1	0	26	5	0	29	0	1	0	0	0	0	0	0	0		
UG.	0	0	30	1	0	28	0	1	0	0	1	0	1	0	0		
EP.	0	0	19	11	0	20	0	1	1	0	0	0	0	0	0		
CT.	8	0	4	22	5	4	0	6	2	0	0	3	0	1	0		
OV.	2	0	1	21	8	2	1	3	0	0	0	3	4	0	0		
EC.	25	0	0	17	14	0	6	5	1	0	1	5	0	5	0		
EAR	93	0	133	166	66	146	18	24	6	0	5	15	11	8	2		

YEAR : 1946

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	15.5	20.2	6.3	2.4	0.9	0.4	3.2	6.9	5.6	4.3	2.8	1.1	1.9	3.4	3.8	3.1	1
FEB.	5.8	3.7	0.9	0.4	0.4	0.1	2.5	4.0	12.6	6.7	5.4	4.8	6.0	5.7	8.8	4.8	2
MAR.	13.3	11.3	3.4	1.2	1.6	1.3	3.1	5.0	7.1	4.2	3.6	4.2	4.3	3.1	3.9	4.4	2
APR.	5.3	9.7	1.9	1.5	0.4	1.3	1.8	5.2	11.0	11.7	4.4	4.0	1.8	1.7	2.2	3.2	3
MAY	5.6	5.0	2.2	2.8	1.3	1.2	1.9	1.3	5.9	12.4	9.8	7.4	5.2	1.6	2.7	2.8	3
JUNE	15.2	14.2	6.9	0.9	0.4	0.3	0.4	0.9	9.2	8.5	4.2	2.3	3.2	4.7	5.2	5.6	1
JULY	19.8	18.3	16.8	2.2	1.7	0.0	0.9	0.3	5.8	4.3	1.9	1.1	0.8	1.2	4.3	5.5	1
AUG.	13.0	12.9	15.7	5.0	4.8	0.1	0.3	0.1	5.2	3.1	4.6	5.8	4.0	3.2	6.0	6.6	1
SEP.	15.6	19.4	15.0	2.6	0.6	0.0	0.0	0.0	2.8	6.0	4.6	2.1	1.3	1.4	3.6	3.3	2
OCT.	17.5	17.1	5.4	0.7	0.4	1.0	3.8	6.5	11.3	4.7	2.5	1.3	1.1	0.7	3.6	5.0	1
NOV.	7.2	15.4	3.1	1.3	1.8	1.9	6.7	6.9	6.3	5.1	2.9	2.2	2.8	0.6	1.4	2.5	3
DEC.	12.4	25.9	9.1	2.6	2.4	0.8	3.5	5.1	5.1	2.4	2.0	0.5	1.3	0.7	4.2	3.6	1
YEAR	12.2	14.5	7.3	2.0	1.4	0.7	2.3	3.5	7.3	6.1	4.1	3.1	2.8	2.3	4.1	4.2	2

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending At 24 h.

3) Average of 8,14 and 20 h. observations.

4) Day ending at 20 h.

5) From Steffens - Hedde anemograph (Mean instataneous readings).

6) Monthly prevailing direction.

7) From Piche evaporimeter.

8) From Campbell - Stokes recorder.

9) Monthly possible sunshine uncorrected for the around tppography.

10) According to the International Code 0-9.

11) At 14 h observation.

YEAR 1947

Year : 1947 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	
1	9.0	11.1	7.8	6.3	9	0.7	1.50	64	5.4	749.6	W	3.3	2.9
2	7.5	10.9	4.2	5.3	10	-		66	5.1	54.5	NNE	1.4	1.6
3	7.8	8.9	6.0	6.4	10	0.2	4.00	77	6.2	51.4	NNE	7.0	1.7
4	5.8	8.1	4.8	4.0	12	0.0	0.58	73	5.0	49.5	NNE	10.1	2.0
5	4.7	7.1	4.0	3.6	13	0.1	1.50	78	5.1	46.6	NNE	3.5	1.5
6	6.1	10.6	1.1	3.7	12			65	4.3	53.3	SSE	1.7	1.9
7	8.8	10.8	6.0	8.5	9	5.5	11.17	89	8.0	50.8	NE	0.6	0.9
8	7.9	11.1	5.5	6.9	10	0.0	0.33	84	6.6	53.8	NE	2.7	0.8
9	7.0	9.2	5.7	6.2	11	11.1	16.50	88	6.4	54.6	NNE	3.7	0.7
10	8.1	10.3	6.2	7.0	10	0.0	1.25	83	6.8	53.9	NNE	0.9	1.0
11	9.9	13.3	7.4	7.9	8	6.9	3.00	77	6.6	47.4	S	4.0	1.9
12	8.0	11.0	6.3	6.0	10	0.3	0.25	77	5.9	51.9	NE	1.4	1.4
13	9.2	13.5	5.2	6.7	9			66	5.5	52.6	N	2.5	2.6
14	8.4	12.4	3.9	6.6	10			76	6.2	56.2	S	0.8	1.7
15	8.8	12.6	8.5	6.6	9	21.4	5.17	81	6.4	48.5	NNW	5.6	1.9
16	6.3	7.8	4.8	4.8	12	15.5	18.50	80	5.6	53.3	NNE	12.6	1.7
17	6.7	8.7	5.9	4.5	11	0.2	1.55	67	4.9	54.5	N	13.3	3.5
18	6.5	9.6	4.1	5.1	11	0.0	0.67	75	5.5	52.7	NW	6.3	2.8
19	6.2	10.1	2.8	4.6	12	-		74	5.1	52.0	NNW	2.2	1.5
20	5.0	7.1	4.1	3.1	13	0.1	1.67	73	4.7	49.6	NNW	1.0	1.6
21	4.7	9.7	1.4	3.4	13	4.0	4.50	75	4.8	47.5	NE	1.3	1.4
22	1.8	3.2	-0.3	0.0	16	1.7	7.00	76	3.7	44.4	NNW	3.8	1.5
23	0.8	4.4	-1.9	-0.6	17			68	3.3	48.2	NNE	1.8	0.9
24	1.7	6.1	-1.9	-0.2	16	-		65	3.4	55.5	NE	2.9	1.6
25	5.2	8.3	1.6	4.1	13	0.0	0.08	76	5.4	56.5	NNE	2.2	1.3
26	12.5	14.8	5.8	12.1	5	1.5	2.42	85	9.5	47.8	S	6.7	2.3
27	11.3	14.5	12.2	8.0	7	0.3	0.47	67	6.3	41.1	WSW	5.6	4.6
28	9.8	12.3	7.6	6.9	8			62	5.5	47.1	W	6.5	4.5
29	6.6	9.6	4.8	5.5	11	3.6	4.00	79	6.0	50.2	ENE	4.9	1.7
30	5.4	6.8	5.2	3.5	13	3.4	9.00	74	4.7	45.5	NE	13.1	2.0
31	3.8	6.3	2.0	2.0	14	0.0	0.17	72	4.2	53.0	NE	6.3	2.0
Sum					344	76.5	95.28				NNE		59.4
Avg.	6.8	9.7	4.5	5.1				75	5.6	750.8	(6)	4.5	1.9

: 1947 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
6.9	1.7	8	8	8,8	7.9	10.1	11,2	12.3	13.4	1		1
3.0	8.0	7	7	6.0	6,4	8,5	10.4	11.9	12.7	1		2
0.0	9.3	5	6	6.3	6.5	8.7	10.2	11.6	12.5	1		3
6.5	7.0	8	8	5,3	7.4	7.9	9.8	11,3	12.5	1		4
1.5	8.0	9	8	4.8	4.8	7,3	9,3	11.1	12.4	1		5
6.9	6.3	7	8	5.8	5.3	6.6	8.8	10,7	12.0	1		6
0.0	10.0	3	3	8.1	8.3	8.1	9.3	10.7	11.9	2		7
0.4	8.7	7	8	7.8	8.1	8.6	9.4	10.6	11.8	1		8
0.0	10.0	7	8	7.3	7.4	8.7	9.6	10.7	11.8	2		9
0.7	9.0	6	7	7.0	7.1	8.7	9.7	10.8	11.8	1		10
5.0	5.7	7	8	9.6	9.7	9.7	10.1	11.0	12.0	1		11
4.4	5.0	8	8	7.8	8.2	9.5	10.1	11,0	11.8	1		12
6.3	4.0	7	8	10.3	9.2	9.1	10.2	11.0	11.8	1		13
3.5	8.3	6	6	7.1	7.6	8.6	10.0	10.8	11.8	1		14
2.6	9.7	8	7	7.6	8.5	9.7	10.2	11.0	11.9	1		15
1.0	7,0	7	8	5.8	5,9	8,4	9.6	10.7	11.5	2		16
2.2	6.0	7	8	4.8	5.3	7.6	9.2	10.5	11.4	1		17
5.2	5,0	8	8	8,9	7.8	7,6	9.0	10.4	11.4	1		18
2.9	7.3	8	8	8.5	7.2	7.6	8.9	10.2	11,3	1		19
1.1	7.0	6	7	3.4	4.3	7.1	8,6	9.9	11,2	1		20
2.3	9.7	7	7	3.9	4.5	6.0	8.0	9.6	10.9	1		21
0.5	6.7	7	7	0.7	1.8	5,7	7.6	9.4	10.8	2		22
0.7	9.3	7	7	1.8	0.8	4.2	6.6	8,9	10,3	1		23
6.1	5.7	6	8	3.6	3.0	4.2	6.0	8.4	10.0	1		24
0.0	10.0	5	6	4.0	4,4	5.0	6.6	8.5	9.9	1		25
1,7	9.0	6	6	11.4	11,3	7.5	7.6	8,7	10.0	1		26
1.2	5.7	6	7	9.5	8.3	9.1	8.7	9.1	10.4	1		27
5.3	1.7	8	8	8.6	10.0	8.6	8.9	9.5	10.5	1		28
0.5	9.3	8	8	5.8	6.4	7.7	8.5	9.3	10.0	1		29
0.0	9.7	7	7	4.3	4.7	7.1	8.1	9.1	9.7	1		30
2.5	9.3	7	6	3.4	4.5	6.2	7.6	8.9	9.8	1		31
80.9												
	7.4	6.9	7.2	6.4	6.5	7.7	9.0	10.3	11.3			

Year : 1947 Month : February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	5.0	6.2	3.1	3.8	13	0.7	4.00	80	5.2	756.1	ENE	5.8	1.1
2	5.5	6.4	4.4	4.6	12	8.9	10.00	85	5.9	50.3	NE	5.7	1.3
3	8.2	12.8	3.6	6.4	10			76	6.1	51.4	WNW	1.1	1.5
4	10.9	14.6	6.3	9.4	7			83	7.8	51.3	S	2.9	2.0
5	13.7	15.5	11.8	12.0	4			80	9.4	45.5	S	9.6	3.3
6	11.6	15.3	8.4	8.5	6			69	6.6	44.3	WSW	2.9	3.2
7	10.6	15.5	7.9	7.8	7			67	7.1	48.8	W	2.0	2.9
8	10.3	15.3	6.3	7.9	8			71	6.5	55.6	-	-	2.4
9	10.7	14.7	7.2	8.6	7			82	7.9	57.5	S	1.2	1.3
10	11.6	16.2	8.0	10.3	6			83	8.4	56.5	S	0.9	1.6
11	11.5	14.2	8.1	10.4	6			89	8.8	54.0	S	1.9	0.8
12	14.1	16.3	10.8	12.1	4	0.0	0.12	79	9.2	47.9	SE	4.6	3.6
13	13.6	16.2	12.8	12.1	4			83	9.5	43.0	S	4.4	2.5
14	11.8	15.8	9.0	8.8	6			66	6.5	41.3	W	2.3	2.9
15	11.3	15.9	7.4	8.9	7			71	7.0	44.5	W	2.1	2.7
16	11.4	16.5	7.7	9.2	7			71	7.0	46.2	NE	1.4	2.0
17	9.0	12.2	8.0	7.6	9	1.6	2.05	75	7.0	47.9	NNE	3.4	1.6
18	7.8	10.3	5.9	6.6	10	1.7	3.33	76	6.3	53.2	NE	4.5	1.3
19	12.2	16.3	7.3	11.0	6	0.3	1.75	80	8.5	47.2	S	4.9	2.3
20	12.5	16.6	9.4	9.4	5			68	6.9	45.7	SW	2.5	3.9
21	11.3	14.6	8.0	9.0	7			68	6.9	49.5	W	3.1	3.3
22	11.9	16.1	8.0	10.1	6			73	7.8	51.8	S	1.2	2.4
23	13.5	18.6	9.8	11.8	4	0.0	0.33	77	8.9	52.2	SE	1.3	2.2
24	14.9	18.8	9.9	12.1	3			72	8.6	51.7	S	3.5	3.5
25	15.8	20.4	10.8	13.0	2			68	9.4	48.9	S	3.5	3.9
26	15.9	20.1	12.8	13.9	2			76	10.9	47.2	S	1.3	2.9
27	14.8	18.4	12.1	13.9	3			86	11.1	51.8	SSW	1.1	1.1
28	14.5	17.6	12.8	13.7	3			90	11.1	50.8	SW	1.0	0.9
Sum					174	13.2	21.58				S		64.4
Avg.	11.6	15.3	8.5	9.7				77	7.9	749.7	(6)	3.0	2.3

ar : 1947 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (9) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
0.0	10.0	7	7	4.4	4.9	6.2	7.5	8.7	9.7	1	◍$^{0-1}$ ◍$^{0-1}$	1
0.0	10.0	5	4	4.6	4.8	6.4	7.5	8.5	9.6	2	◍^{1} ◍$^{1-2}$	2
6.1	5.3	7	8	8.8	8.4	7.1	7.8	8.6	9.7	1	$D_{\circ}^{0-1}$	3
6.8	6.0	7	7	10.4	10.1	8.3	8.4	8.9	9.8	1	$D_{\circ}$	4
4.9	7.0	6	6	12.3	12.0	10.3	9.2	9.3	10.2	1	$D_{\circ}$	5
6.3	6.3	9	8	9.0	10.1	10.2	9.7	9.7	10.2	1	$D_{\circ}$	6
8.1	0.7	8	9	9.7	10.9	10.1	9.9	9.9	10.3	1	$D_{\circ}$	7
8.4	1.7	7	7	9.3	10.8	9.7	9.8	10.0	10.3	1	$D_{\circ}$	8
2.0	6.7	7	7	9.8	9.8	9.8	9.8	10.1	10.4	1	$D_{\circ}^{0-1}$	9
7.3	3.3	7	6	10.8	11.9	10.2	10.4	10.2	10.6	0	D^{2}	10
0.5	9.0	7	7	10.9	11.4	10.7	10.3	10.4	10.7	0	D^{1-2}	11
2.2	9.0	7	6	13.0	13.0	11.5	10.7	10.6	10.8	0	◍^{0} D	12
0.9	9.0	7	7	12.7	14.0	12.0	11.1	10.8	11.0	0		13
8.3	3.7	8	9	12.8	13.1	11.4	11.3	11.1	11.2	0	$D_{\circ}$	14
9.1	2.0	7	8	11.3	12.7	11.4	11.2	11.2	11.4	0	◯$^{0-1}$ $D_{\circ}$	15
8.8	0.7	8	8	11.3	13.2	11.4	11.5	11.3	11.5	0		16
1.9	9.7	8	4	7.7	8.4	11.3	11.4	11.4	11.5	2	◍$^{0-1}$ ◍$^{1-2}$ ◯^{0}	17
0.0	10.0	6	6	7.4	8.0	9.9	10.7	11.2	11.5	1	◍$^{0-1}$ ◍$^{0-1}$	18
0.3	6.3	7	7	11.3	10.6	10.3	10.9	11.2	11.5	2	◍$^{0-1}$ ◍$^{1-2}$	19
7.8	2.0	8	8	11.4	13.1	11.2	11.0	11.3	11.7	1		20
8.3	4.0	9	9	12.2	14.1	11.2	11.1	11.3	11.7	1	$D_{\circ}$	21
6.1	6.7	8	7	12.0	13.5	11.3	11.2	11.4	11.7	1		22
3.3	5.7	7	6	14.6	15.5	12.1	11.5	11.6	11.8	1	◍^{0}	23
9.1	2.0	7	7	14.8	16.1	12.9	12.1	11.8	11.9	1	$D_{\circ}^{0-1}$	24
8.1	8.0	7	8	15.0	16.0	13.4	12.5	12.1	12.1	0	D	25
5.7	4.3	6	6	17.0	17.6	14.6	13.2	12.4	12.3	0	D	26
6.1	6.7	6	5	14.7	16.5	14.6	13.4	12.7	12.5	0	≡^{1} D^{1-2}	27
2.0	10.0	6	5	14.2	15.0	14.7	14.0	13.1	12.7	0	⊕$^{\circ}$. ≡$^{1-2}$ D^{1-2}	28
m 138.4											◍5, ◍7, ( )2, ⊕1, ≡ 2,	
g	6.0	7.1	6.9	11.2	12.0	10.9	10.7	10.7	11.1		D 17.	

Year : 1947 Month : Marc

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	16.0	20.0	12.6	13.7	2			78	10.2	746.4	WSW	2.0	1.7
2	15.6	19.9	13.0	12.3	2	0.0	0.03	67	8.5	49.9	WSW	4.1	4.1
3	15.7	20.3	11.9	12.4	2			65	8.4	52.0	S	2.3	3.9
4	15.5	20.0	12.6	12.6	2			68	8.9	51.5	NNE	4.3	3.5
5	11.9	17.8	9.0	9.6	6			72	7.5	55.6	NE	4.2	2.7
6	13.4	16.5	9.2	12.0	5			82	9.6	52.7	S	2.1	2.0
7	16.6	19.5	13.3	14.2	1			75	10.5	47.5	SSE	7.7	4.7
8	15.6	19.6	12.1	12.4	2			68	8.5	50.4	S	2.3	2.9
9	15.0	19.3	11.2	12.3	3			77	9.2	50.6	S	2.9	2.6
10	14.1	18.4	11.1	11.2	4			69	8.2	52.0	NE	3.6	3.2
11	11.4	15.1	8.2	8.9	7			69	6.9	53.9	S	3.4	2.6
12	13.9	18.2	10.5	11.7	4	0.0	0.33	72	8.7	46.6	S	2.3	2.4
13	13.9	19.6	10.4	10.5	4	2.3	1.25	62	7.1	53.2	NNW	4.2	3.7
14	13.0	17.4	8.3	11.5	5			76	8.9	54.8	S	2.1	2.0
15	14.7	19.9	11.1	11.4	3	0.0	0.83	62	7.6	48.7	S	1.8	3.1
16	12.0	16.9	11.7	8.5	6			65	6.5	55.4	NNE	8.8	3.2
17	7.8	14.0	5.2	5.0	10			53	4.3	61.9	NE	6.5	3.8
18	10.2	16.5	4.8	7.9	8			63	6.3	57.9	SW	1.3	2.6
19	14.2	18.7	9.8	12.1	4			77	9.3	52.8	SSW	1.7	2.3
20	15.8	21.2	10.5	11.7	2			61	7.6	47.9	W	3.3	3.7
21	15.8	21.2	12.5	11.7	2			55	7.5	51.3	W	3.7	6.0
22	15.9	22.7	11.2	11.4	2			54	6.9	55.8	SW	1.6	3.7
23	16.9	21.4	11.5	11.9	1			51	6.9	53.9	SSW	2.4	4.9
24	19.0	24.0	15.7	13.2	0			49	8.3	51.8	SSW	1.1	5.6
25	17.4	21.3	13.5	13.5	1			60	8.9	52.5	S	1.5	4.6
26	17.8	22.2	13.5	14.3	0			62	9.8	53.8	WSW	0.8	3.1
27	18.1	21.7	14.7	13.9	0			60	9.2	51.4	S	0.6	3.0
28	19.0	24.8	13.9	14.6	0			60	9.4	49.7	W	1.3	3.9
29	18.2	24.3	13.0	14.4	0			61	9.5	53.8	SW	0.9	3.7
30	17.9	21.9	13.8	13.7	0			60	8.9	52.5	SSE	4.0	5.4
31	18.9	23.5	12.7	14.2	0			58	8.7	52.8	S	1.6	4.3
Sum					88	2.3	2.44				S		108.9
Avg.	15.2	19.9	11.4	11.9				65	8.3	752.3	(6)	2.9	3.5

ar : 1947 Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
8.4	3.7	5	5	16.6	16.9	15.1	13.9	13.2	12.9	0		1
9.3	4.7	6	7	17.9	18.1	15.5	14.2	13.4	13.1	0		2
6.8	3.7	7	7	15.4	17.4	15.5	14.4	13.7	13.3	0		3
5.3	5.3	6	7	15.4	15.8	15.6	14.6	13.9	13.4	0		4
9.1	4.0	7	8	13.6	17.0	14.9	14.5	14.0	13.6	0		5
4.1	8.7	7	6	12.3	14.6	14.5	14.4	14.1	13.8	0		6
2.5	7.3	7	6	16.5	17.1	15.0	14.5	14.2	13.9	0		7
8.6	2.7	8	8	19.0	19.8	15.3	14.6	14.2	14.0	0		8
4.8	6.0	7	7	16.9	17.2	15.2	14.6	14.3	14.1	0		9
4.3	3.7	8	8	14.6	17.1	15.4	14.8	14.4	14.2	0		10
5.0	5.3	7	6	12.8	15.7	14.4	14.5	14.4	14.3	0		11
7.6	2.7	9	8	14.1	18.3	14.8	14.6	14.5	14.4	0		12
7.6	2.3	9	8	17.7	19.5	15.0	14.6	14.5	14.4	0		13
7.2	3.7	9	8	14.2	17.4	14.5	14.5	14.4	14.4	0		14
4.3	7.0	8	9	16.1	18.5	15.1	14.7	14.6	14.5	0		15
4.1	8.3	7	6	11.3	14.7	14.5	14.6	14.5	14.5	0		16
9.2	2.0	9	9	12.6	14.9	13.2	14.1	14.3	14.5	0		17
9.2	1.3	8	6	12.5	17.2	13.2	14.0	14.3	14.4	0		18
9.5	0.0	8	6	15.6	20.1	14.4	14.1	14.4	14.5	0		19
6.8	4.3	8	7	15.9	19.1	15.5	15.0	14.6	14.6	0		20
8.5	5.7	9	9	18.5	21.6	15.7	15.0	14.7	14.7	0		21
9.9	3.3	8	8	20.2	23.4	16.0	15.2	14.9	14.7	0		22
8.0	3.3	8	8	20.2	15.8	16.3	15.5	15.1	14.8	0		23
5.8	6.3	8	7	17.6	23.1	17.5	16.0	15.3	15.0	0		24
1.8	8.0	8	7	17.3	19.6	17.0	16.5	15.5	15.1	0		25
6.7	9.3	8	6	16.3	20.9	17.2	16.4	15.7	15.3	0		26
1.0	10.0	7	6	15.8	19.4	17.4	16.5	15.8	15.4	0		27
7.6	3.0	5	6	21.0	24.4	18.1	16.8	16.1	15.6	0		28
8.1	9.3	8	7	19.2	24.6	18.3	17.0	16.2	15.7	0		29
7.6	6.7	7	7	18.7	22.8	18.0	17.2	16.4	15.9	0		30
8.1	0.0	7	6	19.0	24.4	18.2	17.3	16.6	16.0	0		31
206.8											◉1, ◉ 4, ↙ 1, ⊖ 3 ⊕1, Ψ 2, Ω14.	m
	4.9	7.5	7.1	16.3	18.9	15.7	15.1	14.7	14.5			g.

Year : 1947 Month : April

Date	Air temperature (°C) (3)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	18.9	24.1	14.0	14.2	0			52	8.5	749.6	S	4.2	6.2
2	18.1	24.4	14.7	13.8	0			59	8.2	49.7	SW	2.3	5.2
3	17.1	21.9	14.1	11.5	0			47	6.4	51.4	W	3.4	5.9
4	16.6	22.2	13.3	12.2	1			54	7.6	55.2	W	3.7	6.0
5	17.0	22.3	11.1	12.6	1			56	7.6	56.6	S	1.2	4.3
6	17.9	24.7	13.3	13.4	0			52	8.0	57.1	NNE	6.2	4.8
7	17.1	22.2	12.9	11.6	1			47	6.4	57.7	NNE	5.1	6.1
8	19.0	24.6	12.4	13.4	0			45	7.8	55.6	SW	1.0	6.0
9	20.2	26.9	13.7	14.3	0			46	8.0	53.8	SW	0.9	6.3
10	19.4	24.2	14.8	14.0	0			49	8.2	52.0	SW	1.1	5.9
11	17.4	22.7	15.8	12.9	1			58	8.6	52.3	NNE	8.2	4.8
12	11.0	12.8	10.4	8.8	7	0.6	4.00	72	7.0	50.8	NNE	13.9	3.0
13	7.9	9.3	6.6	5.6	10	0.1	2.25	68	5.4	57.1	N	9.2	2.7
14	10.2	15.7	5.9	6.1	8	0.1	0.25	44	4.0	59.3	NNE	4.5	4.1
15	13.4	19.2	7.0	9.1	5			47	5.5	59.6	S	1.5	5.1
16	18.3	25.0	10.5	12.5	0			45	6.5	57.3	S	2.6	6.6
17	17.4	22.1	12.1	13.0	1			57	8.4	59.0	SSW	1.6	5.3
18	17.8	23.1	13.1	14.2	0			61	9.3	57.7	SSW	1.4	4.1
19	18.0	23.4	13.4	14.4	0			67	9.7	56.1	SSW	1.2	3.7
20	18.5	23.4	13.2	14.9	0			64	9.8	54.2	SSW	0.9	3.8
21	19.2	24.7	14.5	14.6	0			56	9.1	53.1	SSW	1.3	4.4
22	19.3	25.9	14.5	14.5	0			53	8.8	53.5	SSW	1.9	5.6
23	18.1	23.9	12.7	14.4	0			59	9.5	54.2	S	1.8	5.0
24	18.9	24.8	12.6	14.1	0			49	8.5	54.5	SSW	1.5	5.2
25	21.6	26.7	15.4	12.4	0			24	4.5	56.2	NNE	6.5	8.6
26	21.0	24.9	18.2	13.1	0			32	6.3	57.7	NNE	7.6	7.2
27	19.3	26.1	13.8	13.2	0			44	7.1	56.6	NE	3.3	6.4
28	19.6	25.5	13.6	14.2	0			49	8.4	55.5	SW	0.8	5.9
29	21.2	26.4	16.2	15.5	0			49	9.5	52.4	S	1.5	6.3
30	22.4	29.2	17.5	16.4	0			49	10.0	52.3	N	1.9	6.9
Sum					36	0.8	6.50				NNE		161.4
Avg.	17.7	23.1	13.0	12.8				52	7.8	754.9	(6)	3.4	5.4

: 1947 Month : April

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
9.2	0.0	7	5	20.1	25.8	18.7	17.6	16.7	16.2	0		1
9.3	0.3	7	7	22.6	26.5	19.1	17.8	17.1	16.3	0		2
9.3	2.0	7	8	21.1	24.8	18.8	17.8	17.1	16.4	0	☉°	3
10.5	1.3	8	8	17.5	24.9	18.7	17.8	17.2	16.5	0		4
11.0	0.3	7	6	20.2	25.3	18.4	17.9	17.2	16.6	0		5
7.4	5.0	6	7	22.3	27.6	18.7	18.0	17.3	16.8	0		6
10.8	1.0	8	8	22.9	26.0	19.2	18.3	17.6	17.0	0		7
11.1	0.7	7	7	20.2	24.5	19.4	18.5	17.8	17.1	0		8
8.8	4.3	7	7	19.4	26.5	20.0	18.6	17.9	17.2	0		9
9.1	7.3	7	7	19.3	26.3	20.4	18.9	18.1	17.3	0	⊕¹	10
6.1	7.7	7	7	18.5	23.4	20.3	19.2	18.2	17.5	0		11
0.2	9.0	8	7	10.6	12.2	16.9	18.1	18.1	17.5	1	◍⁰⁻¹ ◍⁰⁻¹	12
0.0	9.7	6	6	7.2	8.4	13.8	16.5	17.4	17.3	1	◍° ◍° ⁂°	13
7.7	2.0	8	9	16.1	23.1	14.6	16.0	17.1	17.3	0	◍° ⁂	14
10.3	1.7	9	8	16.8	22.6	15.7	16.3	16.9	17.2	0		15
8.7	5.0	7	7	22.3	28.9	17.6	16.9	17.1	17.1	0		16
9.8	0.3	5	5	18.0	24.6	19.0	17.7	17.3	17.2	0		17
9.4	0.3	7	7	20.1	26.4	19.2	18.1	17.6	17.3	0		18
8.5	1.0	6	6	20.3	25.3	19.7	18.5	17.8	17.3	0	D_2 D_1 D_0	19
8.4	1.3	7	7	21.5	27.3	20.1	18.8	18.1	17.4	0		20
10.5	2.7	7	7	19.2	27.3	20.4	19.1	18.3	17.6	0		21
9.6	9.3	7	8	22.1	29.7	19.9	19.5	18.5	17.7	0		22
8.5	5.0	7	7	20.1	26.7	20.4	19.4	18.6	17.9	0		23
10.7	3.7	7	8	20.1	28.1	20.7	19.7	18.7	18.0	0		24
11.4	3.0	8	8	23.7	32.0	21.1	19.9	19.0	18.2	0		25
11.2	1.0	7	8	24.8	31.7	22.0	20.4	19.2	18.3	0	♆°	26
11.6	0.0	7	8	26.1	31.7	22.1	20.7	19.4	18.5	0		27
10.9	2.3	7	7	21.3	27.7	22.0	20.8	19.7	18.7	0		28
11.2	1.0	7	7	20.2	28.6	22.4	21.0	19.9	18.9	0		29
10.9	0.3	7	8	23.5	31.5	23.3	21.3	20.1	19.0	0		30
um 272.1											◍2, ◍ 3, ⁂ 2, ⊕ 1, ☉ 1, ♆ 1, ☊ 3.	
vg.		2.9	7.1	7.2	19.9	25.9	19.4	18.6	18.0	17.4		

Year : 1947 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	20.1	24.3	15.4	16.2	0			60	10.9	753.2	SSW	1.6	4.2	
2	20.8	25.9	15.0	16.4	0			59	10.8	53.5	SW	1.4	6.1	
3	22.0	28.0	17.5	16.5	0			52	10.3	52.7	SW	1.4	5.5	
4	23.3	28.7	18.2	16.0	0			42	8.4	50.6	SSW	1.8	6.5	
5	21.4	25.6	19.8	15.5	0			52	9.6	49.8	N	1.4	5.6	
6	18.5	24.9	13.1	14.9	0			62	9.7	51.9	NE	2.3	3.3	
7	17.0	22.3	13.3	12.1	1			51	7.0	53.9	NNE	5.7	4.5	
8	16.2	21.2	13.2	11.3	2	0.0	0.08	48	6.5	53.9	NNW	4.6	5.9	
9	16.8	22.0	13.1	12.1	1			46	7.1	53.0	NNW	4.7	5.9	
10	17.1	20.1	13.0	12.5	1	0.0	0.25	51	7.6	51.8	ENE	2.0	4.1	
11	18.9	24.3	13.6	13.0	0			46	7.0	51.8	NE	4.4	5.6	
12	19.9	24.3	14.8	13.2	0			38	6.6	52.1	NNE	5.6	7.4	
13	20.2	26.3	14.8	14.7	0			47	8.5	52.9	WSW	2.0	6.8	
14	21.0	26.3	16.0	15.0	0			46	8.6	54.4	NNE	5.1	6.1	
15	21.1	27.4	16.7	15.4	0	0.0	0.58	50	9.4	51.8	NNE	3.0	6.7	
16	20.1	23.8	16.2	16.6	0	0.5	1.00	66	12.1	48.8	SSW	2.2	4.7	
17	19.7	25.3	15.7	17.6	0	0.4	0.67	77	12.9	48.0	SSW	1.6	3.6	
18	19.8	23.4	15.9	16.2	0			64	11.1	48.1	SSW	2.1	4.3	
19	20.8	25.0	16.2	17.5	0			68	12.2	49.3	SSW	1.9	4.6	
20	21.9	27.2	17.1	18.5	0			67	13.0	52.7	SSW	1.8	4.5	
21	22.7	26.6	16.8	18.8	0			64	13.4	52.5	SW	1.2	5.5	
22	24.7	29.2	18.8	18.7	0			52	11.6	50.9	SW	1.6	7.0	
23	24.6	31.9	18.9	18.7	0			53	12.0	50.1	NE	2.4	6.3	
24	22.7	28.5	18.1	18.6	0	0.0	0.67	62	12.8	51.0	N	3.3	5.3	
25	21.5	25.9	16.5	19.0	0	0.0	0.50	73	14.1	51.0	SW	1.3	4.8	
26	22.1	25.7	17.7	18.5	0			68	13.2	49.4	SSW	1.6	3.9	
27	22.6	27.5	17.3	17.7	0			57	11.7	48.7	W	1.7	4.3	
28	23.0	29.0	17.1	16.4	0			44	9.2	48.8	NNW	2.4	6.0	
29	24.0	31.2	18.1	15.7	0			38	7.8	49.0	NE	3.1	6.7	
30	23.9	29.8	19.1	16.0	0			37	8.2	50.2	NNE	4.6	7.4	
31	22.6	25.6	19.9	16.2	0	0.0	0.08	47	9.6	51.0	NNE	10.7	6.8	
Sum					5	0.9	3.83				NNE		169.9	S
Avg.	21.0	26.1	16.3	16.0				54	10.1	751.2	(6)	2.9	5.5	A

ear : 1947 Month : May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	12.3	0.0	7	7	21.3	27.6	23.3	21.5	20.3	19.2	0		1
2	12.1	4.7	8	7	22.2	29.4	23.0	21.6	20.5	19.3	0		2
3	12.4	0.7	7	7	22.9	30.7	23.3	21.7	20.6	19.4	0		3
4	12.1	3.0	8	8	25.0	31.4	23.8	22.0	20.7	19.6	0		4
5	0.5	9.7	6	6	19.0	23.4	23.2	22.2	20.9	19.7	0		5
6	8.0	5.3	6	7	22.7	26.3	22.4	21.8	20.9	19.9	0		6
7	9.6	6.0	8	8	24.0	28.8	21.9	21.6	20.6	20.0	0		7
8	8.2	6.3	7	8	22.8	29.9	21.7	21.6	20.6	20.0	0	◍° D°	8
9	5.7	7.3	8	8	20.4	25.8	21.6	21.5	20.9	20.0	0		9
10	3.9	7.0	7	8	27.6	22.0	20.7	21.1	20.7	20.0	0	◍° D°	10
11	11.8	1.0	8	8	23.3	32.5	21.3	20.9	20.6	20.0	0		11
12	11.8	2.3	7	8	24.7	32.4	22.2	21.3	20.7	20.1	0		12
13	11.2	6.3	7	8	23.7	31.1	22.6	21.6	20.9	20.1	0		13
14	8.0	9.0	7	8	25.6	31.2	23.0	21.8	21.0	20.2	0		14
15	12.5	8.7	7	8	25.6	28.0	22.8	22.0	21.1	20.2	0	◍°	15
16	7.9	6.3	8	8	21.8	26.8	23.2	22.1	21.3	20.4	0	◍° ◍°-1	16
17	6.8	4.7	6	7	23.4	29.8	23.1	22.1	21.4	20.4	0	◍° ◍° T° ⊕° ∩	17
18	9.3	7.3	7	8	22.7	29.9	22.7	21.9	21.4	20.4	0		18
19	12.2	1.3	8	8	23.5	32.6	23.2	22.2	21.4	20.5	0		19
20	12.2	1.0	7	7	25.4	33.9	24.1	22.4	21.5	20.5	0		20
21	12.8	3.0	8	8	25.4	38.3	24.8	22.9	21.7	20.7	0		21
22	7.0	0.7	8	8	25.0	36.3	25.4	23.3	21.9	20.8	0		22
23	10.9	4.0	7	8	27.9	37.5	26.3	23.7	22.2	21.0	0		23
24	9.7	5.0	7	8	28.1	35.2	26.3	24.1	22.5	21.1	0	◍°-1	24
25	9.1	2.7	7	7	27.4	31.3	25.3	23.9	22.5	21.3	0	◍°	25
26	12.4	1.0	7	7	26.1	30.5	25.3	23.6	22.5	21.4	0		26
27	8.1	6.0	7	8	25.2	28.9	25.4	23.5	22.4	21.4	0	Φ°	27
28	11.7	4.3	8	8	23.5	28.2	25.5	23.7	22.4	21.4	0		28
29	11.7	3.3	7	8	25.3	29.8	25.7	23.8	22.4	21.4	0		29
30	9.6	3.0	8	8	27.3	30.4	26.2	24.1	22.5	21.4	0		30
31	7.1	7.7	6	7	24.0	29.9	25.5	24.2	22.7	21.5	0	◍°	31
Sum	298.6				-	-						◍2, ◍ 8, T 1, ⊕ 1, ∩ 1, Φ 1, Ω 2.	
Avg.		4.5	7.2	7.6	24.0	30.3	23.7	22.4	21.4	20.4			

Year : 1947 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure(mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.) (5)	(4)(7)	
1	21.7	24.6	18.2	13.6	0			38	6.7	751.0	NNE	9.8	8.5	
2	24.1	28.4	19.0	15.7	0			33	7.6	50.1	NNE	7.1	9.2	
3	25.4	33.0	20.5	17.9	0			40	9.7	49.7	NNE	3.3	7.8	
4	24.9	29.4	20.0	18.3	0			48	11.2	50.3	S	2.4	6.6	
5	26.2	30.7	21.5	19.8	0			50	12.7	51.2	S	2.3	7.5	
6	26.6	31.5	22.3	20.1	0			50	13.2	52.2	SSW	1.3	6.5	
7	27.3	31.7	22.2	19.2	0			41	11.2	51.4	S	3.0	7.2	
8	26.9	31.3	23.7	16.1	0			28	6.7	52.7	NNE	4.0	10.3	
9	24.0	30.6	19.3	16.0	0			36	8.4	53.7	NNE	3.5	7.8	
10	25.0	32.4	18.1	16.1	0			34	7.2	49.5	NE	3.6	7.4	
11	24.1	29.3	20.7	17.7	0			46	11.0	49.8	NNE	5.2	6.8	
12	22.7	26.9	18.9	18.6	0			62	13.3	51.8	SW	1.8	4.5	
13	23.7	28.2	18.7	18.6	0			58	12.4	52.2	SSW	1.7	4.9	
14	24.6	30.2	19.9	18.2	0			51	10.7	51.7	SW	1.7	5.8	
15	25.4	30.5	20.4	19.1	0			50	12.1	50.1	SSW	1.1	6.5	
16	26.4	31.2	21.6	20.2	0			50	13.1	49.1	SSW	1.6	7.0	
17	26.2	32.8	22.0	20.0	0			52	13.4	48.4	SW	2.8	6.3	
18	24.9	30.6	21.7	19.8	0	0.0	0.83	57	13.6	48.3	NNE	2.9	4.8	
19	23.4	27.7	19.4	17.1	0	0.0	0.17	50	10.3	48.4	W	3.7	6.6	
20	23.9	31.0	19.4	17.6	0			49	10.6	47.3	W	2.8	8.5	
21	24.6	29.5	20.1	18.6	0	0.0	0.05	53	11.8	47.5	SSW	2.5	6.5	
22	25.1	30.0	20.2	20.0	0	0.0	0.75	57	13.6	48.4	SW	2.0	6.4	
23	25.5	29.7	21.7	20.9	0			62	15.0	49.6	SSW	2.6	6.9	
24	25.5	30.6	21.5	21.0	0			66	15.4	48.5	SW	2.6	5.7	
25	24.1	30.9	19.9	20.5	0	48.7	2.83	72	15.5	48.3	SW	1.9	4.3	
26	23.2	28.2	20.0	19.2	0	0.1	0.57	67	14.1	48.5	NW	3.5	3.6	
27	26.2	30.7	21.7	18.0	0			40	9.9	47.9	NNE	7.0	8.6	
28	28.2	33.5	23.0	19.8	0			41	11.8	49.6	NW	4.2	7.3	
29	28.3	35.2	23.3	21.1	0			44	13.4	51.2	NE	2.3	8.6	
30	28.7	33.1	24.0	19.8	0			41	11.1	49.6	N	5.0	8.1	
Sum					0	48.8	5.20				NNE		206.5	S
Avg.	25.2	30.5	20.8	18.6				49	11.6	749.9	(6)	3.3	6.9	A

r : 1947 Month : June

Total sunshine (8)	Avg. Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
8.7	5.3	7	7	22.5	26.8	24.7	24.0	22.8	21.7	0		1
12.4	1.0	8	8	29.6	33.2	25.6	24.2	22.9	21.7	0		2
12.6	1.0	8	9	28.7	36.1	26.9	24.6	23.2	22.0	0		3
12.1	1.0	8	8	28.1	33.4	27.1	25.0	23.4	22.1	0		4
12.3	1.7	8	7	28.7	35.0	27.9	25.4	23.8	22.2	0		5
12.4	3.0	7	7	27.2	36.4	28.1	25.6	23.9	22.4	0		6
11.9	2.7	7	7	29.3	37.6	28.3	25.9	24.1	22.6	0		7
12.5	1.7	8	8	30.5	40.9	29.2	26.2	24.3	22.7	0		8
11.1	1.7	7	7	27.1	34.8	28.6	26.6	24.8	22.9	0		9
12.2	0.7	7	8	29.0	38.2	28.3	26.4	24.9	23.1	0		10
11.7	3.7	8	8	27.7	37.0	28.5	26.5	25.1	23.3	0		11
12.7	1.3	7	8	26.9	35.0	27.6	26.5	25.3	23.4	0		12
12.7	2.0	7	7	26.8	35.0	27.4	26.4	25.2	23.6	0		13
9.7	7.0	7	8	28.1	35.3	27.4	26.2	25.1	23.6	0		14
12.6	2.0	8	7	28.1	34.8	27.8	26.2	25.1	23.6	0		15
12.6	0.7	7	7	27.7	37.9	28.4	26.3	25.1	23.7	0		16
12.6	1.0	8	7	29.0	36.1	28.6	26.6	25.2	23.8	0		17
8.9	6.0	6	6	28.1	32.5	28.3	26.7	25.2	23.9	0	◎°	18
10.4	4.0	8	8	28.3	35.2	27.7	26.4	25.5	24.0	0	◎°	19
10.1	5.0	7	7	31.5	37.7	27.8	26.6	26.1	24.0	0		20
9.3	0.3	7	8	32.0	34.3	27.7	26.6	25.6	24.1	0	◎°	21
9.3	5.0	7	7	29.6	35.1	27.9	26.4	25.4	24.1	0	◎° T°	22
12.2	1.3	7	7	29.2	35.0	28.2	26.6	25.5	24.1	0		23
12.1	0.3	6	7	28.4	36.2	28.5	26.7	25.5	24.6	0		24
10.1	7.0	7	7	27.6	34.4	28.5	26.7	25.6	24.2	0	◎² ◎¹ ⊼²	25
7.1	6.3	7	8	22.5	22.4	25.9	26.1	25.4	24.3	2	◎°	26
11.9	2.3	8	8	27.3	23.9	26.4	25.5	25.1	24.2	0		27
12.9	1.3	8	8	29.1	29.6	28.3	26.1	25.1	24.2	1		28
11.9	1.3	9	9	29.0	35.3	29.7	26.8	25.3	24.2	0	⊕¹	29
11.7	1.3	7	8	30.7	35.7	30.1	27.3	25.6	24.3	0		30
um 340.7											◎1, ◎ 6, ⊼ 2, ⊕ 1.	
vg.	2.8	7.4	7.5	28.3	34.4	27.9	26.1	24.8	23.4			

Year : 1947 Month :

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	27.3	31.7	23.4	17.9	0			38	9.2	746.5	NNE	6.1	8.3
2	27.8	32.4	21.9	18.9	0			40	10.3	44.9	NW	5.9	9.6
3	25.6	29.0	22.8	18.7	0			50	11.8	49.3	NNE	11.1	8.0
4	24.5	28.6	21.1	17.1	0			43	9.5	51.9	N	7.4	8.6
5	26.1	31.8	20.7	17.6	0			37	9.1	51.3	NNE	5.2	8.5
6	27.4	34.1	21.5	19.4	0			39	11.5	50.9	NE	1.8	8.5
7	29.1	34.5	22.6	19.2	0			34	9.7	50.5	N	5.9	10.0
8	30.9	36.4	25.4	19.7	0			29	9.7	47.9	N	5.6	13.3
9	30.9	38.0	25.6	21.2	0			36	12.2	45.4	N	2.3	11.1
10	31.5	37.8	26.3	21.5	0			39	13.0	43.3	WSW	2.5	12.1
11	31.0	37.1	25.9	21.9	0			43	13.9	44.6	NE	3.3	8.5
12	30.5	35.5	26.9	21.4	0			41	13.0	47.5	N	5.6	10.1
13	30.0	34.7	25.6	19.6	0			35	10.0	47.8	N	5.9	11.2
14	26.4	29.5	24.1	20.1	0			54	13.5	48.1	N	9.9	8.3
15	24.5	29.1	18.6	19.1	0			59	13.2	48.8	NE	8.0	6.6
16	23.6	28.3	19.9	19.3	0	0.0	0.03	64	13.7	50.7	SW	2.2	5.2
17	25.7	30.6	20.6	20.1	0			59	13.7	50.6	SW	1.6	5.8
18	26.3	31.9	21.7	20.0	0			57	12.9	49.3	S	1.8	6.4
19	26.5	32.4	21.8	20.3	0			56	13.4	49.2	SSW	1.2	6.5
20	27.6	32.0	22.7	20.7	0			51	13.3	49.1	SSW	1.1	7.1
21	28.3	33.5	23.1	22.3	0			55	16.1	50.1	SW	1.6	7.2
22	28.3	32.8	23.5	21.6	0			55	14.6	50.3	SW	2.3	6.4
23	27.3	33.6	24.3	21.5	0	6.0	1.58	57	16.1	48.0	NNE	4.4	5.2
24	26.8	31.9	22.0	20.6	0			52	14.1	48.4	NNE	3.7	5.8
25	27.5	32.8	22.4	19.7	0			44	11.8	48.5	N	5.3	8.8
26	28.5	33.7	24.0	20.5	0			44	12.7	49.2	NW	4.9	8.5
27	23.9	33.5	24.0	19.6	0			38	11.0	49.8	NNE	6.4	9.1
28	29.6	35.4	24.3	20.6	0			39	12.1	48.5	N	4.5	9.7
29	27.0	30.2	25.3	20.1	0			51	13.4	50.3	N	9.4	8.2
30	25.9	29.9	22.2	17.5	0			39	9.5	51.9	NNE	9.2	9.6
31	28.9	37.1	22.8	20.6	0			40	12.3	50.3	SW	1.9	9.0
Sum					0	6.0	1.61				NNE		261.2
Avg	27.8	32.9	23.1	19.9				46	12.3	748.8	(6)	4.8	8.4

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground Condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.1	1.7	8	9	29.0	35.6	30.2	27.8	25.9	24.4	0		1
12.3	1.0	7	7	28.5	35.8	29.8	27.8	26.2	24.6	0		2
8.7	1.0	8	9	28.5	30.1	29.5	27.7	26.2	24.7	0		3
13.2	1.3	7	8	30.4	31.9	28.7	27.6	26.6	24.9	0		4
12.8	0.3	7	7	28.1	39.8	29.2	27.7	26.5	25.2	0		5
11.9	0.0	7	6	26.4	37.7	30.0	28.0	26.7	25.2	0		6
10.8	0.0	7	7	29.7	34.9	30.1	28.0	26.7	25.1	0		7
13.3	0.0	8	9	29.2	38.9	30.9	28.8	27.0	25.4	0		8
13.3	0.0	8	8	30.5	41.7	32.1	29.2	27.3	25.6	0		9
13.0	0.3	7	7	32.1	37.5	32.4	29.5	27.7	26.0	0		10
12.9	1.0	7	7	29.7	41.6	32.3	29.6	27.9	25.8	0		11
13.2	1.7	8	9	32.1	38.9	32.6	29.8	28.0	26.0	0		12
12.8	1.3	8	8	31.4	38.9	32.2	29.8	28.1	26.2	0		13
13.1	4.7	6	7	28.7	32.6	31.2	29.7	28.3	26.4	0		14
8.9	4.7	8	8	28.4	33.9	30.1	29.2	28.2	26.5	0		15
12.2	2.0	7	7	26.4	36.5	29.4	28.7	28.2	26.6	0	◍¹ ≺¹	16
12.5	1.3	8	8	27.7	41.3	29.3	28.7	28.0	26.5	0		17
12.3	1.0	6	7	27.8	39.2	29.6	28.5	27.8	26.5	0		18
12.6	1.3	7	7	28.0	37.3	29.5	28.5	27.7	26.4	0		19
12.8	0.7	7	6	29.6	37.0	29.8	28.5	27.6	26.4	0		20
12.9	0.3	7	7	29.5	37.3	30.3	28.6	27.6	26.3	0	≺¹	21
12.7	0.3	8	8	30.3	37.3	30.5	28.7	27.6	26.4	0		22
8.5	5.7	5	6	25.2	38.6	29.7	28.7	27.5	26.4	2	◍¹⁻²	23
10.5	3.7	8	8	25.9	33.7	28.0	28.1	27.4	26.3	1		24
13.2	1.7	6	7	32.2	30.9	28.8	27.8	27.1	26.3	0		25
-	1.0	7	8	34.2	45.4	30.4	28.3	27.3	26.3	0		26
12.8	0.7	8	8	34.1	42.3	30.9	28.7	27.4	26.2	0		27
12.4	1.3	7	8	32.6	44.4	31.1	29.1	27.8	26.4	0		28
11.7	3.0	6	7	30.5	33.5	30.8	29.2	27.9	26.5	0		29
13.0	0.3	7	8	31.0	36.7	29.6	28.8	27.8	26.4	0		30
13.1	0.7	8	8	34.8	46.8	30.2	29.0	28.1	26.7	0		31
364.5											◍1, ◍1, ≺ 2.	
	1.4	7.2	7.5	29.8	37.7	30.3	28.7	27.4	26.0			

Year : 1947 Month : August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	30.3	35.6	25.9	21.4	0			41	13.0	750.7	SW	1.1	9.1
2	30.5	36.3	26.7	22.2	0			46	14.6	52.3	NNE	3.3	9.0
3	29.0	34.6	24.8	22.2	0			53	15.5	49.4	W	1.4	6.4
4	28.1	32.9	19.7	19.0	0			40	10.8	50.5	NNE	6.3	7.6
5	27.6	33.0	23.0	18.8	0			38	10.6	52.5	N	6.8	8.8
6	28.3	36.6	21.7	20.1	0			42	11.3	52.0	NNE	2.2	8.9
7	29.0	35.5	23.8	21.3	0			46	14.6	49.4	SW	1.7	7.8
8	28.4	36.3	23.1	21.2	0			47	14.4	46.1	SW	2.1	9.1
9	28.6	34.7	22.8	20.2	0			45	11.9	46.3	NNE	3.4	7.1
10	27.0	31.3	22.5	21.1	0			55	14.6	49.2	WSW	2.4	6.9
11	27.3	31.6	23.2	22.1	0			62	16.5	49.4	WSW	1.5	5.7
12	28.4	33.5	23.6	20.0	0			45	11.7	49.3	WSW	2.2	7.5
13	28.6	34.0	24.7	22.8	0			54	16.8	49.4	WSW	1.4	7.2
14	27.9	31.7	23.4	22.1	0			58	15.9	49.8	W	1.7	6.0
15	27.8	32.8	24.0	19.7	0	0.0	0.01	46	12.0	52.0	NE	5.8	7.2
16	27.4	33.5	22.6	19.5	0			41	11.5	53.1	NE	5.5	8.4
17	27.4	33.8	22.2	20.1	0	0.0	0.01	47	12.6	50.3	NNE	2.6	8.2
18	25.2	31.6	21.4	19.5	0	0.0	1.08	55	13.1	49.3	NNE	4.4	5.9
19	25.0	29.4	21.1	17.1	0	0.0	0.17	43	9.5	51.0	N	6.3	7.8
20	25.7	30.7	20.6	17.0	0			36	8.6	51.8	N	3.9	8.2
21	27.4	35.1	21.6	18.9	0			38	11.0	50.7	NNE	2.0	9.2
22	27.3	32.6	22.3	18.9	0			42	10.9	49.4	WSW	1.7	7.7
23	28.3	33.4	23.9	20.4	0			45	12.8	48.6	WSW	1.4	8.2
24	28.3	33.3	24.4	22.1	0			53	15.8	49.4	SSW	1.3	6.8
25	28.9	35.1	24.4	22.2	0			53	15.4	50.1	SSW	1.5	6.4
26	30.7	36.2	24.8	21.1	0			44	12.5	49.8	S	2.2	8.4
27	29.3	33.3	23.4	22.3	0			49	15.5	48.1	S	3.1	9.9
28	27.1	32.3	22.7	20.9	0	1.1	0.92	55	14.7	45.0	WSW	6.5	9.8
29	24.5	29.7	21.3	18.1	0			49	11.0	46.6	W	6.0	10.7
30	23.5	29.9	18.6	17.8	0			54	11.1	50.5	W	2.9	7.5
31	24.5	29.2	20.9	20.3	0	0.0	0.05	63	14.6	50.3	SW	1.4	5.2
Sum					0	1.1	2.24				NNE		242.6
Avg.	27.7	33.2	22.9	20.3				48	13.1	749.8	(6)	3.1	7.8

r : 1947 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
12.6	3.0	8	7	30.5	40.5	31.0	29.1	28.1	26.8	0		1
-	0.7	8	8	31.0	39.6	31.6	29.3	28.1	26.8	0		2
10.9	2.3	6	7	29.4	35.1	31.2	29.5	28.0	26.8	0		3
12.1	0.7	7	8	33.3	38.5	30.9	29.3	28.1	26.7	0		4
12.9	0.7	6	7	33.8	39.5	30.6	29.2	28.2	26.8	0		5
12.5	0.0	7	9	31.1	40.2	30.5	29.2	28.3	27.1	0		6
12.8	0.7	6	7	31.2	39.6	31.0	29.5	28.5	27.1	0		7
12.7	0.7	9	8	32.8	39.6	30.9	29.5	28.5	27.1	0		8
12.5	0.7	6	7	32.7	40.1	30.8	29.4	28.4	27.2	0		9
12.8	1.0	8	8	30.8	36.3	30.5	29.5	28.5	27.2	0		10
12.5	1.3	7	7	30.2	37.2	30.2	29.3	28.4	27.2	0		11
12.2	1.0	6	7	30.8	37.4	30.1	29.1	28.3	27.1	0		12
12.8	0.7	7	7	30.9	37.6	30.3	29.1	28.3	27.2	0		13
11.0	3.7	7	7	29.6	35.6	30.1	29.1	28.2	27.1	0		14
12.4	1.3	7	8	33.7	37.8	30.1	29.1	27.9	26.9	0	◍⁰	15
13.1	1.0	8	9	29.2	38.2	29.9	29.1	28.1	27.0	0		16
9.7	3.3	8	8	29.6	37.9	30.1	29.1	28.3	27.2	0	◍⁰	17
7.4	7.3	7	9	29.6	35.8	29.3	28.9	28.2	27.2	0	◍⁰ ≋⁰⁻¹ ⊓¹	18
12.2	1.3	7	7	30.7	35.7	29.0	28.6	28.0	27.2	0	◍⁰	19
12.1	0.7	8	9	32.9	36.5	28.9	28.5	28.2	27.2	0		20
12.7	0.7	7	7	27.1	36.9	29.1	28.6	28.1	27.2	0		21
12.3	0.3	8	7	29.6	36.7	29.2	28.6	28.1	27.2	0	⊓⁰	22
12.8	0.3	8	7	30.4	31.0	29.4	28.5	28.0	27.1	0		23
12.1	0.7	8	8	30.3	37.5	29.6	28.6	28.0	27.1	0		24
12.3	0.7	7	8	31.0	39.1	29.9	28.8	28.0	27.0	0		25
12.1	0.7	7	7	32.0	38.3	30.1	28.8	28.0	27.1	0		26
11.8	1.0	7	7	30.3	38.1	30.2	28.8	28.0	27.0	0	≋⁰	27
12.0	3.0	7	7	28.3	35.9	29.4	28.8	28.0	26.9	0	◍⁰⁻¹ ◍¹ ≋⁰	28
11.6	1.7	8	8	29.2	36.8	28.7	28.5	27.7	26.6	0		29
11.9	3.0	8	8	29.0	35.4	27.7	27.8	27.3	26.3	0		30
9.2	4.3	7	7	27.7	34.2	27.6	27.5	27.1	26.3	0	◍⁰	31
m 358.0											◍1, ◍6, ≋2, ≺1, ⊓2.	
g.	1.6	7.3	7.6	30.6	37.4	29.9	28.9	28.1	27.0			

Year : 1947 Month : Septembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	25.1	29.9	20.5	20.2	0			63	14.3	750.8	SSW	1.7	7.8
2	24.3	28.1	20.0	20.5	0			70	15.3	51.2	SSW	2.7	4.1
3	26.1	30.5	21.6	21.3	0			63	15.4	44.3	SSW	4.1	5.4
4	24.7	29.8	21.3	19.6	0	0.0	0.13	59	13.5	45.5	NW	2.7	6.3
5	24.0	29.1	19.8	18.3	0	0.0	0.08	54	11.8	51.4	S	1.3	5.3
6	23.3	27.8	20.0	18.4	0	0.0	0.15	60	12.5	54.4	SSW	2.7	5.6
7	23.6	26.7	21.2	20.4	0			73	15.7	50.1	SSW	4.6	4.7
8	22.3	27.1	19.0	17.7	0			64	11.9	49.8	NNE	6.3	4.3
9	21.7	26.8	19.4	17.4	0			62	12.0	52.5	NNE	4.9	5.3
10	21.6	26.1	18.0	17.1	0	0.0	0.08	58	11.2	55.2	N	5.1	5.5
11	24.2	28.6	20.0	16.9	0			44	9.4	55.1	NNE	7.3	9.1
12	26.0	31.3	20.7	18.6	0			43	11.0	55.0	NNE	5.1	10.6
13	25.2	29.2	22.7	18.8	0			51	12.0	55.5	NNE	8.1	8.9
14	23.8	28.4	21.0	16.9	0			52	10.0	54.8	NNE	9.9	9.4
15	24.4	30.1	20.6	16.7	0			44	9.3	55.1	N	5.4	8.6
16	25.3	32.4	20.0	19.2	0			51	12.3	55.5	WNW	2.8	7.0
17	24.3	29.8	20.0	18.0	0			48	10.8	53.6	WNW	2.9	7.2
18	25.3	32.3	20.1	18.5	0			47	11.3	52.5	NW	2.1	7.2
19	24.3	29.0	20.6	17.5	0			48	10.5	52.3	-	-	6.9
20	22.2	26.8	19.2	16.4	0			52	10.2	53.5	NNE	6.0	7.2
21	22.0	25.7	18.6	16.4	0			52	10.2	52.9	NNW	4.6	6.1
22	22.2	26.6	19.3	17.9	0			62	12.3	52.5	NNE	7.8	5.8
23	22.1	26.5	18.9	18.1	0			63	12.6	51.7	NE	4.1	5.0
24	20.9	25.1	17.2	17.5	0			67	12.5	51.4	-	-	3.6
25	22.5	29.2	16.8	17.5	0			60	11.4	53.9	NNE	4.9	4.2
26	23.0	29.5	19.5	17.5	0			56	11.4	53.7	NE	5.7	6.0
27	22.8	27.7	18.8	17.5	0			56	11.5	55.5	NE	8.1	6.8
28	23.8	29.3	18.1	18.2	0			58	12.2	55.9	NE	5.5	6.1
29	22.7	27.6	18.1	18.3	0			61	12.4	53.7	WSW	2.3	5.2
30	23.6	29.3	18.6	17.2	0			52	11.2	50.4	SW	1.4	5.1
Sum					0	0.0	0.44				NNE		190.3
Avg.	23.6	28.5	19.7	18.1				56	11.9	752.6	(6)	4.6	6.3

: 1947 Month : September

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
12.2	0.3	8	7	27.2	34.8	27.5	27.1	26.8	26.2	0		1
11.9	1.0	7	7	28.1	32.9	27.3	27.0	26.7	26.1	0		2
11.4	3.3	6	6	28.9	34.7	27.5	27.0	26.6	26.0	0		3
9.8	7.3	8	8	28.9	36.7	27.7	26.9	26.3	25.8	0		4
8.8	4.0	7	7	28.5	35.6	27.2	26.8	26.4	25.9	0		5
9.0	3.7	7	7	25.7	32.8	26.8	26.7	26.4	25.9	0		6
7.0	8.7	7	7	23.1	28.5	26.9	26.4	26.1	25.8	0		7
4.7	6.0	7	7	27.7	28.1	26.0	26.1	25.9	25.6	0		8
3.3	6.0	8	8	22.6	25.5	25.4	25.9	25.9	25.6	0		9
7.0	5.0	7	7	21.9	25.4	24.8	25.5	25.6	25.5	0		10
11.4	0.7	7	7	26.7	31.9	25.1	25.3	25.4	25.3	0		11
11.3	0.0	6	7	28.4	34.7	25.9	25.4	25.5	25.3	0		12
11.6	0.7	7	7	26.6	33.1	26.4	25.7	25.4	25.1	0		13
11.7	0.7	8	9	26.3	32.8	25.9	25.7	25.5	25.2	0		14
10.4	0.7	7	8	25.7	33.0	26.0	25.9	25.6	25.2	0		15
11.8	0.7	7	7	25.1	35.3	26.4	25.9	25.6	25.5	0		16
11.6	0.3	7	7	26.5	34.4	25.8	26.0	25.8	25.4	0		17
11.6	0.7	7	7	28.2	35.5	26.7	26.1	25.8	25.3	0		18
11.3	1.3	6	7	24.9	32.1	26.5	26.0	25.6	25.2	0		19
10.9	1.7	8	7	27.9	28.3	25.9	26.0	25.8	25.4	0		20
6.8	6.3	8	8	25.4	31.7	24.3	25.6	25.7	25.4	0		21
9.1	6.7	6	7	25.3	29.5	25.0	25.4	25.5	25.1	0		22
7.1	5.0	8	8	23.8	28.1	24.8	25.3	25.3	25.2	0		23
4.7	6.0	6	6	21.1	25.3	24.2	25.0	25.3	25.1	0		24
11.1	1.3	7	7	24.7	30.4	24.2	24.5	24.9	24.9	0		25
11.2	0.7	8	8	24.1	31.3	24.9	24.8	25.0	24.9	0		26
11.2	0.7	7	8	22.3	30.7	24.6	24.7	24.7	24.7	0		27
11.1	0.3	7	8	24.4	31.5	24.7	24.6	24.8	24.6	0		28
9.7	2.3	7	7	24.2	27.9	24.5	24.7	24.9	24.7	0		29
10.6	0.7	7	7	24.4	29.9	24.5	24.7	24.7	24.6	0		30
291.4											4, 6, 3	
	2.7	7.1	7.3	25.5	31.4	25.8	25.8	25.7	25.4			

Year : 1947 Month : Octobe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	22.0	27.2	19.0	16.6	0			54	10.6	751.9	NE	7.7	5.8
2	20.5	26.2	17.3	15.5	0			55	9.6	55.5	NE	6.1	5.7
3	19.8	26.8	15.0	15.3	0			57	9.9	56.5	NNE	4.2	4.1
4	18.0	21.2	16.9	12.6	0			49	7.3	58.7	NNE	7.1	6.4
5	18.1	23.3	14.0	13.1	0			51	8.0	56.9	NE	4.1	5.2
6	19.6	25.1	15.3	13.5	0			43	7.4	56.7	NNE	5.2	6.7
7	19.6	26.3	14.9	15.2	0			53	9.4	55.2	NE	1.4	5.2
8	20.3	28.1	14.3	14.9	0			51	8.6	54.4	N	0.8	4.7
9	20.4	26.8	15.5	15.2	0			51	9.0	55.2	N	3.6	5.0
10	21.1	28.9	15.8	16.2	0			53	10.1	55.2	NE	3.1	5.1
11	20.5	24.3	17.3	15.1	0			52	9.1	57.4	NNE	8.0	6.5
12	18.8	23.0	16.5	13.2	0			52	7.9	59.1	NNE	9.4	6.6
13	17.3	22.1	14.1	12.2	1			52	7.2	57.1	NNE	6.4	5.2
14	17.2	22.5	13.5	14.1	1			61	9.4	55.1	N	1.1	4.0
15	17.2	20.6	13.8	15.1	1	0.0	0.82	72	11.1	52.5	SSW	1.7	2.5
16	18.0	23.2	13.5	13.7	0	0.1	0.42	61	8.7	51.2	NNE	1.6	3.3
17	16.9	20.7	14.1	13.1	1	1.0	6.30	67	8.9	52.4	SSW	1.1	2.7
18	16.0	21.2	12.2	12.7	2	9.8	1.67	69	8.7	53.2	SSW	1.4	3.4
19	15.6	21.4	13.7	12.7	2	0.6	0.82	66	9.0	53.6	NNE	2.5	2.6
20	11.6	14.7	10.5	6.1	6	0.8	1.02	41	3.7	56.5	NNW	4.6	4.7
21	11.7	17.4	7.8	7.1	6			46	4.5	56.9	N	2.0	3.7
22	13.2	18.7	8.8	8.6	5			48	5.1	55.4	NE	2.6	4.1
23	13.6	17.7	11.1	10.5	4			60	7.3	55.6	SW	1.7	3.3
24	14.6	20.8	11.7	11.4	3	0.0	0.03	66	7.3	55.4	E	2.0	2.6
25	15.3	18.9	11.3	11.9	3			66	8.4	54.7	S	3.0	3.0
26	18.6	20.4	14.8	16.0	0	2.1	1.47	72	11.9	51.4	SSE	7.4	6.1
27	20.2	24.3	17.9	17.4	0	27.6	12.33	72	12.8	48.6	SSE	4.5	4.2
28	18.3	22.9	14.8	16.1	0			76	12.1	51.9	E	0.4	2.0
29	18.0	21.7	15.6	15.9	0			80	12.1	54.0	NE	3.6	1.7
30	16.6	19.2	14.2	14.8	1	3.8	5.00	81	11.4	52.9	NE	3.2	1.4
31	15.5	18.3	14.6	13.5	2	3.8	5.00	80	10.6	52.3	NE	4.8	1.6
Sum					38	49.6	34.88				NE		129.1
Avg.	17.6	22.4	14.2	13.5				60	8.9	754.6	(6)	3.8	4.2

r : 1947 Month : October

Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
10.6	1.3	6	6	23.0	29.1	24.4	24.6	24.6	24.4	0		1
10.3	1.0	7	8	22.3	29.0	24.1	24.3	24.5	24.4	0		2
8.2	3.0	6	7	22.0	27.6	23.2	24.1	24.3	24.4	0		3
8.4	3.0	6	7	19.1	22.4	22.6	23.6	24.0	23.9	0	Θ^{0-1}	4
10.7	0.7	7	8	19.7	23.4	22.3	23.1	23.7	23.9	0		5
10.7	0.7	7	7	20.6	23.5	21.7	22.8	23.6	23.9	0		6
10.5	0.3	7	8	22.1	26.1	22.0	22.8	23.5	23.9	0		7
10.7	0.3	8	7	23.5	25.7	22.1	22.7	23.4	23.7	0		8
10.6	0.3	7	8	22.9	25.9	22.2	22.7	23.3	23.5	0		9
10.6	0.7	6	7	22.7	26.6	22.5	22.9	23.3	23.4	0		10
10.3	0.7	7	7	21.2	24.6	22.2	22.6	23.1	23.3	0		11
10.7	0.7	7	9	19.3	23.1	21.4	22.4	22.8	23.0	0		12
9.8	4.3	7	8	21.7	21.1	22.3	22.8	23.0	23.0	0		13
2.3	7.0	7	8	18.3	21.7	20.9	22.1	22.7	23.1	0		14
1.3	8.0	9	8	17.8	18.9	20.3	21.7	22.5	22.9	0	$\bigcirc^{2}$ $\swarrow$	15
10.1	3.3	8	9	20.7	23.1	20.3	21.4	22.2	22.8	0	$\bigcirc^{0}$	16
2.8	5.3	6	7	16.3	16.4	20.1	21.3	21.8	22.4	0	$\bigcirc^{0}$ $\bigcirc^{0}$	17
6.8	4.3	7	7	17.5	17.1	19.1	20.5	21.6	22.2	0	$\bigcirc^{1}$ $\bigcirc^{0-1}$	18
4.0	8.7	7	7	16.0	16.6	18.4	20.4	20.8	21.9	1	$\bigcirc^{0}$ $\bigcirc^{0-1}$	19
4.1	4.0	7	8	14.5	12.5	16.5	18.7	20.5	21.5	1	$\bigcirc^{0}$ $\bigcirc^{0}$	20
7.9	3.7	8	9	14.4	15.1	15.8	18.6	19.8	21.2	0	$\in^{0}$	21
9.8	1.0	8	8	17.2	17.3	16.5	18.5	19.8	20.9	0		22
7.9	6.7	8	8	16.3	17.7	16.8	18.6	19.7	21.1	0		23
4.3	6.3	8	7	13.8	13.9	16.9	18.4	19.5	20.4	0	$\bigcirc^{0}$ D^{1}	24
5.2	8.7	8	7	15.8	15.8	17.0	18.3	19.4	20.4	0		25
1.2	9.7	7	6	17.8	17.6	18.0	18.7	19.3	20.0	0	$\bigcirc^{1}$ $\bigcirc^{0}$ $\mathbb{R}^{0}$	26
5.9	5.3	7	7	20.3	19.0	18.9	18.9	19.4	20.1	1	$\bigcirc^{2}$ $\bigcirc^{1}$ $\mathbb{R}^{0}$	27
1.4	9.7	7	8	17.9	17.5	18.1	18.9	19.3	20.0	1	$\in^{0}$	28
4.2	6.7	7	8	17.0	16.6	18.3	18.8	19.3	19.9	1	$\in^{0}$ D^{1}	29
0.4	9.3	7	8	15.6	16.4	17.6	18.6	19.2	19.8	2	$\bigcirc^{0}$ $\bigcirc^{0-1}$ Θ^{0}	30
2.1	6.0	7	8	25.5	14.7	17.3	18.4	19.0	19.7	2	$\bigcirc^{0}$ $\bigcirc^{1}$ Θ^{0}	31
m 231.8											$\bigcirc$ 8, $\bigcirc$ 11, $\mathbb{R}$ 2, $\swarrow$ 1,	
g.	4.2	7.1	7.6	18.7	20.5	20.0	21.0	21.7	22.2		Φ 2, Ψ 4, Ω 2.	

Year : 1947 Month : November

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm (1)	Wind (1) (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	Date
1	14.8	19.0	11.7	12.3	3	-		75	9.2	752.7	NNE	1.4	1.6	
2	15.6	18.3	13.9	13.2	2	0.0	0.17	74	9.7	51.3	NE	5.8	2.1	
3	14.8	15.6	14.3	13.1	3	2.6	6.03	83	10.3	51.1	NE	9.1	2.0	
4	15.8	20.8	14.0	13.5	2	2.9	0.33	78	10.1	52.3	NNE	3.5	1.8	
5	15.1	19.0	12.5	12.7	3			75	9.5	51.3	WNW	1.4	2.2	
6	13.1	17.5	12.6	12.2	5	8.6	7.67	86	10.0	48.2	NNE	1.4	1.1	
7	10.9	12.9	10.5	8.2	7	8.0	3.17	74	6.6	47.1	WNW	5.3	2.0	
8	11.0	14.0	9.8	7.3	7	0.2	0.83	59	5.4	53.2	NNW	6.1	3.6	
9	11.2	15.1	7.9	7.8	7			55	5.4	55.9	NW	2.8	3.5	
10	13.9	18.7	10.1	10.5	4			58	7.0	56.2	SSW	1.4	3.1	1
11	16.2	20.2	12.9	13.6	2			71	9.8	51.3	WSW	2.3	2.8	1
12	15.9	19.8	12.3	13.8	2			77	10.3	52.7	SSW	1.5	5.6	1
13	17.1	22.2	14.4	15.2	1			81	11.7	53.0	S	1.8	2.0	1
14	17.9	22.0	15.3	15.0	0			72	10.8	52.6	S	2.3	2.6	1
15	18.2	22.6	15.0	15.6	0			72	11.5	53.3	S	1.7	2.7	1
16	18.0	22.3	15.1	15.5	0			75	11.4	52.5	S	2.2	2.7	1
17	18.0	20.6	15.0	14.9	0			71	10.7	49.6	S	5.2	2.9	1
18	16.3	19.5	15.5	13.4	2	0.7	3.00	71	9.5	45.6	SSW	3.6	3.8	1
19	11.6	13.6	10.2	10.4	6	21.2	9.75	85	8.8	51.3	NE	2.9	0.9	1
20	12.5	15.0	10.2	9.9	5	0.6	0.75	69	7.4	55.5	NNE	9.4	2.6	2
21	12.1	14.9	11.3	8.9	6			65	6.6	59.3	NNE	10.7	3.2	2
22	12.2	16.7	9.4	8.9	6			62	6.6	58.3	E	3.4	2.9	2
23	15.4	19.5	11.3	12.3	3			63	8.4	53.4	NNW	2.2	3.0	2
24	16.9	21.0	13.3	13.8	1			68	10.1	49.2	S	1.7	3.0	2
25	15.7	18.7	13.2	13.9	2	0.0	0.25	80	10.7	42.9	SSW	1.1	1.6	2
26	15.5	18.0	14.0	11.5	2	0.0	0.08	59	7.4	42.0	WNW	4.4	4.1	2
27	14.1	19.2	10.6	11.7	4	0.2	0.33	67	8.6	51.3	W	1.0	3.0	2
28	14.7	19.3	10.5	13.8	3	-		85	11.0	57.5	WSW	0.8	1.9	2
29	15.9	18.6	13.4	14.6	2	0.0	0.17	86	11.5	55.6	SSW	3.4	1.6	2
30	17.4	18.6	15.3	16.2	1	7.0	3.08	88	12.9	51.8	SSW	6.7	2.3	3
Sum					91	52.0	35.61				NNE		78.2	Su
Avg.	14.9	18.4	12.5	12.5				73	9.3	751.9	(6)	3.6	2.6	Av

: 1947 Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
4.2	7.7	7	8	14.5	14.0	16.9	17.9	18.8	19.4	1	⊕° ∈°	1
1.9	9.7	8	8	15.3	16.2	16.6	17.8	18.5	19.3	1	◍°	2
0.0	10.0	7	7	13.4	13.1	16.1	17.4	18.3	19.0	1	◍0-1 ◍1	3
1.1	8.7	8	8	16.4	15.3	16.4	17.4	18.0	19.1	1	◍0-1 ◍0-1	4
3.7	6.3	8	9	14.2	14.3	16.3	17.3	18.0	19.0	1	☾°	5
3.6	9.0	7	6	13.9	14.0	16.1	17.3	17.9	18.8	2	◍1-2 ◍0-1 ⩘1 ☾°	6
6.2	4.7	8	9	9.9	10.1	14.6	16.7	17.6	18.5	2	◍1-2 ◍° ⩘°	7
6.5	4.7	8	7	10.2	10.4	13.6	16.2	17.2	18.4	1	◍° ⩘°	8
9.6	0.7	7	8	10.8	11.5	12.7	15.4	17.2	18.3	1		9
9.3	0.3	8	8	11.6	12.2	12.9	15.1	16.5	17.8	1	☾°	10
4.1	7.0	7	7	13.5	13.8	14.2	15.4	16.4	17.9	1	☾°	11
8.5	1.7	8	7	14.6	15.1	14.8	15.6	16.4	17.6	1		12
9.5	0.3	6	7	16.5	17.9	15.5	16.0	16.6	17.6	1	☾²	13
9.3	0.7	8	8	17.1	15.6	16.3	16.4	16.8	17.7	1	☾1-2	14
8.9	0.7	6	6	17.0	17.8	16.5	16.6	16.9	17.6	1	☾²	15
8.6	1.0	7	7	15.7	17.8	15.0	16.0	17.1	17.6	1	☾²	16
4.6	4.3	7	7	15.7	15.8	16.4	16.9	17.0	17.5	1	⩘° ☾°	17
5.3	5.3	7	9	15.2	17.5	16.8	17.0	17.1	17.8	1	◍° ◍0-1 ∈°	18
0.1	9.7	3	3	11.6	10.9	14.8	16.3	16.6	17.3	2	◍1-2 ◍1-2 ☾° ☾°	19
3.2	6.3	6	7	11.4	11.1	13.8	15.6	16.3	17.0	1	◍' ◍	20
8.3	4.0	8	7	10.5	9.8	12.9	15.0	15.6	16.8	1		21
6.1	5.3	6	7	11.5	10.2	12.3	14.6	15.6	16.7	1	∈°	22
7.8	5.7	8	8	14.2	14.9	13.1	14.5	15.5	16.7	1	∈²	23
8.8	3.7	8	8	15.4	14.7	14.2	14.9	15.7	16.7	0	⊖° D¹	24
2.0	7.7	5	5	15.1	14.6	14.8	15.3	15.8	16.6	0	◍° ∈² D²	25
7.9	6.3	8	9	14.9	15.1	15.1	15.4	16.0	17.0	0	◍ ∈¹ ⊖0-1	26
7.9	3.3	6	7	12.6	13.0	14.3	15.4	15.8	16.6	1	◍ ◍ ∈² ⊖¹	27
8.3	6.0	7	7	14.2	13.9	14.1	15.1	15.9	16.6	1	D¹	28
5.2	9.0	6	6	15.2	15.8	14.8	15.3	15.7	16.6	1	◍° ≡ D²	29
1.2	10.0	8	7	15.7	17.3	15.6	15.5	15.9	16.7	2	◍' ◍0-1	30
m 171.7											◍9, ◍14 ☇1, ⩘3, ☾2,	
g.	5.3	7.0	7.2	13.9	14.1	14.9	16.1	16.8	17.7		⊖3, ⊕1, ⩘7, ≡1, ☊13	

Year : 1947 Month : December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	18.0	21.6	14.8	16.7	0			86	13.5	752.6	S	2.7	1.6	
2	17.8	18.7	15.5	15.3	0	0.3	2.08	78	11.4	48.8	S	6.9	3.0	
3	15.5	17.4	14.3	12.9	2	2.5	4.33	78	9.8	40.4	SSW	6.2	3.6	
4	14.6	18.0	12.6	12.5	3			75	9.4	43.5	WSW	2.2	2.6	
5	13.8	18.0	11.1	12.5	4			81	9.7	46.3	W	1.0	1.7	
6	14.7	18.7	11.2	11.9	3			74	8.6	49.6	SSW	3.3	2.2	
7	15.8	17.9	13.0	14.2	2			73	9.6	49.6	SW	3.1	2.8	
8	14.0	17.6	11.9	11.3	4	1.5	1.00	73	8.3	49.6	WNW	2.3	2.4	
9	13.5	18.3	11.2	11.2	4			73	8.1	51.2	E	2.1	1.7	
10	15.2	18.8	11.3	14.2	3	12.8	9.50	85	11.2	50.5	S	2.9	1.1	1
11	17.8	20.0	16.1	15.4	0			78	11.4	51.8	SSE	5.8	3.6	1
12	17.1	22.2	14.3	14.7	1			76	10.8	50.2	S	2.3	3.0	1
13	13.2	16.2	10.9	11.9	5	10.8	4.17	86	9.7	47.1	S	2.4	1.8	1
14	11.3	13.4	8.5	9.6	7	3.4	2.05	80	7.6	44.3	S	2.9	2.1	1
15	8.4	12.8	8.2	7.2	10	13.9	7.83	90	7.1	42.6	NW	1.6	0.6	1
16	7.4	12.7	4.1	6.4	11	1.6	1.83	81	6.3	47.4	NNE	1.2	1.1	1
17	7.3	12.6	3.8	5.5	11	0.1	0.58	76	5.5	50.8	NNE	2.0	1.3	1
18	7.3	8.7	6.0	5.9	11	3.0	1.50	82	6.1	51.4	NE	5.0	1.1	1
19	8.9	13.6	5.1	5.9	9	1.2	2.17	67	4.9	55.6	SSW	1.4	1.9	1
20	12.0	15.0	7.7	10.6	6	0.3	0.25	78	8.2	54.5	SSW	2.5	1.9	2
21	11.5	14.1	8.6	9.4	6			75	7.3	48.7	WSW	1.4	1.7	2
22	10.5	14.8	8.0	9.0	7			81	7.8	47.7	NNW	1.1	1.2	2
23	10.6	14.4	7.4	7.1	7			60	5.4	50.4	WNW	1.9	2.5	2
24	12.1	16.8	9.8	8.5	6			57	5.8	55.2	NW	3.8	3.9	2
25	9.8	12.4	7.6	7.3	8			69	6.1	60.8	ENE	2.5	1.7	2
26	11.6	13.8	8.7	10.5	6	0.5	1.92	80	8.7	57.0	SSW	3.0	1.6	2
27	13.5	16.6	11.8	10.7	4	0.0	0.42	69	7.8	52.9	WSW	4.5	4.0	2
28	11.8	15.7	7.5	9.2	6			68	6.9	55.5	W	2.0	2.3	2
29	13.3	17.6	11.5	10.9	5			72	8.2	52.4	WSW	2.8	2.6	2
30	13.3	17.7	10.8	10.7	5			75	8.0	48.3	SW	1.6	2.0	3
31	15.1	17.5	11.7	13.2	3			74	9.9	45.9	SSW	8.2	4.1	3
Sum					159	51.9	39.63				S		68.7	Su
Avg	12.8	16.3	10.2	10.7				76	8.4	750.1	(6)	3.0	4.2	Av

: 1947 Month : December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) (30	60	90	120	Ground condition at 14h (10)		Date
8.3	5.0	7	7	16.8	16.2	16.2	16.0	16.0	16.7	1		1
0.2	9.3	7	7	17.4	15.0	16.0	16.1	16.2	16.7	1		2
2.9	5.7	7	8	13.4	13.9	15.6	16.1	16.2	16.8	1		3
3.3	6.7	7	8	14.0	14.5	14.6	15.7	16.0	16.7	1		4
2.1	5.7	6	6	12.6	13.3	14.0	15.3	15.8	16.5	1		5
1.3	3.0	6	7	12.6	13.5	13.6	14.9	15.5	16.4	1		6
0.2	7.0	5	6	14.6	14.7	14.3	15.0	15.6	16.5	1		7
7.8	1.0	8	9	15.2	16.8	14.3	15.1	15.6	16.4	1		8
2.9	9.0	7	6	13.1	13.6	13.7	14.7	15.4	16.2	1		9
11.9	8.0	7	6	14.5	14.5	14.2	14.9	15.4	16.3	2		10
3.1	8.0	6	6	15.7	14.7	15.1	15.2	15.5	16.3	2		11
5.3	3.0	7	7	15.3	16.5	15.2	15.3	15.7	16.2	1		12
2.0	6.3	6	6	12.6	12.4	14.7	15.3	15.6	16.3	2		13
0.9	8.7	7	8	9.8	9.5	12.7	14.6	15.4	16.0	2		14
0.6	7.0	8	7	7.9	8.1	12.1	14.1	15.0	15.9	2		15
6.2	4.3	7	6	7.2	7.5	10.4	13.1	14.4	15.6	1		16
7.9	5.3	8	8	8.6	9.1	9.9	12.6	14.0	15.4	2		17
0.1	8.7	6	7	6.3	6.6	9.8	12.3	13.6	15.0	2		18
8.4	2.7	8	7	7.4	7.2	9.3	11.8	13.3	14.7	1		19
2.9	7.3	8	7	11.1	8.3	10.4	11.9	13.3	14.7	1		20
0.7	9.0	8	7	9.5	8.9	10.7	12.0	13.2	14.6	1		21
1.1	8.3	7	6	10.1	8.4	11.0	12.2	13.2	14.4	1		22
3.5	6.3	7	8	8.8	8.2	10.3	12.0	13.4	14.3	1		23
8.4	1.0	8	9	10.6	10.6	10.4	12.0	13.0	14.4	1		24
0.4	9.3	7	7	9.1	8.5	10.1	11.8	12.9	14.1	1		25
0.1	9.3	8	6	10.0	9.5	10.7	11.8	12.8	14.0	1		26
4.2	5.7	7	7	11.9	11.0	11.5	12.1	13.0	14.2	1		27
8.3	1.3	8	8	10.7	10.9	11.0	12.1	12.9	14.0	1		28
8.4	3.7	8	8	12.1	13.0	11.5	12.2	12.9	13.9	0		29
6.9	3.0	7	7	10.8	11.4	11.6	12.3	12.9	13.8	0		30
3.4	6.3	6	5	14.2	13.8	12.3	12.4	13.0	13.9	0		31
n 123.7											●11, ◎12, ⟍ 2, ⟋ 2,	
s.	6.0	7.1	7.0	11.7	11.6	12.5	13.6	14.4	15.4		⊕2, Ψ7, ≡ 1, Ω 23.	

YEAR : 1947

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid. (%) (1)	Average of Vapor pressure (mm) (3)	Sunshine h (8) Total	Sunshine h (8) Possible (9)
JAN.	6.8	9.7	4.5	14.8	26	-1.9	23/24	344	5.1	75	5.6	80.9	303.
FEB.	11.6	15.3	8.5	20.4	25	3.1	1	174	9.7	77	7.9	138.4	300.
MAR.	15.2	19.9	11.4	24.8	28	4.8	18	88	11.9	65	8.3	206.8	368.
APR.	17.7	23.1	13.0	29.2	30	5.9	14	36	12.8	52	7.8	272.1	393.
MAY	21.0	26.1	16.3	31.9	23	13.0	10	5	16.0	54	10.1	298.6	438.
JUNE	25.2	30.5	20.8	35.2	29	18.1	10	0	18.6	49	11.6	340.7	439.
JULY	27.8	32.9	23.1	38.0	9	18.6	15	0	19.9	46	12.3	364.5	446.
AUG.	27.7	33.2	22.9	36.6	6	18.6	30	0	20.3	48	13.1	358.0	418.
SEP.	23.6	28.5	19.7	32.4	16	16.8	25	0	18.1	56	11.9	291.4	370.
OCT.	17.6	22.4	14.2	28.9	10	7.8	21	38	13.5	60	8.9	213.8	344.
NOV.	14.9	18.4	12.5	22.6	15	7.9	9	91	12.5	73	9.3	171.7	301.
DEC.	12.8	16.3	10.2	22.2	12	3.8	17	159	10.7	76	8.4	123.7	294.
YEAR	18.5	23.0	14.8	38.0	July 9	-1.9	Jan. 23/24	935	14.1	61	9.6	2860.6	4421

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤0°C (frost days)	Maximum ≤0°C (ice days)	Maximum ≥25.0°C (Summer days)	Maximum ≥30.0°C (Tropical days)	Minimum ≥20° OC (Tropical nights)
JAN.	7.4	6.9	7.2	6.4	6.5	7.7	9.0	10.3	11.3	3	0	0	0	0
FEB.	6.0	7.1	6.9	11.2	12.0	10.9	10.7	10.7	11.1	0	0	0	0	0
MAR.	4.9	7.5	7.1	16.3	18.9	15.7	15.1	14.7	14.5	0	0	0	0	0
APR.	2.9	7.1	7.2	19.9	25.9	19.4	18.6	18.0	17.4	0	0	8	0	0
MAY	4.5	7.2	7.6	24.0	30.3	23.7	22.4	21.4	20.4	0	0	21	2	0
JUNE	2.8	7.4	7.5	28.3	34.4	27.9	26.1	24.8	23.4	0	0	29	20	20
JULY	1.4	7.2	7.5	29.8	37.7	30.3	28.7	27.4	26.0	0	0	31	25	29
AUG.	1.6	7.3	7.6	30.6	37.4	29.9	28.9	28.1	27.0	0	0	31	27	29
SEP.	2.7	7.1	7.3	25.5	31.4	25.8	25.8	25.7	25.4	0	0	30	5	15
OCT.	4.2	7.1	7.6	18.7	20.5	20.0	21.0	21.7	22.2	0	0	8	0	0
NOV.	5.3	7.0	7.2	13.9	14.1	14.9	16.1	16.8	17.7	0	0	0	0	0
DEC.	6.0	7.1	7.0	11.7	11.6	12.5	13.6	14.4	15.4	0	0	0	0	0
YEAR	4.1	7.2	7.3	19.7	23.4	19.9	19.7	19.5	19.3	3	0	158	79	93

YEAR : 1947

	Average Pressure at °C (mm) (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days: Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)	Dry ground (10)
.	750.8	4.5	NNE	76.5	21.4	15	59.4	11	20	1	8	1	23	7	7	0
..	49.7	3.0	S	13.2	8.9	2	64.4	5	7	0	0	0	7	17	0	11
..	52.3	2.9	S	2.3	2.3	13	108.9	1	4	0	0	0	4	14	0	31
.	54.9	3.4	NNE	0.8	0.6	12	161.4	2	3	0	2	0	3	3	0	28
	51.2	2.9	NNE	0.9	0.5	1[illegible]	169.9	2	8	0	0	0	8	2	0	31
E	49.9	3.3	NNE	48.8	48.7	25	206.5	1	6	0	0	0	6	0	0	28
Y	48.8	4.8	NNE	6.0	6.0	23	261.2	1	1	0	0	0	2	0	0	29
.	49.8	3.1	NNE	1.1	1.1	28	242.6	1	6	0	0	0	6	2	0	31
.	52.6	4.6	NNE	0.0	0.0	m.t.	190.3	0	4	0	0	0	4	0	0	30
.	54.6	3.8	NE	49.6	27.6	27	129.1	8	11	0	0	0	11	2	0	24
.	51.9	3.2	NNE	52.0	21.2	19	78.2	9	14	0	0	0	14	13	0	3
.	50.1	3.0	S	51.9	13.9	15	68.7	11	12	0	0	0	14	23	0	3
R	751.4	3.6	NNE	303.1	48.7	June 25	1740.6	52	96	1	10	1	102	83	7	249

	Number of days: Moist and wet ground (10)	Snow cover (10)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0tenths) (3)	Cloudy 8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)		
.	31	0	2	15	14	0	5	0	0	0	1	3	2	2	1		
..	17	0	3	17	8	5	3	0	0	0	0	0	1	2	2		
..	0	0	3	23	5	4	0	0	1	0	1	2	3	0	0		
..	2	0	15	12	3	15	1	0	0	0	1	1	1	0	0		
	0	0	7	21	3	8	0	1	0	0	1	0	1	1	0		
E	2	0	16	14	0	19	0	2	0	0	1	0	0	0	0		
Y	2	0	25	6	0	20	0	0	2	0	0	0	0	0	0		
.	0	0	23	8	0	23	0	2	1	0	0	0	0	0	0		
.	0	0	17	12	1	18	0	0	6	0	2	0	0	0	0		
.	7	0	11	15	5	10	0	2	1	0	0	4	2	0	0		
.	27	0	7	16	7	8	1	1	3	0	1	7	3	2	1		
:	28	0	3	20	8	5	0	2	2	0	0	7	2	0	1		
R	116	0	132	179	54	135	10	10	16	0	8	24	15	7	5		

YEAR: 1947

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm.
JAN.	9.1	23.1	15.5	3.5	1.7	0.3	0.7	1.2	4.6	1.9	1.6	2.4	5.1	3.1	5.0	4.8	16.4
FEB.	2.2	5.1	8.5	3.1	1.5	1.6	3.3	5.1	15.0	7.0	5.8	3.7	7.1	1.3	0.4	0.6	28.7
MAR.	2.0	4.7	5.0	1.3	0.9	0.4	2.4	5.8	14.9	11.6	8.5	8.2	5.5	1.7	1.5	2.2	23.4
APR.	8.6	14.4	6.0	0.0	0.6	0.3	1.4	1.5	8.2	10.3	6.3	2.8	4.2	1.5	1.7	1.3	30.4
MAY	7.8	13.0	9.0	2.2	1.6	1.1	0.4	0.7	2.8	9.9	9.5	3.6	2.8	1.6	2.6	5.5	25.9
JUNE	6.9	11.9	6.3	1.8	0.7	0.0	0.8	1.4	7.1	11.3	9.6	2.9	2.9	1.9	4.2	4.0	26.3
JULY	18.1	21.1	5.9	0.1	0.3	0.0	0.3	0.3	3.0	4.6	6.2	3.2	1.5	2.0	9.0	7.7	16.7
AUG.	7.3	12.2	10.2	3.1	0.8	0.4	0.3	0.9	3.0	4.8	8.2	10.2	7.7	1.6	1.1	2.3	25.9
SEP.	11.3	23.6	12.2	2.8	1.5	0.9	0.1	0.1	2.2	6.8	4.1	2.4	1.7	3.4	5.5	7.6	13.8
OCT.	7.0	19.6	21.2	3.6	2.8	0.4	0.3	5.4	3.6	3.4	2.7	1.5	1.2	1.2	1.9	3.9	20.3
NOV.	4.0	12.6	7.9	1.3	3.1	0.7	1.7	1.4	12.9	11.1	7.2	5.3	3.5	5.4	4.6	3.1	14.2
DEC.	2.8	3.4	5.8	5.0	3.9	3.9	2.2	1.8	11.8	11.6	9.8	7.3	9.4	3.9	3.0	2.4	12.0
YEAR	7.3	13.7	9.5	2.3	1.6	0.8	1.1	2.1	7.4	7.8	6.6	4.5	4.4	2.4	3.4	3.8	21.3

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h. observations.
4) Day ending at 20 h.
5) From steffens-Hedde anemograph (mean instantaneous readings)
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Cambell-Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) According to the International Code 0-9.
11) At 14 h. observation.

YEAR 1948

Year : 1948 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	13.1	15.6	13.2	9.1	5	1.0	2.83	67	6.4	745.2	W	6.2	4.0
2	6.4	11.2	5.3	4.0	12	2.8	5.00	69	4.6	49.8	N	6.0	2.2
3	5.8	8.2	3.8	3.2	12			62	4.2	52.5	NNW	4.9	2.5
4	10.9	17.2	3.2	7.9	7			53	5.6	53.9	WSW	1.7	3.4
5	13.5	17.9	9.2	10.8	4			66	7.6	53.4	W	3.6	3.0
6	14.6	17.6	11.9	11.5	3			70	8.3	50.4	W	3.4	3.6
7	14.1	17.5	11.6	11.6	4			75	8.4	51.2	W	1.8	2.6
8	14.2	18.0	10.5	12.7	4			82	10.1	51.0	S	4.0	2.0
9	15.4	17.8	14.0	12.6	3			71	9.3	50.1	S	6.1	3.4
10	12.9	16.6	10.7	9.5	5			64	6.7	55.5	S	1.4	3.0
11	12.6	18.0	8.8	7.6	5			68	6.8	57.3	W	0.7	2.6
12	12.1	17.3	8.7	9.9	6			74	7.6	58.4	SW	0.3	1.9
13	12.1	16.6	8.1	10.3	6			77	8.3	57.7	W	1.3	2.0
14	12.8	18.3	8.9	10.4	5			71	7.6	52.6	W	3.9	3.1
15	13.4	17.2	9.4	10.5	5			67	7.6	48.0	W	4.9	3.7
16	13.5	16.8	10.2	11.2	4			74	8.3	50.4	S	3.3	3.5
17	13.9	16.6	13.6	12.3	4	3.2	1.98	82	9.9	51.0	S	2.2	2.5
18	13.4	17.6	9.5	12.3	5			87	10.0	52.6	SSW	1.0	1.0
19	12.6	15.1	11.9	11.4	5	7.4	3.22	85	9.2	44.1	S	4.7	1.6
20	12.3	16.4	8.2	10.0	6			72	7.5	46.2	S	3.8	3.0
21	14.6	16.4	12.5	12.3	3			77	9.3	47.1	SSW	13.5	4.0
22	11.0	13.8	8.9	8.4	7	5.7	4.50	74	6.8	45.2	W	3.4	2.5
23	10.3	14.7	7.2	7.3	8			64	5.7	50.9	WNW	3.4	3.3
24	11.5	16.8	7.0	9.1	6			72	7.2	56.4	WSW	0.5	2.2
25	11.5	17.2	8.1	10.2	6			81	8.3	55.7	SSW	0.4	1.4
26	9.6	12.1	7.8	7.6	8	13.0	2.32	80	7.0	52.1	WSW	0.8	1.1
27	9.5	14.3	5.0	5.3	8			80	7.1	53.0	NW	0.8	1.3
28	10.7	13.8	7.3	10.0	7	2.4	3.47	88	8.5	51.2	S	4.9	1.8
29	12.7	17.2	8.7	9.1	5	5.7	2.00	83	8.9	49.6	NNE	2.7	2.0
30	12.9	16.2	8.7	12.2	5	0.3	0.25	85	9.7	52.5	S	2.7	1.5
31	13.9	17.7	11.3	12.3	4	0.0	0.17	81	9.6	58.8	NE	3.6	1.1
Sum					177	41.5	25.74				W		76.8
Avg	12.2	16.1	9.1	9.8				74	7.8	751.7	(6)	3.3	2.5

: 1948 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
3.1	7.0	7	8	10.8	10.8	12.8	13.0	13.2	13.5	1	◎¹ ☁¹ Ω¹	1
4.4	8.3	7	8	6.6	6.8	10.1	12.2	12.8	13.6	1	◎¹ △⁰ ∩	2
3.5	4.0	7	7	5.7	5.3	8.8	11.4	12.5	13.6	1	Ω¹	3
6.8	5.3	7	8	9.8	7.6	8.0	10.6	12.1	13.5	1	∈⁰ Ω¹	4
5.4	5.3	7	9	12.9	10.8	9.9	11.0	12.0	13.5	0	Ω²	5
4.3	8.7	8	8	12.6	12.2	11.5	11.5	12.2	13.6	0	Ω¹	6
4.9	8.3	8	9	12.7	12.2	12.0	12.0	12.4	13.6	0	Ω¹	7
4.8	8.0	6	6	12.8	12.7	12.2	12.2	12.5	13.6	0	Ω²	8
5.8	5.3	7	7	13.1	13.6	13.2	12.8	12.8	13.7	0	Ω¹	9
7.0	4.0	7	6	11.3	12.6	12.3	12.7	12.9	13.6	0	Ω²	10
8.4	1.3	8	8	11.0	10.6	11.7	12.4	12.8	13.5	0	Ω¹	11
8.1	1.3	7	7	11.3	9.4	11.5	12.3	12.8	13.3	0	Ω²	12
8.6	0.7	7	6	11.2	11.5	11.5	12.2	12.8	13.5	0	Ω²	13
8.5	1.7	7	8	12.0	12.7	11.8	12.4	12.9	13.6	0	Ω²	14
8.8	0.3	8	8	13.4	13.3	12.3	12.5	12.9	13.6	0	Ω⁰	15
1.9	7.7	8	8	12.8	13.4	12.3	12.6	12.9	13.5	0	Ω²	16
2.3	9.0	6	5	13.9	12.7	12.9	12.8	13.1	13.5	1	◎¹ ☁⁰⁻¹ ∈ Ω²	17
7.4	7.3	7	7	13.1	12.9	12.4	12.7	13.1	13.6	1	Ω²	18
1.5	9.3	4	6	12.2	11.8	12.7	12.9	13.2	13.6	2	◎² ☁⁰⁻¹ ⌇¹ ∈⁰ Φ⁰	19
8.5	1.3	7	7	11.0	10.4	11.6	12.5	13.0	13.6	1	Ω²	20
7.3	6.0	7	8	13.8	13.8	12.7	12.7	13.2	13.7	1	∈⁰ Ω¹	21
2.2	8.3	7	8	12.2	11.7	12.0	12.6	13.0	13.6	1	◎² Ω¹	22
9.3	1.0	8	9	9.5	6.8	10.7	12.2	12.8	13.5	0	Ω²	23
8.9	0.7	7	5	10.6	7.9	10.5	11.8	12.6	13.3	0	Ω¹	24
7.3	1.7	5	5	12.4	11.9	11.0	11.8	12.6	13.3	0	Ω²	25
1.2	9.3	8	4	7.5	11.0	10.7	11.7	12.5	13.2	2	◎² ☁² Φ⁰ Ω¹	26
5.0	5.7	7	7	9.2	8.9	10.0	11.4	12.3	13.4	1	Ω²	27
0.0	9.7	8	6	9.8	9.4	10.2	11.5	12.4	13.1	2	◎⁰⁻¹ ☁¹⁻² Ω²	28
5.1	6.0	7	7	10.8	11.5	11.4	11.6	12.3	12.7	1	◎¹ ☁	29
3.2	8.0	8	8	12.6	10.9	11.8	11.9	12.4	13.1	1	☁⁰⁻¹ Ω²	30
1.1	9.0	6	7	12.8	12.6	12.4	12.3	12.6	13.2	1	◎⁰ ☁⁰ Ω¹	31
m : 164.6											◎8, ☁8, △1, ⌇1, Φ2,	
g.	5.4	7.0	7.1	11.3	11.0	11.4	12.1	12.7	13.5		∈4, ∩1, Ω28	

Year : 1948 Month : February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	13.3	17.2	10.1	12.3	5			86	9.9	757.3	S	2.2	1.5
2	12.2	16.0	9.9	10.3	6	0.0	0.83	79	8.1	51.6	NNE	6.0	1.5
3	10.6	13.4	9.7	7.4	7	0.2	2.00	66	5.8	58.7	NNE	9.6	3.1
4	10.6	15.4	5.5	7.4	7			62	5.8	54.6	SW	1.8	2.6
5	12.6	16.7	10.1	9.7	5			69	7.4	57.8	WSW	2.1	2.9
6	9.3	10.7	9.0	6.2	9	0.1	0.90	71	5.7	51.4	NW	2.6	2.1
7	9.1	15.4	5.0	6.8	9			67	5.8	52.7	WSW	2.0	2.0
8	5.9	8.3	2.6	3.5	12	21.6	7.92	75	5.0	50.0	WNW	7.8	2.2
9	10.0	15.1	3.7	7.2	8			55	5.1	50.6	W	2.5	3.8
10	11.2	14.4	8.3	9.2	7	1.0	2.45	75	7.7	43.8	S	2.3	2.4
11	9.1	11.0	7.2	7.6	9	4.5	5.42	79	7.3	42.4	N	5.7	1.6
12	7.2	8.6	5.3	5.0	11	1.8	3.93	74	5.3	47.8	NNE	8.3	1.5
13	5.6	7.7	4.3	3.7	12	1.4	1.33	75	5.0	49.5	N	3.5	1.4
14	5.7	7.9	3.5	3.2	12			63	4.1	49.6	NNE	9.2	2.2
15	4.7	7.2	3.5	2.4	13	0.0	0.25	60	3.9	49.1	NNE	8.8	3.1
16	4.1	9.3	1.6	2.7	14			72	4.3	47.4	N	3.2	1.8
17	4.6	7.4	1.3	4.4	13	1.1	6.50	77	5.4	43.6	ENE	6.6	1.2
18	5.9	11.2	1.6	4.2	12	16.3	5.30	72	4.9	45.2	N	4.7	1.8
19	6.7	11.2	2.9	4.6	11	2.7	3.00	74	5.1	50.5	N	3.0	1.8
20	10.0	13.8	6.0	8.8	8	5.7	7.00	79	7.2	51.1	WNW	5.2	1.8
21	8.5	12.4	5.6	6.8	9			74	6.2	59.4	NNE	7.1	3.0
22	9.1	13.6	6.4	7.0	9			72	6.0	57.4	NNE	4.9	1.9
23	10.8	14.3	7.2	9.9	7			81	8.2	55.1	S	1.3	1.1
24	13.3	16.6	7.8	12.1	5			83	9.6	49.1	SSW	6.9	2.0
25	6.9	8.9	5.3	3.0	11	0.8	0.50	55	3.7	52.9	N	8.2	3.3
26	6.1	9.1	3.5	3.5	12			59	4.2	57.3	NE	3.2	2.3
27	5.4	9.3	3.6	2.9	13			59	4.1	61.7	NNE	6.7	2.9
28	4.6	7.2	1.6	2.4	13	0.2	0.42	62	4.0	66.3	NNE	6.6	2.2
29	5.9	9.3	3.4	3.4	12			58	4.1	66.9	NE	8.4	3.0
Sum					281	57.4	47.75				NNE		64.0
Avg.	8.2	11.7	5.4	6.1				70	5.8	752.5	(6)	5.2	2.2

: 1948 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
9.2	1.3	7	7	13.4	13.5	12.3	12.3	12.7	13.2	0		1
1.3	8.0	7	8	10.7	10.9	12.3	12.5	12.9	13.3	0		2
8.0	2.3	7	7	8.7	9.0	11.7	12.4	12.8	13.3	1		3
9.3	0.7	8	7	9.3	10.7	10.5	11.9	12.6	13.4	0		4
4.8	5.7	7	6	10.4	10.8	11.2	11.9	12.6	13.3	0		5
0.4	8.0	7	8	9.0	8.2	11.0	11.9	12.5	13.2	1		6
8.8	3.7	7	6	8.4	9.5	10.0	11.4	12.3	13.2	0		7
0.0	6.7	6	6	4.8	3.8	9.0	11.0	12.0	13.1	2		8
9.8	1.3	8	9	8.1	8.5	8.3	10.5	11.7	12.8	0		9
1.2	8.7	6	5	9.6	9.7	9.7	10.6	11.6	12.5	1		10
0.5	9.3	8	9	8.7	8.3	10.1	10.9	11.6	12.5	1		11
3.7	9.3	6	6	6.1	5.9	9.3	10.8	11.5	12.3	2		12
0.7	9.3	7	7	5.6	5.3	8.5	10.2	11.2	12.2	2		13
2.4	6.7	6	6	4.1	4.9	7.7	9.9	10.9	12.0	1		14
2.1	9.0	6	6	4.7	4.5	6.8	9.2	10.5	11.7	1		15
3.8	5.0	8	8	8.0	6.2	6.5	8.8	10.2	11.6	1		16
0.0	9.7	6	6	4.7	4.3	6.5	8.6	10.0	11.3	2		17
7.2	7.3	9	9	7.7	7.5	7.1	8.6	9.9	11.3	2		18
6.2	8.3	8	9	8.3	7.7	8.2	9.0	10.0	11.2	1		19
7.3	9.0	7	9	11.3	11.4	9.7	9.6	10.2	11.2	2		20
2.8	9.7	7	8	8.9	8.8	9.9	10.1	10.4	11.2	1		21
5.9	9.0	7	8	12.0	10.9	9.6	10.1	10.6	11.3	1		22
2.8	9.3	8	7	11.8	11.6	10.4	10.3	10.7	11.4	1		23
3.6	9.0	6	6	12.4	10.0	11.0	10.7	11.0	11.6	1		24
9.5	0.3	7	8	7.1	7.9	10.1	10.7	11.0	11.6	1		25
0.8	9.7	6	7	7.6	7.5	8.9	10.4	10.9	11.6	0		26
9.0	2.3	7	8	7.5	8.8	8.6	9.9	10.7	11.4	0		27
0.5	9.3	7	7	4.4	4.1	7.5	9.5	10.4	11.3	1		28
4.9	6.0	7	7	5.9	5.8	7.3	9.0	10.2	11.1	0		29
m 126.5											◎13, ◎11, ✳2, ✳1, ☈ 1, ⊕3, ⊖4, ⊎ 3, ∩1, ⌴ 2, ∩14.	
g.	6.7	7.0	7.2	8.2	8.1	9.3	10.4	11.2	12.1			

Year : 1948 Month : March

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)			
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	
1	6.5	8.0	4.3	3.5	11	0.0	0.10	58	4.2	765.3	NNE	10.9	2.9	
2	7.1	10.4	5.4	3.8	11			52	4.0	64.5	NNE	9.7	3.6	
3	7.3	10.5	4.3	4.7	11	0.0	0.39	58	4.6	61.3	NNE	9.3	3.0	
4	7.2	9.7	4.5	4.6	11	0.0	0.75	59	4.5	59.1	NNE	12.8	3.6	
5	8.0	10.6	5.3	5.5	10	0.4	0.82	67	5.2	57.1	NNE	8.6	2.4	
6	9.6	12.4	7.3	6.5	8	0.0	0.17	60	5.2	57.7	NNE	14.3	4.1	
7	11.9	16.3	8.1	8.4	6			54	6.0	59.8	NNE	6.5	3.5	
8	13.1	19.3	8.3	9.9	5			57	6.8	58.8	SW	1.5	3.8	
9	12.9	18.8	6.2	9.1	5			58	6.0	56.5	N	2.6	3.5	
10	11.7	16.0	9.4	8.8	6	1.2	1.50	66	6.7	56.6	NE	4.7	2.5	
11	11.0	15.5	6.2	8.2	7			66	6.2	55.6	SW	1.3	3.0	
12	9.2	12.5	7.7	6.4	9	0.8	1.50	64	5.7	54.8	NNE	5.2	2.3	
13	5.4	7.6	3.9	2.2	13	0.1	1.00	56	3.5	59.4	NE	11.6	3.4	
14	6.6	11.4	2.3	4.2	11	0.5	0.42	62	4.6	57.9	N	4.2	2.6	
15	5.9	10.4	2.6	3.6	12	11.6	3.67	67	4.4	59.2	NNE	5.6	1.8	
16	10.5	15.2	4.5	7.2	7			51	5.1	56.5	SW	3.1	4.5	
17	12.8	17.0	8.2	9.6	5			56	6.2	51.9	W	6.5	5.1	
18	12.7	17.7	11.1	8.6	5			59	6.2	53.4	NNE	4.0	4.4	
19	13.1	17.4	7.8	11.2	5			71	8.3	52.3	SSW	1.3	2.2	
20	10.3	12.8	10.0	6.6	8			62	5.3	54.8	NE	6.4	2.7	
21	7.9	11.1	5.1	3.8	10			47	3.5	58.0	NNE	9.5	4.0	
22	12.4	19.7	6.4	8.1	6			46	5.0	55.5	NE	4.7	5.1	
23	14.4	20.2	8.5	11.1	4			60	7.5	51.7	SSW	2.1	3.7	
24	15.8	21.4	11.4	11.7	2			56	7.4	52.9	S	4.2	4.8	
25	10.4	13.7	9.3	5.9	8			49	4.3	59.2	NE	7.2	4.5	
26	11.2	16.7	5.5	9.5	7			61	7.1	54.2	SSW	1.6	2.7	
27	11.2	16.4	8.7	8.4	7	0.0	0.17	67	6.5	51.0	NNE	6.7	2.7	
28	5.8	8.5	5.1	3.5	12	0.0	0.20	69	4.5	53.1	NNE	13.2	2.9	
29	5.7	10.4	2.2	2.6	12	0.2	0.33	54	3.4	55.8	N	4.2	3.0	
30	8.9	14.9	3.4	5.5	9			50	4.3	55.3	W	1.3	2.9	
31	11.1	17.3	5.9	7.9	7			61	5.6	56.9	SSW	1.0	3.1	
Sum					250	14.8	11.02				NNE	-	104.3	S
Avg.	9.9	14.2	6.4	6.8				59	5.4	756.6	(6)	6.0	3.4	A

: 1948 Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
0.8	9.0	7	6	4.8	5.5	7.5	9.1	10.0	11.0	1		1
9.9	3.7	7	8	8.4	9.5	8.3	9.2	10.0	10.9	0		2
2.9	6.7	6	6	6.0	6.7	8.4	9.2	9.9	10.8	1		3
6.9	7.3	7	7	8.2	9.1	8.5	9.2	9.9	10.8	0		4
6.9	8.0	6	8	8.4	10.3	8.7	9.4	10.0	10.8	1		5
5.9	4.3	6	6	10.0	12.0	9.7	9.8	10.1	10.8	0		6
6.8	3.7	7	7	12.2	13.9	10.1	10.1	10.3	11.0	0		7
10.2	0.3	8	7	13.3	15.1	11.0	10.4	10.6	11.1	0		8
8.8	4.3	7	7	16.4	17.0	11.9	11.0	10.9	11.3	0		9
5.2	5.3	7	8	10.6	11.7	12.3	11.6	11.2	11.5	1		10
8.6	4.7	6	6	12.2	14.6	11.5	11.5	11.4	11.7	0		11
3.7	6.0	8	8	8.6	9.0	11.3	11.5	11.5	11.8	2		12
10.8	6.3	8	8	5.8	7.9	9.9	11.2	11.3	11.7	0		13
4.6	9.3	8	8	7.7	10.1	9.5	10.6	11.2	11.7	0		14
7.4	6.0	9	9	8.5	8.1	9.1	10.5	11.0	11.7	2		15
10.9	1.7	8	9	10.4	11.1	9.0	10.2	11.1	11.7	1		16
5.4	8.7	7	8	15.2	14.6	10.4	10.5	11.1	11.8	0		17
10.0	3.3	7	8	13.0	17.1	11.8	11.2	11.3	11.8	0		18
6.8	9.0	7	7	14.8	16.4	12.6	11.7	11.5	11.8	0		19
0.1	8.3	6	6	9.1	10.3	12.2	12.0	11.8	12.0	0		20
9.3	2.3	7	7	8.6	12.9	10.7	11.6	11.6	12.0	0		21
11.4	0.3	8	8	14.4	18.3	11.4	11.5	11.7	12.1	0		22
11.4	0.0	8	8	17.0	19.9	12.9	12.0	11.9	12.2	0		23
10.1	5.3	7	7	17.9	17.7	14.4	12.7	12.3	12.4	0		24
1.4	7.0	8	8	9.4	12.7	14.0	13.3	12.6	12.6	0		25
10.1	3.7	8	9	5.7	18.8	12.9	12.9	12.7	12.7	0		26
6.4	7.3	8	8	12.6	15.1	13.5	13.2	12.9	12.9	0		27
6.7	6.7	7	6	6.0	9.1	11.7	12.6	12.6	12.8	0		28
7.9	5.3	7	7	10.6	14.2	11.3	12.1	12.6	12.9	0		29
6.9	4.0	7	8	8.1	13.3	11.2	12.1	12.5	12.9	0		30
9.7	1.7	8	7	14.1	16.0	12.2	12.2	12.6	12.9	0		31
m 223.9											◎7, ◎ 12 ✳1, ✳2, ↘ 2, ⊖2, ∩2, ∩ 20.	
g.	5.2	7.3	7.4	10.9	12.9	11.0	11.2	11.4	11.8			

Year : 1948 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (%)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	11.9	16.6	7.5	8.7	6			61	6.0	758.4	SSW	1.9	3.2
2	12.4	16.3	8.1	10.0	6			67	7.2	56.5	S	2.6	3.2
3	11.8	15.4	9.3	9.6	6	2.9	2.50	77	7.7	52.3	WSW	1.4	2.0
4	13.5	18.4	8.4	11.0	4			68	7.7	53.6	SW	1.4	3.1
5	15.0	20.3	10.3	11.5	3			66	7.8	53.1	SW	1.7	3.2
6	15.2	20.2	10.4	12.9	3			71	9.3	50.4	S	2.0	3.8
7	15.4	19.8	12.2	12.1	2	0.0	0.17	60	7.0	47.3	S	6.4	5.7
8	16.2	19.7	13.3	12.7	2	0.0	1.25	68	8.9	44.8	ESE	5.1	5.2
9	14.0	15.9	12.0	12.2	4	10.0	12.50	78	9.3	41.9	NE	7.6	2.0
10	16.1	21.8	12.3	13.0	2	0.6	0.25	67	8.8	43.0	S	4.1	3.5
11	14.7	18.9	11.0	10.4	3			51	6.4	45.9	W	4.4	5.6
12	12.6	15.7	10.0	10.4	5	0.5	4.25	73	8.1	49.8	W	1.6	2.6
13	14.0	12.1	9.8	11.1	4	0.1	1.05	69	7.9	50.2	NE	2.1	2.4
14	15.5	20.4	11.2	12.8	2			65	8.8	48.9	N	2.8	3.6
15	16.3	20.4	11.2	12.5	2			60	8.0	48.4	S	1.5	4.1
16	16.2	20.5	12.5	13.7	2			70	9.9	51.1	SSW	1.2	3.7
17	15.3	18.7	13.6	13.5	3	0.5	1.33	79	10.4	51.6	NE	1.4	2.2
18	15.3	20.3	11.5	13.7	3	0.4	0.67	78	10.3	50.0	NE	2.3	1.8
19	16.9	22.5	13.9	13.6	1	0.0	0.08	66	9.3	48.8	NNW	3.3	4.4
20	16.7	21.6	12.6	11.5	1	0.0	0.50	52	6.9	48.8	NW	3.7	6.4
21	17.6	25.0	12.1	13.6	0			57	8.7	50.2	NE	2.5	6.6
22	17.5	23.7	10.6	13.4	0			56	8.5	52.4	NNE	5.9	4.8
23	17.3	23.1	12.5	13.3	1			63	8.8	53.1	NNE	4.1	5.4
24	16.1	20.0	11.6	13.4	2	0.1	0.25	71	9.4	50.0	S	2.1	2.6
25	17.3	21.8	12.0	14.3	1			65	9.8	48.1	W	3.3	6.2
26	15.8	20.8	12.8	12.5	3	0.0	0.42	73	9.1	47.4	SW	3.3	4.5
27	9.8	11.8	8.7	8.2	8	6.3	6.00	80	7.0	51.9	NNE	11.6	2.7
28	11.0	16.8	6.0	8.7	7	3.3	2.67	70	6.6	55.2	NW	3.5	3.6
29	15.1	21.6	9.2	12.6	3			65	8.5	53.9	SSW	2.1	4.4
30	16.0	20.7	11.7	13.1	2			70	9.0	50.9	S	2.2	4.1
Sum					91	24.6	33.89				S		116.6
Avg.	15.0	19.7	10.9	12.0				67	8.4	750.3	(6)	3.3	3.9

r : 1948 Month : April

Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.3	3.7	7	7	15.2	17.0	13.2	12.8	12.7	13.0	0		1
10.6	5.3	7	7	14.7	17.6	13.5	13.0	12.9	13.2	0		2
2.5	9.3	6	6	10.6	11.7	13.5	13.3	13.1	13.2	1		3
12.0	1.3	9	7	18.5	17.1	13.2	13.0	13.1	13.2	0		4
12.0	0.7	8	8	18.3	21.4	14.4	13.5	13.3	13.3	0		5
10.5	5.0	7	8	18.0	21.6	15.3	14.1	13.5	13.5	0		6
0.6	9.0	6	7	14.9	15.1	15.4	14.4	13.8	13.6	0		7
1.2	9.7	6	6	14.4	16.1	16.0	14.6	14.1	13.8	1		8
0.0	9.7	7	8	12.8	12.9	14.5	14.6	14.1	13.9	2		9
11.0	5.0	7	7	17.2	17.8	15.0	14.8	14.2	14.1	1		10
11.3	1.3	7	8	19.1	20.0	15.0	14.5	14.2	14.1	0		11
1.8	7.0	6	7	12.6	16.2	14.2	14.5	14.2	14.1	1		12
5.1	6.3	7	8	14.2	16.6	14.3	14.3	14.2	14.2	1		13
8.3	5.0	6	6	17.9	19.0	14.8	14.3	14.2	14.2	0		14
11.3	4.7	6	5	18.8	22.4	15.9	14.7	14.3	14.3	0		15
7.2	7.7	6	6	17.5	18.0	16.7	15.3	14.6	14.4	0		16
0.1	9.3	5	6	14.1	14.9	16.3	15.5	14.9	14.6	1		17
0.0	10.0	7	7	16.1	17.1	15.2	15.1	14.9	14.7	1		18
8.1	7.0	6	7	24.1	25.7	16.9	15.3	15.0	14.8	0		19
10.9	4.7	8	9	23.1	25.3	18.1	16.1	15.3	14.9	0		20
12.8	1.0	8	8	26.0	28.7	18.8	16.8	15.3	15.1	0		21
12.8	1.3	7	8	25.4	25.0	19.0	17.3	16.1	15.4	0		22
12.6	3.0	7	8	27.6	27.7	19.5	17.7	16.5	15.6	0		23
4.6	6.0	7	7	18.8	18.9	18.7	17.8	16.8	15.9	0		24
11.9	5.3	8	8	26.0	25.5	18.8	17.6	16.9	16.2	0		25
6.0	8.3	8	7	16.2	16.1	18.5	17.7	16.9	16.4	1		26
5.2	8.7	6	6	11.0	13.6	15.8	16.9	16.5	16.2	1		27
8.9	4.7	8	8	13.2	17.6	14.6	15.6	16.3	16.2	1		28
13.2	0.7	8	7	19.1	22.1	15.9	15.9	16.2	16.2	0		29
9.1	3.7	7	8	19.8	23.9	17.2	16.3	16.3	16.2	0		30
232.9											8, 15, 1, 2, 20	
	5.5	6.9	7.2	17.8	19.5	15.9	15.2	14.8	14.6			

Year : 1948 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	17.0	22.2	12.8	15.5	1	16.7	6.00	87	12.1	746.3	S	3.1	2.4
2	17.0	20.7	13.1	15.5	1			81	12.0	48.0	WSW	1.2	1.9
3	17.0	21.3	15.1	15.4	1	1.9	0.75	85	11.9	48.6	SW	1.1	1.8
4	16.4	19.1	12.7	14.6	2	0.0	0.03	82	11.0	48.7	SSW	2.1	1.7
5	17.1	21.4	14.5	15.0	1	1.6	1.33	80	11.0	49.6	S	3.8	2.1
6	17.0	21.4	12.6	13.1	1			63	8.5	50.2	W	2.4	4.3
7	16.0	21.8	12.8	13.1	2	21.6	2.78	71	9.2	49.2	W	2.0	3.0
8	17.7	22.4	13.6	15.0	0	2.1	1.12	70	10.5	47.7	N	3.3	3.1
9	20.2	25.9	15.3	14.9	0			59	9.2	48.4	NNW	3.7	4.9
10	19.9	25.7	15.2	15.7	0			61	10.4	50.2	SSW	2.1	4.3
11	19.4	24.0	15.1	16.1	0	0.1	0.50	68	11.3	52.9	SSW	1.4	3.5
12	20.0	24.2	15.4	16.6	0			63	11.5	54.5	SW	1.9	3.7
13	20.5	26.7	15.3	16.8	0			63	11.3	55.9	NNE	2.0	3.9
14	21.2	26.9	16.2	16.1	0			49	10.3	53.8	NNE	3.9	5.6
15	21.5	28.4	16.0	15.7	0	0.3	0.20	49	9.2	51.1	NNE	3.1	5.2
16	21.2	27.7	15.6	16.1	0			52	9.8	49.6	WSW	2.4	5.6
17	20.8	26.2	16.1	16.1	0	0.0	0.25	58	10.1	49.5	SSW	1.6	4.3
18	20.4	24.6	16.8	17.1	0	0.0	0.33	68	11.8	48.8	SSW	1.4	3.7
19	20.2	24.3	15.9	16.7	0			68	11.5	48.5	SSW	2.3	4.1
20	19.8	24.7	15.2	16.4	0			70	11.4	50.1	SSW	2.3	3.6
21	21.2	25.1	16.4	17.5	0			68	12.4	48.6	S	3.6	4.3
22	21.3	24.7	17.2	16.7	0			58	11.2	51.2	S	3.5	5.7
23	21.4	25.3	16.4	16.9	0	0.0	0.08	59	11.3	51.6	SSW	1.5	4.8
24	21.5	26.5	16.2	17.3	0			61	11.3	50.0	SSW	1.6	4.7
25	22.7	28.2	17.1	17.2	0			57	10.6	52.3	SSW	1.6	6.0
26	24.1	28.8	17.2	17.7	0			52	10.6	52.1	SW	2.3	6.1
27	24.8	30.3	20.6	17.8	0			48	10.5	50.7	SW	1.6	8.4
28	24.2	29.1	20.6	17.7	0			51	10.6	48.4	SSW	1.6	6.4
29	24.4	30.7	19.5	18.6	0			54	12.1	47.3	S	2.0	6.1
30	24.9	31.7	19.5	18.8	0			54	11.4	47.7	WSW	3.8	7.2
31	25.5	31.8	20.8	18.5	0			46	8.7	47.9	S	3.7	9.6
Sum					9	44.3	13.37				SSW		142.0
Avg.	20.5	25.5	16.0	16.3				63	10.8	750.0	(6)	2.4	4.6

ar : 1948 Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (1)	Date
7.4	6.3	8	7	19.9	20.1	17.8	16.9	16.5	16.2	1	$\bigcirc^{2}$ $\bigcirc$	1
6.6	7.3	6	7	17.5	19.5	17.7	16.9	16.5	16.2	0		2
7.9	6.0	7	7	19.1	20.1	18.1	17.2	16.7	16.2	1	$\bigcirc^{0}$ $\bigcirc^{0-1}$ $\top^{0}$ $\equiv$ D^{0}	3
3.3	8.3	6	5	16.4	17.9	17.6	17.1	16.7	16.4	1	$\bigcirc^{0}$	4
8.3	7.0	6	6	17.9	21.5	18.0	17.1	16.8	16.5	1	$\bigcirc^{1}$ D^{0}	5
10.1	4.7	7	7	20.9	24.5	18.1	17.2	16.8	16.5	1		6
6.2	6.3	8	8	19.4	21.3	18.2	17.4	16.8	16.5	1	$\bigcirc^{1-2}$ $\bigcirc^{1-2}$ $\top^{0}$	7
8.6	8.3	8	8	19.9	19.0	17.9	17.4	16.9	16.6	2	$\bigcirc^{1}$ $\bigcirc^{0-1}$	8
10.4	5.0	7	8	23.2	22.7	18.7	17.4	17.1	16.7	0		9
11.9	5.3	7	6	20.2	20.8	19.8	18.0	17.2	16.8	0	D^{0-1}	10
11.8	2.3	7	6	22.0	27.0	17.2	18.5	17.5	16.9	0	$\bigcirc^{0}$ $\swarrow^{0}$ D^{1-2}	11
12.7	1.3	8	7	24.2	29.0	21.0	18.9	17.8	17.1	0	D^{0}	12
7.0	9.3	6	6	24.5	26.1	21.2	19.3	18.0	17.3	0		13
2.7	8.7	6	6	22.1	25.2	21.3	19.5	18.3	17.5	0	$\swarrow^{0}$ D^{0}	14
10.3	3.0	7	8	23.4	26.6	21.2	19.6	18.5	17.7	0	$\bigcirc^{0}$	15
11.5	4.7	8	8	28.0	26.4	21.8	19.7	18.6	17.8	0	$\oplus^{0}$	16
8.3	6.0	7	7	25.4	26.7	22.2	20.2	19.0	18.0	0	$\bigcirc^{0}$	17
7.6	8.0	7	6	27.0	32.3	22.7	20.6	19.2	18.2	0	$\bigcirc^{0}$ $\top^{0}$ Θ^{0}	18
11.0	4.7	8	7	24.5	30.1	22.7	20.6	19.4	18.7	0	Θ^{0}	19
13.1	1.0	6	6	26.5	32.1	22.8	20.8	19.6	18.6	0	D^{1-2}	20
13.1	0.0	6	6	23.9	31.1	23.2	21.2	19.9	18.8	0	D^{0}	21
13.4	1.3	6	7	27.4	30.3	23.5	21.4	20.1	18.9	0	D^{0}	22
12.1	1.0	7	7	24.0	27.9	23.3	21.6	20.3	19.1	0	$\bigcirc$	23
9.5	7.7	8	7	25.1	30.7	23.6	21.7	20.5	19.3	0		24
12.4	3.3	8	7	27.1	34.7	24.5	22.0	20.6	19.4	0		25
12.6	2.0	8	7	29.4	33.8	24.8	22.3	20.9	19.6	0		26
11.7	8.3	7	7	29.4	36.9	25.7	23.2	21.2	19.8	0		27
9.6	4.7	8	7	30.3	34.1	25.9	23.3	21.3	20.2	0		28
12.7	3.0	7	8	27.4	30.5	26.2	23.6	21.9	20.3	0		29
12.3	3.0	7	8	34.5	35.5	26.2	23.8	22.1	20.5	0		30
12.7	1.3	8	8	32.4	39.7	27.0	24.1	22.4	20.7	0		31
m 308.8											$\bigcirc$ 6, $\bigcirc$ 8, K 3, $\swarrow$ 2, $\equiv$ 1,	
g.	4.8	7.1	6.9	24.3	27.6	21.6	20.0	18.9	18.0		$\oplus$ 1, Φ 2, Ω 9.	

Year : 1948 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(+)(7)	Date
1	23.8	28.7	20.2	18.9	0			62	12.9	749.5	SSW	2.4	6.2	
2	23.6	28.3	19.4	18.2	0			56	11.9	46.6	WSW	3.6	6.5	
3	22.9	28.6	18.0	17.0	0			52	10.5	47.4	NNW	3.8	9.2	
4	21.5	27.5	17.6	17.6	0			62	12.3	48.9	SSW	1.5	5.0	
5	22.9	28.6	18.5	18.3	0	0.0	1.25	61	12.6	46.5	NNE	3.1	5.2	
6	21.7	26.8	18.8	16.8	0			56	10.8	48.9	NNE	3.4	6.8	
7	20.8	24.8	16.6	17.6	0			65	12.6	49.6	S	3.2	5.0	
8	21.4	25.4	18.5	17.8	0	0.0	0.17	68	12.9	50.6	SSW	1.7	4.6	
9	20.6	23.6	17.2	18.3	0	0.1	0.08	77	13.8	49.6	S	2.3	3.3	
10	20.5	24.6	16.4	17.4	0	0.0	0.18	73	12.5	48.2	SW	1.5	4.0	
11	20.6	25.6	16.0	17.7	0	0.0	0.13	73	12.9	48.5	SSW	2.9	3.9	
12	22.0	27.4	17.4	19.0	0			72	13.9	48.2	SSW	2.6	5.1	
13	22.7	27.5	18.6	19.8	0			74	14.8	47.7	SSW	1.4	3.9	
14	24.2	28.5	18.9	20.0	0			65	14.1	46.8	SSW	2.9	5.6	
15	23.9	27.3	20.8	20.9	0	0.0	0.25	73	16.3	50.0	SSW	2.8	5.5	
16	24.1	28.7	20.0	20.0	0			67	14.4	49.9	S	2.7	5.5	
17	25.3	31.8	20.5	19.8	0			59	13.7	51.4	SSW	1.6	5.2	
18	26.4	35.1	20.0	20.2	0			53	13.4	54.1	N	1.8	6.1	
19	27.2	35.6	20.4	20.8	0			48	13.5	52.2	NNE	2.3	7.8	
20	27.1	32.9	21.2	20.4	0			52	13.1	48.9	SW	1.8	7.4	
21	27.3	32.6	22.6	20.7	0			50	14.6	46.9	W	5.1	8.8	
22	23.9	29.2	19.4	17.0	0			45	9.9	47.5	W	6.9	10.9	
23	23.1	28.5	18.9	17.5	0			52	11.0	47.6	WSW	4.2	7.2	
24	22.7	26.6	19.3	15.8	0	0.0	0.08	46	8.9	43.4	W	6.6	10.0	
25	22.2	26.8	18.2	15.9	0			48	9.2	48.2	S	4.3	7.5	
26	20.7	27.1	17.7	17.1	0	0.1	0.33	64	11.7	49.4	E	3.1	4.1	
27	19.6	25.7	15.8	16.4	0	23.5	1.25	70	11.3	51.8	WNW	1.9	3.1	
28	21.3	26.2	16.3	17.5	0			65	11.9	53.7	SSW	2.4	4.2	
29	23.0	28.2	17.4	17.2	0			54	10.7	50.9	SSW	2.3	5.9	
30	25.0	29.9	19.6	18.3	0			48	11.1	48.5	SSW	3.7	8.0	
Sum					0	23.7	3.72				SSW		181.5	Su
Avg.	23.1	28.3	18.7	18.3				60	12.4	749.1	(6)	3.0	6.1	Av

: 1948 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
13.6	1.7	7	7	30.8	38.0	27.0	23.9	22.6	20.9	0		1
12.0	3.7	7	7	26.6	34.5	26.4	24.5	22.9	21.3	0		2
8.6	5.7	8	8	28.4	36.7	26.8	24.5	23.0	21.3	0		3
6.7	6.7	8	6	24.4	29.6	25.9	24.6	23.2	21.2	0		4
3.5	9.3	6	7	24.2	30.0	25.3	24.3	23.1	21.7	0	$\mathcal{9}^0$	5
10.6	3.3	8	8	27.3	32.7	25.6	24.1	23.1	21.7	0		6
10.1	4.7	7	6	27.0	35.6	25.0	24.1	23.1	21.7	0		7
5.3	7.0	7	6	24.1	31.0	25.0	24.0	23.0	21.8	0	$\mathcal{9}^0$	8
3.8	9.0	7	7	21.0	25.2	24.5	23.8	22.9	21.8	0	$\mathcal{9}^0$	9
6.9	5.3	8	6	22.8	32.6	24.3	23.5	22.9	21.8	0	$\mathcal{9}^1$	10
9.8	3.7	8	7	21.2	28.3	24.1	23.4	22.7	21.7	0	$\mathcal{9}^0$	11
11.1	1.0	7	7	27.3	35.8	25.0	23.5	22.7	21.7	0		12
8.2	1.7	8	7	27.2	36.5	25.8	23.8	23.5	21.7	0		13
7.8	1.3	8	7	28.0	34.7	25.7	24.4	22.9	21.8	0		14
10.8	4.0	7	7	26.3	32.8	26.5	24.3	23.2	21.9	0	$\mathcal{9}^0$ $\cap^1$	15
12.9	1.3	7	7	27.8	36.7	26.7	24.6	23.3	22.0	0		16
12.0	3.3	7	7	26.3	32.3	27.5	25.3	23.5	22.2	0		17
12.8	1.3	7	8	27.7	34.7	27.9	25.3	23.8	22.2	0		18
13.2	0.0	7	8	28.0	43.0	28.8	25.8	24.1	22.5	0		19
13.1	0.0	8	8	30.1	43.4	28.9	26.1	24.4	22.6	0		20
11.9	1.3	8	8	29.2	38.4	29.2	26.5	24.7	22.8	0		21
13.0	1.7	8	8	26.8	39.5	28.3	26.4	24.7	22.8	0		22
11.5	2.3	7	8	27.2	36.5	27.8	26.2	24.7	22.9	0		23
10.5	5.0	5	6	24.6	33.7	26.9	25.9	24.6	22.8	0	$\mathcal{9}^0$	24
10.5	4.0	8	8	25.7	35.4	26.6	25.6	24.4	22.8	0		25
3.6	7.3	7	6	20.7	25.5	25.2	25.0	24.1	22.9	0	$\mathcal{9}^0$ $\mathcal{9}^{0-1}$	26
6.5	6.0	9	8	25.6	25.1	24.3	24.3	23.8	22.9	0	$\mathcal{9}^{1-2}$ $\mathcal{9}^1$ $\mathcal{R}^1$	27
12.8	3.3	8	7	24.4	24.8	24.0	23.8	23.5	22.7	0		28
12.3	0.3	7	8	26.4	32.1	25.3	23.9	23.4	22.6	0		29
13.2	0.3	7	6	26.8	34.9	26.2	24.3	23.4	22.6	0		30
m 298.5											$\mathcal{9}$ 2, $\mathcal{9}$ 9, $\mathcal{R}$ 1, $\cap$ 1	
g.	3.6	7.4	7.1	26.1	33.7	26.2	24.7	23.5	22.1			

Year : 1948

Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	26.1	31.6	19.5	19.3	0			49	12.0	751.1	SSW	1.6	7.8	
2	28.4	33.8	22.8	19.4	0			40	10.5	52.1	SSW	2.3	8.1	
3	27.8	32.1	23.4	18.5	0			38	9.7	53.2	NNE	7.1	10.4	
4	26.8	32.2	21.3	17.6	0			33	8.7	52.2	NNE	6.5	9.4	
5	26.4	33.2	21.4	19.0	0			44	11.8	49.9	NNE	3.4	8.8	
6	25.7	30.9	20.3	18.5	0			50	10.9	46.5	S	2.7	7.8	
7	26.0	30.7	22.1	18.9	0			49	11.6	45.0	WSW	4.8	8.9	
8	23.7	28.2	19.1	17.3	0			50	10.4	49.0	S	3.6	8.3	
9	24.6	30.2	19.0	19.0	0			57	12.4	49.3	S	2.2	6.0	
10	25.6	31.0	20.8	19.3	0			52	12.3	48.4	SSW	1.8	7.5	
11	25.8	31.6	20.6	19.4	0			52	12.4	47.9	SSW	1.3	7.4	
12	28.7	33.7	23.9	18.1	0			38	8.4	47.9	S	2.4	9.0	
13	28.4	34.7	22.6	19.4	0			39	10.7	46.9	W	3.6	10.4	
14	28.4	35.8	23.0	19.9	0			42	11.4	48.4	N	3.3	8.6	
15	28.2	35.1	23.0	19.9	0			41	11.2	47.8	NNE	4.0	7.9	
16	27.6	31.9	22.3	19.9	0			45	12.2	45.4	SSW	2.4	7.6	
17	28.3	33.8	23.9	19.4	0			39	11.2	45.1	WSW	3.6	11.0	
18	25.7	32.4	20.8	18.6	0	0.0	0.08	49	11.3	45.4	W	4.2	9.0	
19	24.2	29.5	19.8	17.3	0	0.0	0.67	49	9.9	49.2	NW	4.3	6.9	
20	25.1	31.5	19.4	19.7	0			54	13.1	53.9	E	2.9	6.6	
21	25.4	31.3	20.0	19.6	0			53	13.0	55.4	NNE	7.3	8.1	
22	25.3	29.9	21.7	19.1	0			52	12.2	53.6	NNE	9.1	9.5	
23	25.8	30.4	21.3	20.2	0			55	13.8	50.5	NNE	7.1	8.6	
24	27.3	31.7	22.8	21.1	0			53	14.3	49.9	NNE	6.5	9.1	
25	28.1	34.9	22.5	21.6	0			51	14.7	51.1	NNE	3.6	8.3	
26	27.6	33.1	22.9	22.0	0			56	15.7	50.8	NNE	5.7	8.6	
27	26.9	31.0	24.4	22.5	0			63	17.1	49.4	N	10.5	8.5	
28	24.4	27.9	21.5	19.2	0			59	13.1	49.8	NNE	13.9	8.5	
29	24.7	29.5	20.1	19.1	0			54	13.0	51.0	NNE	7.7	8.4	
30	25.9	32.4	20.8	18.7	0			47	11.0	51.2	NNE	3.7	7.0	
31	25.9	32.4	20.1	18.8	0			47	11.4	49.5	SSW	1.9	7.6	
Sum					0	0.0	0.75				NNE		259.6	Su
Avg.	26.4	31.9	21.4	19.4				48	12.0	749.6	(6)	4.7	8.4	Av

: 1948 Month: July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition (10)	Miscellaneous phenomena (4)	Date
13.8	0.0	8	7	26.4	36.3	27.4	24.9	23.6	22.6	0		1
13.4	0.0	8	7	28.0	37.5	28.3	25.4	23.9	22.7	0		2
13.8	0.0	6	7	28.5	36.7	27.3	26.0	24.0	22.7	0		3
13.9	0.7	7	8	31.4	42.0	29.1	26.5	24.4	23.0	0		4
12.1	3.0	8	8	28.3	37.1	29.3	26.9	25.0	23.3	0		5
13.1	0.0	8	7	28.4	35.9	28.9	27.0	25.3	23.5	0		6
13.5	0.0	7	7	27.6	35.9	29.2	27.0	25.4	23.6	0		7
13.9	0.7	9	8	26.3	35.6	28.2	26.8	25.4	23.7	0		8
13.9	0.3	7	6	24.9	36.4	28.1	26.6	25.3	23.7	0		9
13.9	0.7	8	7	28.3	31.0	28.4	26.6	25.3	23.8	0		10
13.9	0.0	7	7	27.0	37.8	28.6	26.7	25.4	23.8	0		11
13.2	0.3	7	7	29.4	37.8	29.4	26.9	25.4	23.9	0		12
12.7	0.0	7	7	31.6	41.5	29.7	27.2	25.6	24.3	0		13
13.7	0.3	8	8	30.8	43.1	30.4	27.5	25.7	24.0	0		14
13.7	0.0	7	8	27.8	40.1	30.6	27.9	25.9	24.2	0		15
13.6	0.0	8	7	27.5	33.5	30.1	28.1	26.4	24.5	0		16
13.5	0.0	7	8	29.5	41.2	30.2	28.1	26.4	24.5	0		17
12.6	3.3	8	8	28.4	40.4	30.1	27.8	26.3	24.6	0	⊜°	18
13.3	1.7	7	8	26.4	39.4	29.8	28.0	26.5	24.7	0	⊜°	19
12.4	2.7	8	7	26.5	35.4	29.0	27.7	26.3	24.7	0		20
13.5	0.7	7	7	27.1	36.1	28.8	27.6	26.1	24.9	0		21
13.5	0.7	7	9	26.8	35.3	29.2	27.3	26.1	24.5	0		22
13.4	0.3	6	7	25.6	36.7	28.9	27.5	26.4	24.9	0		23
13.2	0.7	6	6	26.7	37.3	29.3	27.7	26.4	25.0	0		24
13.4	0.7	8	8	26.8	40.2	29.9	27.9	26.6	25.2	0		25
13.4	0.7	7	8	28.4	35.8	29.8	28.3	26.8	25.2	0		26
12.2	2.0	6	7	27.6	37.6	29.9	28.4	27.0	25.5	0		27
11.4	2.3	6	7	25.2	31.9	28.5	28.0	26.9	25.5	0	T°	28
13.0	2.0	7	7	26.0	35.9	28.5	27.7	27.0	25.7	0		29
12.9	0.3	7	8	26.6	38.7	28.8	27.9	27.0	25.7	0		30
13.1	0.7	8	7	25.5	36.9	29.4	28.0	27.1	25.7	0		31
410.9											⊜2, R 1.	
	0.8	7.3	7.4	27.6	37.5	29.1	27.3	25.8	24.3			

Year : 1948 Month : August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.7	31.6	21.9	18.3	0			41	10.1	747.2	NW	4.7	8.5
2	27.0	31.2	22.6	19.1	0			42	11.0	48.8	NNE	5.8	8.8
3	28.2	33.3	23.3	18.6	0			35	9.7	51.0	NE	4.5	12.6
4	29.0	36.3	23.1	19.9	0			35	10.8	50.1	NNE	2.6	9.1
5	28.5	34.5	23.1	21.2	0			48	14.2	48.7	SW	1.3	8.2
6	29.0	34.4	24.2	21.1	0			47	13.4	47.8	SSW	1.4	8.0
7	29.4	34.3	24.1	22.1	0			51	14.9	48.1	SSW	1.5	8.1
8	30.3	36.8	24.6	21.8	0			45	13.7	48.9	NE	5.1	8.6
9	29.4	34.4	24.9	20.2	0			41	11.6	48.5	NE	6.4	9.4
10	29.7	38.4	25.0	19.4	0			33	10.0	47.6	N	5.2	12.3
11	28.2	37.0	24.2	20.4	0			46	12.8	46.8	NW	2.3	8.8
12	28.0	33.3	22.7	21.5	0			52	14.3	45.6	SSW	1.6	6.5
13	29.9	35.7	24.3	20.6	0			38	11.5	44.4	W	3.0	11.8
14	27.5	33.9	23.0	19.0	0			43	10.8	45.6	SSW	2.3	9.9
15	27.2	34.1	22.6	19.6	0			46	11.8	47.3	W	3.1	8.3
16	26.1	30.9	22.4	19.0	0			47	11.8	51.3	NNE	6.3	7.3
17	25.4	29.6	22.2	17.5	0			43	9.8	51.6	NNE	7.7	8.1
18	25.5	30.2	21.9	18.7	0			48	11.6	50.1	NNE	5.4	7.5
19	25.9	33.5	21.7	19.1	0			49	11.7	48.5	S	3.6	6.8
20	26.7	32.9	21.7	21.3	0			60	15.4	48.3	SW	1.2	6.5
21	27.9	34.8	22.3	20.5	0			51	13.2	50.2	NE	2.5	6.0
22	27.0	32.0	23.4	20.0	0			50	13.3	49.6	NNE	5.0	6.4
23	24.7	30.2	21.1	17.8	0			49	10.7	51.0	NNE	6.3	6.9
24	25.6	31.7	19.1	17.7	0			40	9.1	52.0	NW	3.4	8.0
25	26.5	31.6	21.5	18.8	0			43	11.3	52.9	SSW	1.3	7.5
26	27.0	32.7	22.1	19.9	0			45	12.6	52.7	SSW	1.6	8.0
27	28.6	37.0	23.1	20.6	0			44	12.6	51.0	NE	1.4	7.7
28	29.8	36.2	22.5	19.6	0			35	10.0	49.9	NNE	5.1	9.9
29	28.9	33.2	26.3	20.4	0			42	13.5	50.0	NNE	8.1	9.9
30	26.3	30.4	23.7	18.5	0			44	10.9	51.3	NNE	6.7	7.8
31	24.5	30.3	20.7	17.0	0			46	9.6	52.0	NNE	5.8	7.5
Sum					0	0	-				NNE		260.7
Avg	27.6	33.4	22.9	19.7				45	11.9	749.3	(6)	3.9	8.4

ear : 1948 Month : August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)						
					Green	Bare	30	60	90	120			
	12.9	1.3	8	8	29.9	39.3	29.8	28.1	27.1	25.7	0		1
	13.1	1.0	7	7	27.7	38.2	29.8	28.3	27.1	25.7	0		2
	13.1	0.3	7	8	28.7	38.7	30.0	28.4	27.2	25.6	0		3
	13.2	0.3	8	7	27.5	38.0	30.4	28.6	27.4	25.8	0		4
	12.9	0.3	8	8	31.8	39.2	30.9	28.9	27.6	26.0	0		5
	13.1	0.7	8	8	33.6	39.0	30.6	28.8	27.7	26.1	0		6
	12.8	0.7	7	7	29.7	39.1	31.0	28.9	27.7	26.1	0		7
	13.1	0.7	7	8	29.2	36.7	31.1	29.0	27.6	25.9	0		8
	13.2	0.3	8	8	32.9	39.5	31.2	29.2	27.7	26.2	0		9
	13.2	0.3	8	8	29.1	39.6	31.0	29.2	27.7	25.2	0		10
	13.2	0.0	8	8	30.1	38.7	30.9	29.4	28.2	26.6	0		11
	12.7	0.0	7	7	31.6	38.2	30.6	29.4	28.2	26.6	0		12
	13.1	0.3	7	7	29.3	38.7	30.7	29.2	28.1	26.5	0		13
	13.1	0.0	8	8	30.9	38.0	30.3	29.2	28.1	26.5	0		14
	13.0	0.7	8	8	28.7	34.9	30.2	29.0	28.0	26.3	0		15
	12.7	1.3	7	7	27.9	35.4	29.8	28.8	27.5	26.4	0		16
	12.9	1.0	77	7	28.4	35.1	29.3	28.7	27.6	26.5	0		17
	12.0	3.0	7	8	25.4	32.9	28.7	28.4	27.6	26.6	0		18)
	12.6	0.7	8	8	27.5	39.8	29.1	28.4	27.8	26.6	0		19
	11.6	0.3	7	7	29.0	34.3	29.4	28.4	27.7	26.5	0		20
	12.3	2.0	7	7	26.2	33.1	29.9	28.5	27.7	26.4	0		21
	10.6	3.7	8	9	24.9	26.4	29.3	28.4	27.5	26.3	0		22
	11.1	3.7	8	8	23.8	31.9	28.5	28.2	27.5	26.4	0		23
	12.7	0.7	7	8	27.3	36.6	28.5	27.9	27.6	26.5	0		24
	12.7	0.0	8	7	25.9	33.8	29.0	28.1	27.5	26.4	0		25
	12.7	0.3	7	7	26.1	35.3	28.8	28.1	27.4	26.4	0		26
	12.7	0.3	8	8	27.6	37.3	29.3	28.1	27.4	26.4	0		27
	12.6	1.0	8	8	29.0	39.3	29.6	28.2	27.2	26.1	0		28
	12.4	1.0	7	7	28.2	36.9	29.9	28.3	27.4	26.2	0		29
	12.5	1.0	8	9	28.7	34.7	29.2	28.3	27.5	26.3	0		30
	12.3	2.0	7	8	25.3	36.1	28.7	28.2	27.5	26.5	0		31
um	392.1												
vg.		0.9	7.5	7.7	28.5	36.6	29.9	28.6	27.6	26.3			

Year : 1948 Month : September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	23.8	28.6	20.1	17.8	0			51	11.2	750.7	NNE	4.3	6.6	
2	23.5	28.7	19.4	18.4	0			55	12.7	51.3	S	1.8	5.6	
3	23.9	29.3	19.5	18.9	0			61	12.7	51.1	SSW	1.8	4.8	
4	25.1	30.7	20.8	20.2	0			63	14.2	51.3	S	1.1	5.0	
5	25.8	30.9	21.1	19.6	0			52	12.9	51.8	SSW	1.1	6.4	
6	27.6	35.0	20.5	18.3	0			37	9.3	51.0	NE	3.6	7.6	
7	26.1	31.5	21.5	20.0	0			50	13.4	48.3	SSW	1.5	7.1	
8	23.2	28.7	19.8	19.1	0	5.8	1.50	65	13.7	47.5	SSW	2.0	4.0	
9	20.7	26.0	19.3	17.4	0	5.9	2.00	70	13.2	50.2	NNE	4.3	3.7	
10	20.7	24.7	18.0	15.8	0	0.2	0.33	57	10.0	53.7	NNE	6.8	3.5	
11	22.0	26.4	17.1	15.3	0			46	8.4	53.1	N	6.4	7.1	
12	22.7	27.1	19.1	16.2	0			47	9.5	53.2	NNE	6.7	7.5	
13	22.6	28.3	18.0	16.3	0			48	9.6	54.4	NNE	5.9	6.3	
14	22.5	29.2	17.8	17.0	0			49	11.5	55.5	NNE	3.7	5.6	
15	22.4	28.5	16.5	16.1	0			47	9.4	55.7	NE	4.5	6.1	
16	23.5	30.6	17.1	17.8	0			52	11.4	53.7	NE	1.8	6.2	
17	23.7	30.2	18.1	19.2	0			64	13.3	50.6	SSW	1.1	4.7	
18	24.6	31.5	19.8	19.7	0			59	13.6	51.5	N	2.8	4.8	
19	23.4	28.1	19.5	20.6	0			73	15.9	52.7	SSW	1.2	3.7	
20	23.4	28.5	19.2	18.9	0			68	13.2	50.6	SSW	1.6	4.6	
21	23.2	29.2	18.8	18.8	0			66	13.1	47.4	SW	2.6	4.4	
22	23.7	29.7	19.3	17.7	0			57	11.2	49.1	S	2.1	6.5	
23	22.8	29.2	18.2	18.5	0			61	12.9	53.2	N	1.7	3.9	
24	21.7	26.4	18.5	15.7	0			51	9.3	55.8	NNE	8.0	7.5	
25	21.2	26.8	17.6	14.8	0			48	8.5	55.0	NNE	4.5	6.5	
26	20.4	25.9	16.5	14.9	0			52	8.8	52.2	N	3.4	5.7	
27	20.4	25.9	16.2	14.4	0			48	8.2	50.9	N	4.0	6.9	
28	21.1	26.2	16.7	15.5	0			49	9.2	53.0	N	4.4	6.6	
29	20.8	26.7	16.2	16.3	0			59	10.7	54.1	N	1.2	4.6	
30	19.5	26.1	15.4	16.6	0	2.0	1.33	73	11.9	54.1	NNE	1.5	3.5	
Sum					0	13.9	5.16				NNE		167.0	S
Avg.	22.9	28.5	18.5	17.5				56	11.4	752.1	(6)	3.2	5.6	A

r : 1948 Month : September

Total sunshine (hrs) (8)	Avg.Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
10.6	2.0	9	9	23.3	31.9	28.3	27.6	27.8	26.4	0		1
10.7	3.0	7	7	23.5	27.7	27.4	27.7	27.4	26.5	0		2
12.1	1.0	7	7	24.3	32.9	27.1	27.3	27.2	26.4	0		3
12.2	0.3	6	7	25.3	33.7	27.5	27.2	27.0	26.3	0		4
12.2	0.3	7	7	25.5	34.2	27.5	27.2	26.9	26.2	0		5
10.7	0.0	7	8	26.6	36.3	27.8	27.1	26.6	26.1	0		6
11.3	0.3	6	6	24.8	33.9	28.1	27.3	26.8	26.1	0		7
4.9	7.3	7	7	24.6	27.2	27.0	27.0	26.7	26.0	0	⊜1 ◍0-1 K°	8
7.0	7.0	8	9	21.4	22.6	24.7	26.1	26.2	26.2	1	⊜1 ◍1	9
8.0	3.7	8	9	21.2	19.9	23.3	25.1	25.6	25.9	1	◍0	10
11.1	0.7	7	7	23.8	26.2	22.9	24.5	25.0	25.2	1		11
11.6	0.7	7	8	23.9	26.7	24.2	24.6	24.7	25.1	0		12
11.6	0.7	9	9	28.2	32.2	24.6	24.7	24.8	24.8	0		13
11.0	2.7	7	7	25.4	28.8	24.7	24.2	24.9	24.8	0		14
11.5	0.3	9	9	24.0	25.8	24.6	24.8	24.7	24.6	0		15
11.5	2.3	7	7	24.1	31.0	25.1	25.0	25.3	24.6	0		16
9.1	4.3	7	8	23.7	25.9	25.5	25.0	25.0	24.8	0		17
8.5	3.0	7	7	23.7	28.9	25.9	25.1	24.9	24.5	0		18
10.8	0.7	7	7	24.0	29.2	25.8	25.3	25.0	24.7	0		19
10.1	0.3	8	8	24.6	28.7	25.4	25.3	25.1	24.7	0		20
11.0	0.3	7	7	25.5	29.1	25.2	25.0	24.9	24.6	0	D° D°	21
10.8	0.3	7	7	23.2	30.2	25.3	25.0	24.9	24.5	0		22
9.3	2.0	7	7	24.7	28.5	25.2	24.9	24.7	24.4	0		23
10.7	0.3	7	7	21.9	25.9	24.7	24.7	24.4	24.0	0		24
11.2	0.0	7	8	20.7	28.8	23.9	24.4	24.5	24.2	0		25
11.0	1.0	7	8	21.4	29.1	23.9	24.3	24.3	24.1	0		26
11.9	1.7	7	7	22.8	28.2	23.6	24.0	24.2	24.1	0		27
10.8	1.7	8	9	23.3	27.4	23.5	23.9	24.1	23.8	0		28
6.2	5.3	7	7	19.5	27.5	23.3	23.9	24.1	24.0	0		29
7.2	6.3	8	9	19.8	23.0	23.0	23.6	23.9	23.9	0	◍0-1	30
306.6											◍3, ◍3, K1, Ω2.	
	2.0	7.3	7.6	23.6	28.7	25.3	25.4	25.4	25.0			

Year : 1948 Month : October

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	20.6	25.9	14.2	15.8	0			58	10.1	755.1	NNE	2.3	5.2
2	17.8	21.8	15.7	14.5	0	0.5	5.12	69	10.5	57.1	NNE	6.2	3.9
3	16.1	19.6	13.9	13.2	2			69	9.3	56.3	NNE	5.5	3.6
4	18.2	25.0	12.1	14.6	0			61	9.5	52.2	NNE	3.6	4.8
5	20.2	26.6	14.8	16.5	0			64	11.1	50.5	SSW	1.1	5.2
6	21.6	28.3	17.3	18.9	0			75	14.8	5[illegible].0	NNE	2.3	3.6
7	20.0	25.4	17.4	17.4	0			75	12.8	58.0	NNE	6.0	4.4
8	20.3	26.9	15.4	17.7	0			71	13.1	56.5	NNE	2.9	4.1
9	19.3	25.3	15.5	16.2	0			70	11.5	55.5	NNE	4.1	2.9
10	18.8	23.7	15.3	15.7	0			68	11.0	55.0	NNE	3.8	4.8
11	14.9	17.0	12.7	11.6	3			70	8.5	57.1	NNE	9.3	4.1
12	12.9	18.5	10.8	10.0	5			65	7.2	60.6	NE	6.8	4.7
13	13.9	19.5	10.6	10.5	4	0.0	0.22	62	7.2	59.9	NNE	3.7	3.6
14	16.1	20.2	11.0	13.8	2			69	9.9	56.4	S	2.1	3.5
15	19.9	22.8	16.8	17.5	0	0.0	0.39	77	13.1	55.1	S	2.7	2.8
16	22.1	26.7	18.2	19.2	0	0.0	0.02	74	15.0	55.0	S	4.5	4.0
17	22.6	27.5	18.9	18.4	0			68	13.0	54.0	SW	1.4	4.5
18	21.4	26.4	17.0	17.9	0	0.0	0.08	70	13.1	51.1	SE	1.7	4.2
19	22.0	26.5	18.0	18.1	0			69	12.8	49.9	SW	1.7	3.8
20	21.9	27.9	17.6	17.1	0			61	11.5	54.9	S	0.9	4.9
21	22.0	29.1	17.3	18.0	0			64	12.2	57.4	SSW	0.4	3.9
22	21.8	26.9	18.1	18.1	0			66	13.0	55.5	S	0.4	3.8
23	20.0	27.0	16.9	16.2	0			65	10.9	53.5	NE	1.6	2.8
24	20.2	27.9	15.5	16.3	0			60	10.4	53.4	NNE	0.9	3.6
25	20.2	25.9	14.6	14.3	0			49	8.3	56.6	SSW	0.7	4.4
26	20.3	26.2	16.1	15.0	0			52	9.1	56.7	SSW	0.6	5.4
27	19.7	25.7	15.1	16.5	0			65	11.5	55.4	SSW	0.5	3.5
28	19.8	25.8	14.9	16.8	0			71	11.9	54.7	SSW	0.6	2.9
29	19.1	24.6	15.5	16.5	0			73	12.1	53.4	SSW	0.6	2.7
30	18.2	23.8	14.0	16.5	0			79	12.5	53.4	SSW	0.9	2.2
31	19.1	23.3	15.9	17.3	0			81	13.4	54.1	SSW	0.9	1.7
Sum					16	0.5	5.83				NNE		120.5
Avg.	19.4	24.8	15.4	16.0				67	11.3	755.1	(6)	2.6	3.9

ar : 1948

Month : October

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
9.8	5.0	7	7	21.8	27.0	22.6	23.3	23.3	23.8	0		1
0.7	9.0	7	7	17.3	17.4	21.8	23.0	23.3	23.4	1	$\oplus^{0-1}$ $\mathcal{Q}^{2}$	2
5.4	5.7	8	8	15.5	15.3	20.5	22.2	23.0	23.3	0		3
10.7	0.7	8	9	19.7	23.1	20.6	21.9	22.6	23.0	0		4
10.8	0.0	8	7	20.0	22.7	21.3	22.0	22.7	23.1	0		5
10.5	2.3	7	8	22.0	22.2	22.5	22.2	22.7	22.6	0	D^{1}	6
10.1	0.7	8	8	20.1	22.9	22.4	22.3	22.9	22.7	0	D^{0-1}	7
10.4	2.7	8	8	19.9	21.8	22.2	22.4	22.7	22.7	0	D	8
8.3	4.3	8	8	17.5	20.2	22.0	22.4	22.6	22.6	0		9
10.1	6.3	7	8	18.6	23.4	21.4	22.2	22.5	22.6	0	D^{1}	10
2.0	8.0	7	7	12.0	16.0	20.7	21.8	22.1	22.2	1		11
5.3	7.7	7	8	13.7	15.1	18.8	21.0	21.7	22.2	0	D^{0}	12
8.4	3.7	8	9	13.3	16.2	18.6	20.4	21.5	22.2	0	$\mathcal{Q}^{0-1}$ $\in^{0}$ $\cap^{1}$	13
8.4	6.0	9	9	18.8	18.8	18.9	20.4	21.3	21.9	0	$\in^{0}$	14
6.0	7.7	8	8	19.9	17.7	20.5	20.7	21.4	22.0	0	$\mathcal{Q}^{0}$ $\in^{0}$	15
7.3	6.3	6	6	21.7	21.5	21.3	21.1	21.5	21.8	0	$\oplus^{0}$ $\in$ Θ^{0}	16
9.2	4.3	7	8	22.8	21.9	22.0	21.5	21.6	21.4	0		17
5.9	7.3	8	7	21.1	20.5	22.1	22.0	21.6	21.7	0	$\mathcal{Q}^{0}$ $\in^{0}$ D^{2}	18
9.1	4.7	8	7	22.3	22.0	22.5	22.0	21.8	21.8	0	D^{1-2}	19
10.0	1.3	8	7	18.8	24.0	22.6	21.9	21.8	21.7	0		20
9.1	1.0	6	6	20.8	22.4	22.3	21.9	21.8	21.7	0	$\in^{0}$ D^{1}	21
6.4	1.7	6	5	20.6	21.7	22.2	21.9	21.8	22.0	0	D^{1}	22
5.8	3.3	6	6	22.0	22.3	22.0	21.9	21.8	21.7	0	D^{0-1}	23
9.8	2.7	6	7	21.1	22.9	21.3	21.6	21.7	21.6	0		24
10.0	2.7	6	6	19.4	19.8	21.2	21.5	21.6	21.6	0		25
10.1	0.3	7	7	18.1	20.8	21.1	21.3	21.6	21.5	0	D^{0}	26
10.0	1.3	7	6	19.1	20.0	20.8	21.2	21.5	21.6	0	D^{1}	27
10.0	0.3	6	6	19.8	21.1	20.8	21.3	21.4	21.5	0	D^{1-2}	28
8.8	5.0	8	7	20.9	19.7	20.5	21.0	21.3	21.5	0	D^{1-2}	29
9.7	3.7	7	6	19.7	15.5	20.3	20.9	21.2	21.4	0	D^{1-2}	30
4.9	7.3	7	6	19.3	21.6	20.3	20.8	21.1	21.4	0	D^{1-2}	31
253.0											$\oplus$ 2, $\mathcal{Q}$ 4, $\cap$ 1, Θ 2, Ψ 6, Ω 15.	
	3.9	7.2	7.2	19.3	20.6	21.2	21.7	22.0	22.1			

Year : 1948 Month : Novem

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	19.3	23.0	16.3	16.4	0	0.0	0.03	74	11.8	754.0	ENE	0.8	2.1
2	19.0	22.5	15.3	17.5	0	2.5	3.83	81	13.6	54.2	SSW	0.9	2.0
3	19.9	24.8	16.5	16.4	0	0.0	0.02	69	11.7	52.3	SW	1.7	2.6
4	19.7	24.2	17.2	15.3	0			58	9.9	52.3	S	0.8	4.6
5	18.7	23.6	14.7	15.4	0			66	10.8	53.8	S	0.7	3.3
6	18.8	23.9	14.5	15.0	0			65	10.1	54.4	WSW	1.1	3.6
7	19.3	24.9	15.1	15.6	0			68	10.6	54.3	S	1.2	3.8
8	18.7	22.5	15.3	16.5	0			75	12.1	52.7	S	1.1	2.9
9	19.8	23.8	16.1	16.6	0			72	12.0	53.5	S	0.4	2.8
10	17.0	19.7	15.1	15.1	1	0.6	1.17	83	11.7	57.6	NNE	8.3	2.2
11	15.1	18.4	13.4	12.6	3			71	9.1	57.3	NNE	6.8	2.8
12	14.8	19.7	10.7	12.2	3			68	8.6	55.7	NE	2.5	2.4
13	11.3	14.6	8.6	7.8	7	0.0	0.77	63	6.0	59.9	NE	8.6	3.2
14	7.2	9.1	5.4	4.4	11			60	4.6	63.5	NNE	5.7	3.6
15	10.3	16.5	4.3	7.8	8			68	6.3	60.0	NE	1.2	2.1
16	13.6	18.5	8.7	11.4	4			73	8.7	57.7	SSW	0.2	2.2
17	16.0	19.4	12.5	13.9	2	0.0	0.17	75	10.2	55.7	S	1.7	2.0
18	16.8	18.5	14.9	15.2	1	3.1	3.17	86	11.8	53.4	S	4.5	3.5
19	15.1	17.3	14.0	14.0	3	8.2	8.42	86	11.1	54.8	E	1.5	1.8
20	14.5	16.6	13.4	13.3	3	13.0	4.67	82	10.5	57.1	NNE	6.0	1.3
21	13.7	18.9	11.2	10.6	4			66	7.6	56.7	NNE	3.7	2.9
22	13.2	19.0	9.3	10.5	5			68	7.6	53.7	W	0.2	2.7
23	12.4	17.1	8.9	9.8	6			71	7.4	53.4	NNE	1.0	1.8
24	11.0	13.5	9.5	8.1	7	0.0	0.25	64	6.2	53.3	NNE	0.6	3.1
25	3.8	10.4	1.4	1.8	14	1.0	8.17	77	4.3	54.5	NNE	9.3	2.3
26	1.2	3.4	-1.1	-0.3	17	0.3	5.78	75	3.5	58.5	NW	4.9	1.7
27	2.4	6.2	-0.5	0.6	16			70	3.7	59.8	N	1.2	1.4
28	5.3	10.5	0.6	3.9	13	0.4	2.00	67	4.3	57.6	NNE	0.6	1.9
29	5.4	6.8	4.2	4.0	13	7.4	15.00	80	5.2	56.8	NNE	5.1	1.0
30	4.2	5.5	2.7	2.8	14	0.2	1.33	77	4.7	56.0	NNW	4.1	1.3
Sum					155	36.7	54.78				NNE		74.9
Avg.	13.2	17.1	10.3	10.8				72	8.5	755.8	(6)	2.9	2.5

Year : 1948 Month : November

Date.	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (+)	Date
1	0.7	9.7	8	5	17.8	17.4	20.4	20.8	21.0	21.3	0		1
2	1.9	9.3	6	5	17.5	15.1	19.9	20.6	20.9	21.2	1		2
3	5.5	7.7	7	7	22.4	18.8	20.2	20.4	20.3	21.1	0		3
4	9.1	3.0	8	8	20.1	19.1	20.4	20.5	20.7	21.1	0		4
5	9.7	1.7	9	8	19.8	16.8	20.0	20.3	20.6	20.9	0		5
6	9.3	1.0	8	9	18.2	18.0	19.5	20.1	20.5	20.9	0		6
7	8.5	3.7	7	8	19.6	18.9	19.6	20.0	20.4	20.3	0		7
8	7.7	6.7	8	8	17.3	17.1	19.6	20.1	20.4	20.8	0		8
9	5.1	9.3	7	7	19.0	16.4	19.9	20.2	20.4	20.7	0		9
10	1.6	9.3	7	9	18.5	15.3	19.5	20.0	20.1	20.5	0		10
11	6.9	5.3	8	9	14.4	14.0	18.4	19.4	19.9	20.3	0		11
12	6.9	4.7	8	8	13.3	12.4	17.6	19.0	19.5	20.3	0		12
13	2.8	5.7	8	6	9.0	9.0	15.8	18.1	18.9	19.7	0		13
14	0.4	6.0	8	8	6.1	7.1	13.8	17.1	18.4	19.6	0		14
15	8.0	7.3	7	7	10.4	6.8	13.5	16.1	18.0	19.3	0		15
16	6.1	5.3	7	6	12.1	10.4	14.9	16.6	17.9	19.2	0		16
17	1.1	8.7	7	8	16.2	15.3	15.9	16.9	18.0	19.1	0		17
18	0.4	9.3	6	5	15.4	12.7	16.6	17.2	18.0	18.9	1		18
19	1.2	9.3	7	8	14.3	13.1	16.1	17.3	17.9	18.5	2		19
20	0.9	7.0	7	7	13.4	10.7	15.8	17.1	17.6	18.4	2		20
21	8.9	2.0	7	8	13.1	11.5	14.7	16.4	17.3	18.3	1		21
22	9.1	1.0	8	8	12.7	11.2	13.9	16.0	16.9	18.2	1		22
23	5.4	5.0	7	8	12.3	7.4	13.8	15.7	16.7	17.9	1		23
24	0.0	8.3	6	6	10.1	10.1	13.3	15.4	16.5	17.7	1		24
25	0.1	8.7	5	4	2.5	0.8	10.3	14.1	15.5	17.2	1		25
26	8.6	2.0	7	7	1.3	1.2	8.1	12.8	14.9	17.1	1		26
27	8.0	2.3	7	8	1.7	3.5	7.5	11.8	14.1	16.3	1		27
28	4.1	9.0	7	7	3.3	1.3	7.5	11.3	13.6	15.9	1		28
29	0.1	9.7	7	8	6.6	6.0	8.6	11.4	13.4	15.7	1		29
30	0.1	9.0	7	7	3.5	0.7	7.9	11.2	12.9	15.2	2		30
um	138.2											● 9, ◎ 13, ✳ 2, ⁎ 1, ⊠ 1,	
vg.		6.3	7.2	7.2	12.7	11.3	15.4	17.1	18.0	19.1		≺ 1, ⊕ 3, ∪ 3, ∩ 1, ⌴ 2, ⌒ 10	

Year : 1948 Month : Decem

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	4.7	6.4	3.1	3.9	13	8.2	14.00	83	5.4	752.8	NW	8.1	1.7
2	6.5	3.2	3.6	4.4	11	0.0	0.17	66	4.8	56.7	WNW	5.5	2.7
3	8.2	11.0	6.6	6.5	10	0.0	0.08	72	5.9	60.1	NNE	2.6	2.2
4	8.6	12.7	7.6	6.9	9			72	6.1	59.6	N	1.1	1.8
5	10.0	15.9	6.3	8.0	8			71	6.7	58.2	NNE	0.0	1.6
6	10.1	14.2	6.9	8.1	8			76	6.9	60.5	NNE	2.6	1.6
7	9.3	10.6	8.2	6.6	9			66	5.6	61.9	NNE	8.5	2.5
8	8.7	11.3	7.1	5.4	9			56	4.6	61.5	NNE	8.1	4.0
9	7.8	9.5	6.3	5.4	10			64	5.3	61.1	N	3.4	2.3
10	7.7	10.1	5.4	5.2	10			63	5.0	59.3	NW	3.4	2.7
11	8.6	14.2	5.9	6.2	9			65	5.4	57.7	WNW	0.8	1.9
12	9.3	15.0	4.8	7.4	9			71	6.7	54.6	SW	0.0	1.9
13	10.0	14.1	5.2	8.3	8			80	7.2	54.3	N	0.7	1.1
14	9.4	11.2	7.4	7.0	9	0.0	0.05	72	6.2	57.9	NNE	9.7	2.3
15	4.6	7.9	2.9	1.9	13	0.0	1.00	63	3.8	60.0	NNE	12.4	2.9
16	2.9	5.9	1.0	0.6	15	0.0	0.92	65	3.5	55.8	NNW	3.6	1.9
17	4.8	11.6	0.5	1.0	13			43	2.4	52.9	NNE	0.2	3.0
18	6.5	8.3	2.9	4.8	11	0.0	0.33	67	5.3	55.1	NNE	5.7	2.0
19	7.8	9.1	6.1	6.4	10	0.1	2.17	77	6.2	58.9	NNE	8.0	2.1
20	7.4	9.5	6.1	5.5	11	0.3	1.50	75	5.7	61.2	NNE	9.3	2.2
21	6.6	9.7	4.9	5.0	11	0.0	1.50	76	5.5	58.3	NNE	4.6	1.8
22	6.6	8.5	4.9	5.5	11	4.5	5.50	82	6.0	55.3	NNE	2.3	1.1
23	6.9	9.4	5.3	4.6	11			69	4.9	57.3	NE	3.7	2.0
24	8.4	13.2	4.7	6.7	10			75	5.9	55.2	S	0.2	1.4
25	6.8	9.7	5.2	5.1	11	9.5	11.75	84	5.9	54.9	NNE	9.6	1.1
26	3.6	5.8	1.8	1.8	14	0.4	5.00	75	4.4	60.5	NNE	10.4	3.0
27	3.3	5.2	1.6	1.6	15	0.0	2.05	70	4.1	63.7	N	6.6	1.5
28	4.3	5.4	3.2	1.9	14			60	3.7	65.7	N	7.0	2.8
29	4.4	9.2	2.4	2.7	14			68	4.2	64.3	NW	1.5	2.1
30	3.6	7.8	0.0	2.1	14			76	4.4	61.5	NNE	0.1	1.1
31	7.1	12.9	2.1	4.3	11			78	5.9	59.7	SSW	0.2	1.4
Sum					341	23.0	46.02				NNE		63.7
Avg.	6.9	10.1	4.5	4.9				70	5.3	758.6	(6)	4.5	2.1

ar : 1948 Month : December

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	0.0	10.0	7	6	4.2	3.5	7.7	10.6	12.8	14.8	2		1
2	1.4	5.7	7	7	4.8	5.0	7.8	10.7	12.5	14.8	1		2
3	1.4	8.7	6	6	7.7	7.5	8.5	10.8	12.3	14.3	1		3
4	2.7	5.7	6	6	7.8	8.1	9.1	11.0	12.3	14.2	1		4
5	6.5	8.0	6	6	8.0	8.6	9.1	10.9	12.2	13.9	1		5
6	6.9	4.7	7	7	8.3	10.2	10.2	11.3	12.3	13.9	1		6
7	1.4	7.3	7	7	7.3	7.4	9.7	11.3	12.2	13.7	1		7
8	8.5	3.7	8	8	6.7	7.3	9.1	11.1	12.1	13.7	0		8
9	1.5	6.0	7	7	5.6	6.6	8.8	10.8	11.9	13.6	0		9
0	2.6	7.3	7	7	6.3	6.9	8.4	10.5	11.7	13.4	0		10
1	8.4	3.0	7	7	7.9	7.1	9.2	10.6	11.6	13.4	0		11
2	8.7	2.3	6	5	8.3	8.5	8.5	10.4	11.5	13.1	0		12
3	3.0	8.7	6	7	8.4	9.6	9.3	10.6	11.6	13.1	0		13
4	0.1	10.0	6	6	8.3	9.4	10.4	11.1	11.7	13.0	0		14
5	0.1	9.3	7	7	3.7	5.1	8.5	10.4	11.3	12.7	0		15
6	6.1	3.7	7	8	2.3	4.9	7.1	9.8	11.0	12.7	0		16
7	8.7	2.3	8	8	2.5	4.9	5.9	8.8	10.5	12.4	1		17
8	0.2	9.7	7	7	4.9	5.3	6.6	9.0	10.4	12.2	1		18
9	0.0	7.3	7	7	7.2	8.0	7.8	9.1	10.5	12.1	0		19
0	1.3	8.7	7	6	7.1	8.1	8.6	9.5	10.5	12.0	1		20
1	1.2	9.7	7	7	6.0	7.4	8.3	9.5	10.5	12.0	0		21
2	0.7	9.3	7	8	6.0	7.7	8.3	9.7	10.6	12.1	2		22
3	4.6	8.0	7	7	6.3	7.5	8.1	9.5	10.5	11.9	1		23
4	4.7	9.3	8	7	3.0	8.8	8.4	9.6	10.6	12.0	1		24
5	0.0	10.0	7	6	4.9	6.5	8.5	9.6	10.4	11.7	2		25
6	0.0	9.7	6	6	2.1	3.2	6.5	8.9	10.4	11.5	2		26
7	1.2	9.0	7	7	3.1	3.7	5.8	8.4	9.9	11.5	2		27
8	0.0	9.7	7	7	3.4	3.5	5.6	8.1	9.5	11.3	1		28
9	7.3	2.0	7	7	3.4	5.0	5.8	8.0	9.3	11.2	1		29
0	3.5	3.7	6	7	2.3	3.9	5.1	7.7	9.1	10.9	1		30
1	8.5	3.0	6	6	6.6	6.8	6.1	7.8	9.1	10.7	1		31
um	101.2											●4, ◍11, ✳3, ✳4, ☰1, ⊕1, Ψ3, ⌊4, Ω 8.	
vg.		6.9	6.8	6.8	5.8	6.6	8.0	9.9	11.1	12.7			

YEAR : 1948

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Date	Absolute Minimum (4)	Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid.(%) (1)	Average of Vapor pressure (mm) (3)	Sunshine h (8) Total	Sunshine h (8) Possible (9
JAN.	12.2	16.1	9.1	18.3	14	3.2	4	177	9.8	74	7.8	164.6	303.
FEB.	8.2	11.7	5.4	17.2	1	1.3	17	281	6.1	70	5.8	126.5	311.
MAR.	9.9	14.2	6.4	21.4	24	2.2	29	250	6.8	59	5.4	223.9	368.
APR.	15.0	19.7	10.9	25.0	21	6.0	28	91	12.0	67	8.4	232.9	393.
MAY	20.5	25.5	16.0	31.8	31	12.6	6	9	16.3	63	10.8	308.8	438.
JUNE	23.1	28.3	18.7	35.6	19	15.8	27	0	18.3	60	12.4	298.5	439.
JULY	26.4	31.9	21.4	35.8	14	19.0	9	0	19.4	48	12.0	410.9	446.
AUG.	27.6	33.4	22.9	38.4	10	19.1	24	0	19.7	45	11.9	392.1	418.
SEP.	22.9	28.5	18.5	35.0	6	15.4	30	0	17.5	56	11.4	306.6	370.
OCT.	19.4	24.8	15.4	28.3	6	10.6	13	16	16.0	67	11.3	253.0	344.
NOV.	13.2	17.1	10.3	24.9	7	- 1.1	26	155	10.8	72	8.5	138.2	301.
DEC.	6.9	10.1	4.5	15.9	5	0.0	30	341	4.9	70	5.3	101.2	294.
YEAR	17.1	21.8	13.3	38.4	Aug. 10	- 1.1	Nov. 26	1320	13.1	63	9.3	2957.2	4432.

Month	Avg.Cloudiness (tenths) (3)	Avg.Visibility (11) Toward sea	Avg.Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days(4) Minimum ≤ 0°C (frost days)	Maximum ≤ 25.0°C (ice days)	Maximum ≥30.0°C (Summer days)	Maximum ≥20.°OC (Tropical days)	Minimum ≥20°.OC
JAN.	5.4	7.0	7.1	11.3	11.0	11.4	12.1	12.7	13.5	0	0	0	0	
FEB.	6.7	7.0	7.2	8.2	8.1	9.3	10.4	11.2	12.1	0	0	0	0	
MAR.	5.2	7.3	7.4	10.9	12.9	11.0	11.2	11.4	11.8	0	0	0	0	
APR.	5.5	6.9	7.2	17.8	19.5	15.9	15.2	14.8	14.6	0	0	1	0	
MAY	4.8	7.1	6.9	24.3	27.6	21.6	20.0	18.9	18.0	0	0	17	4	
JUNE	3.6	7.4	7.1	26.1	33.7	26.2	24.7	23.5	22.1	0	0	27	5	
JULY	0.8	7.3	7.4	27.6	37.5	29.1	27.3	25.8	24.3	0	0	31	26	2
AUG.	0.9	7.5	7.7	28.5	36.6	29.9	28.6	27.6	26.3	0	0	31	30	1
SEP.	2.0	7.3	7.6	23.6	28.7	25.3	25.4	25.4	25.0	0	0	29	7	
OCT.	3.9	7.2	7.2	19.3	20.6	21.2	21.7	22.0	22.1	0	0	20	0	
NOV.	6.3	7.2	7.2	12.7	11.3	15.4	17.1	18.0	19.1	2	0	0	0	
DEC.	6.9	6.8	6.8	5.8	6.6	8.0	9.9	11.1	12.7	1	0	0	0	
YEAR	4.3	7.2	7.2	18.0	21.2	18.7	18.6	18.5	18.5	3	0	156	72	

YEAR : 1948

Month	Average Pressure at °C (mb) (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailig direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	precipitat. (4)	Dew (4)	hoarfrost (4)	Dry ground (10)
JAN.	751.7	3.3	W	41.5	13.0	26	76.8	8	8	0	0	1	10	28	0	15
FEB.	52.5	5.2	NNE	57.4	21.6	8	64.0	13	14	2	1	0	15	14	2	9
MAR.	56.6	6.0	NNE	14.8	11.6	15	104.3	7	12	1	2	0	13	20	0	24
APR.	50.3	3.3	S	24.6	10.0	9	116.6	8	15	0	0	0	15	20	0	19
MAY	50.0	2.4	SSW	44.3	21.6	7	142.0	6	8	0	0	0	11	9	0	24
JUNE	49.1	3.0	SSW	23.7	23.5	27	181.5	2	9	0	0	0	9	0	0	30
JULY	49.6	4.7	NNE	0.0	0.0	18/19	259.6	0	2	0	0	0	2	0	0	31
AUG.	49.3	3.9	NNE	0	0	-	260.7	0	0	0	0	0	0	0	0	31
SEP.	52.1	3.2	NNE	13.9	5.9	9	167.0	3	3	0	0	0	4	2	0	27
OCT.	55.1	2.6	NNE	0.5	0.5	2	120.5	2	4	0	0	0	5	15	0	29
NOV.	55.8	2.9	NNE	36.7	13.0	20	74.9	9	13	2	1	0	15	10	2	16
DEC.	58.6	4.5	NNE	23.0	9.5	25	63.7	4	11	3	4	0	14	8	4	11
YEAR	752.6	3.8	NNE	280.4	23.5	June 27	1631.6	62	99	8	8	1	113	126	8	266

Month	Number of days: Moist and wet ground (10)	Snow cover (10)	Clear(0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy 8.1-10.0 tenths (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
JAN.	16	0	5	13	9	6	1	1	0	0	0	4	2	1	0	
FEB.	20	0	4	11	14	3	2	1	0	0	3	3	4	1	0	
MAR.	7	0	5	21	5	6	0	0	2	0	0	0	2	2	0	
APR.	11	0	6	16	8	6	2	0	0	0	2	1	0	0	0	
MAY	7	0	6	20	5	5	0	3	2	0	1	0	2	0	1	
JUNE	0	0	12	16	2	12	0	1	0	0	0	0	0	1	0	
JULY	0	0	25	6	0	25	0	1	0	0	0	0	0	0	0	
AUG.	0	0	26	5	0	27	0	0	0	0	0	0	0	0	0	
SEP.	3	0	18	12	0	18	0	1	0	0	0	0	0	0	0	
OCT.	2	0	9	21	1	14	0	0	0	0	0	6	2	1	0	
NOV.	13	1	3	15	12	4	1	4	1	0	0	3	3	1	0	
DEC.	20	0	0	17	14	4	5	0	0	0	0	3	1	0	1	
YEAR.	99	1	123	173	70	130	11	12	5	0	6	20	16	7	2	

YEAR : 1948

Month	Frequency (%) of the wind direction (24hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	3.1	2.2	1.6	1.9	2.4	0.8	1.1	0.9	15.1	10.1	6.7	6.8	15.2	3.4	1.8	2.4
FEB.	11.6	22.7	13.2	4.3	2.4	0.1	0.1	0.4	5.6	3.4	3.6	3.4	3.2	3.8	4.6	7.0
MAR.	8.1	25.3	18.0	3.1	0.7	0.8	0.3	0.7	3.4	5.2	3.8	2.2	5.0	0.8	2.0	2.4
APR.	4.4	9.4	8.5	1.5	1.0	0.8	1.5	1.4	10.1	8.8	7.6	2.6	6.4	2.6	5.3	4.2
MAY	2.8	4.7	0.9	0.9	0.5	0.7	1.1	1.6	11.3	17.5	10.9	4.6	4.8	1.9	1.2	1.9
JUNE	1.5	3.6	1.9	0.8	0.8	0.0	0.4	1.1	11.6	17.9	12.2	6.4	9.4	4.0	2.1	1.1
JULY	9.9	21.1	7.0	1.3	1.1	0.3	0.3	0.3	5.8	9.3	4.6	5.1	4.3	2.2	3.8	4.6
AUG.	10.6	22.0	10.8	1.9	0.5	0.1	0.3	0.7	2.8	7.4	4.8	2.8	3.6	1.7	6.6	3.8
SEP.	14.2	19.2	7.6	2.2	1.7	0.1	0.4	0.1	3.9	7.8	3.5	1.9	2.2	1.3	3.5	3.5
OCT.	4.2	16.4	8.9	1.5	1.2	0.4	1.3	1.7	7.0	10.3	3.2	1.3	0.3	0.6	1.5	1.6
NOV.	3.3	16.9	8.6	1.9	1.8	0.4	1.1	2.6	6.3	3.3	2.2	1.3	1.1	1.8	3.9	2.1
DEC.	13.6	33.9	3.9	0.4	0.1	0.0	0.0	0.0	0.3	0.4	0.0	0.1	0.8	3.9	7.5	5.9
YEAR	7.3	16.5	7.5	1.8	1.2	0.4	0.7	1.0	6.9	8.5	5.2	3.2	4.7	2.3	3.6	3.4

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending at 24 h.

3) Average of 8; 14 and 20h. observations.

4) Day ending at 20 h.

5) From Steffens-Hedde anemograph (mean instantaneous readinigs)

6) Monthly prevailing direction.

7) From Piche evaporimeter.

8) From Cambell-Stokes recorder.

9) Monthly possible sunshine uncorrected for the around topography.

10) According to the International Code 0-9.

11) At 14 h. observation.

YEAR 1949

Year : 1949 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	10.8	13.2	6.9	9.7	7	0.0	3.52	82	8.2	758.1	SSE	1.6	2.0
2	12.8	15.7	10.9	11.5	5	3.4	4.50	87	9.6	55.1	SSE	1.1	1.9
3	12.7	17.1	9.7	12.1	5	0.2	0.50	89	9.8	57.3	SSW	0.1	1.2
4	12.5	15.7	10.5	11.7	5	0.0	0.02	91	9.7	58.6	S	0.2	1.2
5	12.4	16.1	10.5	10.2	6			76	8.0	59.7	NNE	2.8	1.9
6	11.7	14.4	10.0	9.7	6	0.0	0.02	75	7.7	62.8	NNE	5.2	2.4
7	9.3	11.6	7.1	6.6	9			70	5.9	64.3	NNE	7.6	3.1
8	8.0	11.0	6.3	5.7	10			68	5.3	60.2	NNE	1.3	2.3
9	10.3	13.6	6.9	9.6	8	4.7	6.17	82	8.2	55.2	SSE	0.5	2.0
10	11.7	16.5	9.0	10.4	6	0.1	0.50	84	8.5	53.9	NNE	0.4	1.1
11	10.4	15.7	6.9	8.6	8			79	7.2	56.3	NNE	0.3	1.6
12	12.1	15.2	7.2	10.3	6			76	7.9	52.4	SE	2.4	3.0
13	12.1	15.9	7.8	9.9	6	25.1	4.67	79	7.9	4[illegible].9	SSE	1.7	4.0
14	8.2	12.0	6.5	7.0	10	2.8	4.67	82	6.7	46.6	WNW	1.5	1.1
15	7.2	10.2	5.4	5.5	11	0.9	0.75	74	5.6	45.9	N	3.2	2.9
16	4.8	6.8	3.1	2.9	13	0.9	4.00	75	4.6	44.1	NE	3.8	2.0
17	4.5	7.8	0.8	2.5	13	0.2	1.00	62	4.0	46.9	NE	0.9	2.3
18	5.3	7.8	2.9	2.9	13	0.0	0.25	63	4.1	53.3	NNW	4.5	3.6
19	8.7	14.7	2.3	6.3	9			57	5.1	57.4	SSE	0.7	3.6
20	11.8	18.2	6.6	9.0	6			64	6.6	55.8	SW	2.1	4.7
21	12.7	16.4	9.3	9.8	5			68	7.2	52.7	W	4.3	4.2
22	13.0	16.4	9.9	10.5	5			69	7.7	46.9	WSW	3.4	4.0
23	5.0	13.0	2.6	3.2	13	5.5	14.00	81	5.0	48.6	NNE	18.5	2.7
24	2.1	4.4	0.1	0.9	16	3.1	22.00	76	4.0	55.7	N	15.3	2.3
25	3.4	6.6	1.3	0.7	15			57	3.2	58.3	NNE	8.0	4.5
26	4.2	6.0	1.9	2.3	14	0.0	0.02	66	3.8	59.0	N	7.4	3.2
27	2.0	4.6	-0.1	1.2	16	6.7	10.33	83	4.4	58.1	NNE	11.7	1.4
28	3.6	5.9	0.8	2.7	14	13.4	18.00	83	4.9	61.7	N	12.2	1.5
29	6.9	10.4	3.5	3.6	11	0.0	0.25	55	3.9	60.3	NW	5.6	5.4
30	8.9	14.9	5.3	4.8	9			51	3.9	55.1	NE	2.6	3.9
31	8.0	12.9	4.1	4.7	10			53	4.3	51.9	WNW	1.5	4.1
Sum					290	67.0	95.17				NNE		85.1
Avg.	8.6	12.3	5.7	6.7				73	6.2	754.8	(6)	4.3	2.7

Year : 1949 Month : January

Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
0.0	10.0	7	7	9.6	9.7	7.4	8.1	9.2	10.7	1		1
0.9	8.3	6	6	10.7	11.5	9.9	9.2	9.7	10.9	2		2
6.1	7.7	7	6	12.3	13.5	10.5	9.9	10.1	11.0	1		3
4.4	8.0	6	7	11.0	12.1	11.1	10.4	10.5	11.3	1		4
3.1	9.0	7	7	11.6	12.4	11.5	10.9	10.9	11.5	1		5
2.2	9.3	7	6	10.9	11.5	11.0	11.1	11.1	11.5	1		6
5.5	6.0	7	7	7.9	8.9	10.3	10.8	11.1	11.6	1		7
3.6	9.7	7	7	7.3	8.4	9.3	10.5	10.9	11.7	1		8
0.9	9.3	5	6	9.8	10.1	9.6	10.3	10.9	11.7	1		9
7.4	4.7	5	5	11.7	12.2	10.5	10.5	11.0	11.8	1		10
5.4	4.3	8	7	10.1	11.7	10.2	10.7	11.1	11.8	1		11
3.3	8.3	7	7	11.2	11.2	10.4	10.8	11.2	11.7	1		12
7.7	3.7	7	8	11.4	12.6	11.2	11.0	11.4	11.8	2		13
0.0	9.0	6	6	7.8	9.4	10.1	10.9	11.3	12.0	2		14
3.6	6.7	8	8	8.1	9.2	9.2	10.5	11.2	12.0	1		15
0.0	9.0	7	7	3.0	5.0	7.7	9.7	10.7	11.8	1		16
1.6	9.3	7	7	3.2	6.7	6.6	9.1	10.3	11.6	1		17
7.5	4.3	8	7	5.5	7.3	6.7	8.8	10.2	11.5	1		18
9.0	1.7	7	7	7.7	8.7	6.6	8.6	9.8	11.2	1		19
9.1	1.3	8	8	9.9	11.1	8.0	9.0	9.9	11.2	1		20
9.1	0.3	7	7	11.9	12.8	9.5	9.5	10.2	11.4	1		21
8.0	5.0	8	7	12.9	13.9	10.7	10.3	10.5	11.4	0		22
0.0	8.3	6	6	4.8	4.9	8.6	9.7	10.1	11.1	2		23
0.1	9.7	6	6	1.3	2.5	6.2	8.7	9.7	11.0	2		24
8.5	1.0	7	7	3.0	3.8	5.2	8.0	9.3	10.8	1		25
0.2	8.3	6	5	2.5	3.3	4.8	7.6	9.0	10.6	1		26
2.3	9.7	5	5	2.1	2.3	4.8	7.2	8.8	10.2	1		27
1.3	7.0	7	6	3.0	2.8	4.6	7.0	8.5	10.1	2		28
9.4	0.7	7	7	6.3	6.2	5.4	7.1	8.4	10.0	1		29
9.1	1.7	7	7	7.9	7.8	6.4	7.4	8.4	9.9	1		30
9.5	0.7	7	6	6.7	7.6	6.4	7.8	8.6	9.9	1		31
um 138.8											◎7, ◎15, ✳4, ✳7, T1, ≡1, ⌴3, ⊠2, Ψ5, Ω16	
vg.	6.2	6.8	6.6	7.9	8.77	8.4	9.4	10.1	11.2			

Year : 1949 Month : February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	5.4	7.2	3.4	3.6	13	2.2	3.25	71	4.6	749.2	NNE	3.9	2.4
2	3.9	5.3	1.7	2.9	14	1.5	5.33	84	5.1	46.8	NE	10.6	1.8
3	2.5	3.8	1.3	1.0	15	2.0	11.50	80	4.2	52.7	NNE	20.8	2.6
4	1.7	2.8	0.4	0.9	16	0.1	8.50	81	4.2	55.3	NNE	17.7	2.5
5	1.9	5.3	-1.3	-0.8	16			59	2.9	52.1	WNW	5.6	3.9
6	3.9	5.5	1.0	2.5	14	1.8	7.33	73	4.7	54.8	NNE	4.9	2.4
7	2.4	4.6	-0.5	0.4	16	1.4	4.47	67	3.2	59.4	NNE	6.0	2.6
8	5.2	12.2	1.3	2.1	13			52	3.1	60.9	NNW	1.5	3.1
9	9.3	16.3	3.9	5.7	9			57	4.6	59.4	NNE	0.1	3.2
10	10.9	15.2	6.4	8.1	7			65	6.3	56.1	W	3.4	3.7
11	11.4	13.5	8.6	9.3	7			70	7.3	50.4	SW	2.0	3.0
12	7.8	11.7	6.5	6.5	10	2.8	9.05	82	6.3	51.2	NE	5.4	1.3
13	6.9	10.9	4.3	5.3	11	3.8	6.00	74	5.5	53.7	NE	1.7	1.4
14	6.8	11.5	3.7	4.2	11			61	4.4	60.2	NE	3.2	2.5
15	5.6	10.0	3.6	3.2	12			63	4.5	65.5	NE	5.2	2.1
16	7.7	14.7	2.5	6.2	10			66	5.6	63.4	SW	0.4	2.5
17	9.9	16.4	5.0	6.5	8			54	4.7	62.3	NNW	1.2	3.2
18	10.7	16.8	5.9	8.1	7			65	6.3	63.5	NNE	3.8	2.9
19	10.6	15.3	5.6	8.4	7			69	6.6	62.7	SSW	0.7	2.7
20	11.3	16.7	7.2	9.4	7			74	7.2	61.2	SW	0.3	2.4
21	12.2	18.2	7.1	8.6	6			60	5.8	59.5	NNE	3.6	3.1
22	8.5	11.8	7.0	5.5	9			63	5.0	59.0	NNE	9.1	4.1
23	8.6	12.4	4.9	6.0	9			64	5.3	57.7	NE	4.4	3.3
24	8.3	12.6	3.4	5.5	10	1.4	3.00	64	4.9	56.9	NNW	2.8	3.5
25	11.9	17.9	6.8	8.4	6			57	5.9	56.6	NW	0.6	3.7
26	11.9	15.5	8.7	7.4	6			49	5.0	55.9	N	3.4	3.6
27	9.6	13.1	6.2	6.7	8			64	5.8	57.1	S	2.4	4.1
28	12.9	17.8	7.8	9.6	5			64	6.7	51.9	SW	1.8	3.7
Sum					282	17.0	58.43				NNE		81.3
Avg.	7.8	12.0	4.4	5.4				66	5.2	757.0	(6)	4.5	2.9

ear : 1949 Month : February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	0.0	10.0	6	5	4.5	4.4	6.5	7.8	8.7	9.8	1	◍ 9¹	1
	0.0	10.0	6	5	3.5	3.2	5.8	7.6	8.5	9.7	1	◍° 9¹	2
	0.7	8.7	5	6	1.9	1.7	5.0	7.0	8.2	9.4	1	◍¹ 9¹ *0-1 *0-1	3
	2.3	9.7	5	6	2.6	2.5	4.2	6.4	7.9	9.2	1	*0-1	4
	9.7	3.3	7	8	1.8	4.3	4.2	6.0	7.9	9.6	1	⌐¹ ⍦¹	5
	0.0	10.0	6	5	3.4	3.1	5.1	6.5	7.8	9.3	2	◍° 9¹	6
	6.8	4.3	8	6	4.6	6.7	5.2	6.3	7.6	9.2	2	9° *0-1 ⊠°	7
	9.2	1.0	6	7	6.0	7.5	5.1	6.5	7.7	9.1	1		8
	9.9	3.7	8	7	8.4	8.6	6.0	6.8	7.7	9.0	1	⌐¹ ⊕°	9
	9.0	5.0	5	7	11.2	12.0	7.5	7.5	8.1	9.2	1	⍦° ⊕ D⁰⁻²	10
	0.3	9.0	6	5	8.9	9.3	8.3	8.1	8.4	9.4	1	D¹	11
	0.1	10.0	7	6	7.2	8.0	8.4	8.4	8.7	9.4	1	◍° 9¹	12
	0.5	9.0	8	8	7.0	8.4	7.8	8.3	8.7	9.5	2	◍°	13
	4.0	8.7	7	5	6.1	6.9	7.5	8.3	8.8	9.5	1	D⁰	14
	6.3	6.0	7	8	7.8	9.4	7.2	8.1	8.7	9.5	1		15
	10.0	0.0	6	6	6.9	8.1	6.9	7.6	8.7	9.5	1	⌐¹ D⁰⁻¹	16
	10.0	0.3	7	6	9.7	11.7	7.8	8.2	8.7	9.2	1	D⁻¹	17
	10.0	0.3	7	6	10.6	13.4	8.7	8.7	9.0	9.6	0	D⁻¹⁻²	18
	9.7	0.7	6	6	9.5	13.3	9.1	9.0	9.2	9.7	0	D²	19
	9.8	2.0	6	7	10.3	12.1	9.7	9.2	9.4	9.9	0	D²	20
	8.0	6.0	8	7	11.2	13.1	9.9	9.7	9.6	10.0	0	⊕¹ D⁰	21
	5.3	7.0	6	6	8.2	10.2	9.8	9.8	9.8	10.2	0	D⁰	22
	7.1	7.7	7	6	8.0	10.2	9.2	9.6	9.8	10.3	0	D⁰	23
	8.0	2.7	6	6	6.1	7.8	8.8	9.5	9.8	10.3	1	◍° 9⁻¹⁻² D⁻¹	24
	9.6	4.3	7	6	10.9	13.3	9.8	9.4	9.9	10.4	0	D⁻¹	25
	10.2	3.0	8	7	10.2	13.6	10.7	10.1	10.1	10.5	0		26
	7.6	2.7	7	7	10.6	11.4	10.7	10.3	10.3	10.7	0	D⁰	27
	9.6	0.7	8	8	9.3	9.2	11.3	10.6	10.5	10.8	0	D⁰	28
um	173.7											◍6, 9 7, *3, *1, ⊠1,	
vg.		5.2	6.6	6.4	7.4	8.7	7.7	8.3	8.9	9.7		D6, ⌐3, ⍦2, ⊕2, ⊕1.	

Year : 1949 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.2	14.7	11.1	10.3	6	0.0	0.33	75	8.1	746.0	S	5.0	3.9
2	10.9	13.3	7.6	7.3	7			60	5.4	42.0	S	5.5	6.0
3	7.9	12.4	4.1	4.5	10	0.0	0.50	66	4.9	39.7	W	4.6	4.9
4	5.2	8.7	2.3	2.3	13			57	3.5	45.5	W	1.4	3.2
5	5.3	9.7	1.6	3.0	13	0.0	0.33	60	4.1	50.2	SW	1.7	2.7
6	6.6	9.9	0.6	5.1	11	1.2	1.67	73	5.3	48.9	S	5.6	4.0
7	8.6	12.6	5.6	6.1	9	8.0	3.00	73	5.8	43.3	W	5.0	3.4
8	5.5	8.8	3.2	2.1	12			50	3.2	47.1	NNW	4.9	4.7
9	4.5	7.7	1.4	2.2	13			57	3.8	53.6	NNW	6.5	4.2
10	6.0	10.1	4.1	4.0	12	0.0	0.22	69	4.7	57.5	N	3.2	2.2
11	6.2	8.6	4.1	5.3	12	1.0	5.17	81	6.0	56.2	N	2.7	1.2
12	3.3	6.2	0.8	1.8	15	3.2	6.00	75	4.3	58.1	NNE	4.9	1.8
13	6.0	11.0	2.5	4.2	12	0.0	0.03	69	4.9	57.6	NNE	4.9	2.4
14	8.1	12.5	4.6	6.3	10			68	5.7	58.2	NNE	4.9	3.0
15	9.9	13.9	5.4	8.3	8			77	7.1	55.4	SSW	1.9	2.4
16	12.8	18.1	8.8	10.4	5	0.0	0.08	72	7.6	51.1	SSW	1.5	2.9
17	12.2	16.3	7.9	11.0	6	0.9	2.50	80	8.7	49.3	SW	1.6	2.4
18	13.3	18.4	11.1	11.2	5	1.5	3.50	73	8.5	46.0	W	0.9	2.7
19	13.1	18.0	8.8	10.9	5			74	8.1	47.5	S	2.2	3.0
20	13.0	16.1	9.4	10.9	5			77	8.2	46.8	SSE	2.4	3.1
21	13.5	16.7	11.7	12.6	4	7.0	9.67	84	10.1	40.0	SSE	6.2	2.3
22	11.9	16.6	7.9	9.0	6			67	6.6	46.3	S	1.7	5.0
23	10.9	17.7	7.4	8.4	7			70	6.6	50.5	NE	4.3	3.0
24	6.9	8.9	5.7	5.0	11	0.0	3.08	73	5.4	54.7	NNE	9.4	2.6
25	9.0	12.7	6.1	5.6	9	0.0	0.08	52	4.5	56.4	N	14.2	4.2
26	8.6	11.4	7.2	5.4	9	0.0	1.50	54	4.3	53.6	NNE	13.4	7.0
27	10.6	17.1	3.6	9.1	7	7.4	7.00	73	7.4	53.8	N	2.4	2.4
28	11.8	17.0	8.3	9.3	6	0.0	0.08	70	7.2	53.6	WNW	1.2	2.5
29	10.2	12.9	7.9	8.5	8	0.0	0.08	75	6.2	53.7	NNE	5.1	2.5
30	6.2	9.1	4.8	4.4	12	3.1	9.00	78	5.3	53.7	NNE	7.0	1.5
31	7.7	10.9	5.2	4.7	10			55	4.3	53.1	N	5.7	3.6
Sum					278	33.3	53.82				NNE		100.7
Avg.	9.0	12.8	5.8	6.8				69	6.0	750.6	(6)	4.6	3.2

r : 1949 Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0–9) Toward sea	Visibility at 14h (0–9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
333	4.7	6	6	11.9	12.2	11.9	11.2	10.8	11.0	0		1
9.4	1.3	8	8	10.8	14.9	11.4	11.1	10.9	11.1	0		2
6.2	5.3	8	8	7.2	10.4	10.9	11.2	11.1	11.1	0		3
7.8	4.3	8	7	6.2	9.8	9.6	10.7	10.8	11.1	0	D^0	4
8.0	7.3	7	7	4.4	10.1	9.1	10.3	10.6	11.0	0	$\circledcirc^1$ $*^0$ $\triangle^*$	5
3.9	9.3	8	8	9.0	8.8	8.4	9.8	10.3	10.9	0	$\circledcirc^0$ $\circledcirc^1$ $\sqsubset^1$	6
8.1	2.7	8	8	8.5	11.2	9.8	9.9	10.6	11.0	1	$\circledcirc^2$ $\circledcirc^1$	7
9.8	1.7	8	7	7.1	10.9	8.9	9.8	10.2	10.9	1		8
4.8	5.7	7	7	4.6	4.7	7.0	9.2	9.9	10.7	0		9
3.0	6.3	6	6	5.0	6.7	7.5	9.0	9.8	10.6	1	$\circledcirc^0$	10
0.0	10.0	5	5	6.6	7.7	7.8	9.0	9.7	10.5	1	$\circledcirc^0$ $\circledcirc^1$ $\sqsubset^{0-1}$	11
0.5	10.0	7	6	2.6	4.8	6.9	8.5	9.4	10.3	2	$\circledcirc^1$ $*^1$	12
1.6	9.0	7	7	7.2	8.4	7.6	8.4	9.3	10.3	1	$\circledcirc^0$ $\in^1$ D^0	13
4.0	6.0	6	6	9.7	13.9	8.3	8.7	9.4	10.3	0	D^0	14
7.9	4.3	7	7	11.3	15.1	9.3	9.3	9.6	10.4	0	D^0	15
6.0	5.7	8	7	12.9	16.1	11.1	9.9	9.9	10.5	0	$\circledcirc^0$ D^1	16
7.6	6.3	7	6	13.5	17.7	11.8	10.5	10.3	10.6	0	$\circledcirc^{0-1}$ $\circledcirc^{0-1}$ D^{0-1}	17
6.2	6.7	7	6	12.8	17.4	11.5	11.1	10.6	10.8	1	$\circledcirc^0$ $\circledcirc^0$ D^{0-1}	18
10.7	3.3	7	7	14.1	19.7	13.0	11.5	11.0	11.0	0	D^{0-1}	19
1.2	8.0	7	7	13.5	16.3	13.3	12.2	11.3	11.2	0	D^{1-2}	20
1.1	10.0	6	5	12.2	13.2	13.1	12.2	11.6	11.4	2	$\circledcirc^2$ $\circledcirc^1$	21
11.0	1.0	8	7	13.3	15.8	12.5	12.0	11.7	11.6	1	D^{0-1}	22
5.1	6.3	7	7	11.2	14.6	12.0	11.9	11.7	11.7	0	D^2	23
0.0	10.0	7	7	5.9	7.1	10.3	11.5	11.5	11.7	1	$\circledcirc^{0-1}$	24
9.0	4.3	7	7	10.5	13.9	10.3	11.1	11.3	11.7	0	$\circledcirc^1$	25
7.4	3.0	7	6	9.1	14.4	10.7	11.1	11.3	11.6	0	$\circledcirc^0$ $\leftarrow^0$	26
3.9	7.0	8	8	11.7	12.3	10.9	11.1	11.4	11.7	1	$\circledcirc^{1-2}$ $\circledcirc^1$ $\mathbb{R}^1$	27
6.3	5.0	8	8	10.7	12.1	11.8	11.4	11.5	11.8	1	$\circledcirc^0$	28
1.8	9.3	8	8	10.5	11.5	11.1	11.4	11.4	11.8	1	$\circledcirc^0$	29
0.0	9.7	5	6	5.3	6.7	9.6	10.9	11.3	11.7	2	$\circledcirc^0$ $\circledcirc^2$	30
2.8	7.0	4	4	6.5	7.7	8.8	10.4	11.2	11.7	1	D^1	31
158.4											$\circledcirc$9, $\circledcirc$19 $*$2, $\triangle$1, $\mathbb{R}$1, $\leftarrow$1, $\sqsubset$2, Ψ1, D12.	
	6.1	7.0	6.7	9.2	11.8	10.2	10.5	10.7	11.1			

Year : 1949 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	8.9	13.4	4.5	6.8	9			67	5.7	754.0	SSW	2.3	3.1	
2	10.3	14.9	7.4	9.1	8	6.7	0.58	79	7.6	54.7	SSW	2.6	2.4	
3	11.6	17.9	6.4	8.2	6			59	5.6	59.1	NW	1.7	3.3	
4	10.4	14.8	7.7	8.1	8			65	6.4	60.6	NE	4.7	3.2	
5	10.7	16.0	6.9	7.4	7			60	5.7	58.5	N	2.7	3.4	
6	12.6	18.4	9.5	10.9	5			74	8.4	54.4	SSW	0.8	2.8	
7	14.5	18.9	11.1	12.9	3			78	9.8	52.0	SW	3.7	2.7	
8	17.1	22.3	12.0	13.8	1			65	9.4	48.5	S	3.2	5.4	
9	15.5	19.9	12.7	11.6	2			59	7.6	47.7	W	3.0	5.9	
10	11.4	15.1	9.4	7.3	7	0.0	0.08	59	5.5	50.6	NW	4.4	4.9	
11	9.4	12.6	7.2	5.6	9			51	4.3	57.3	NW	5.7	6.3	
12	10.6	16.0	4.2	7.7	7			56	5.3	55.6	S	1.8	4.8	
13	14.7	20.3	8.9	10.9	3			59	7.1	50.2	S	2.0	5.9	
14	16.7	22.7	12.1	12.8	1			61	8.2	51.4	NE	1.9	5.3	
15	17.0	24.0	12.9	12.9	1			60	8.1	53.6	S	2.0	5.8	
16	14.1	17.7	11.5	11.6	4	0.0	0.08	65	8.2	53.7	NNE	6.2	4.3	
17	9.6	13.2	7.7	5.4	8			49	4.1	57.5	NNE	8.6	4.9	
18	7.2	9.9	4.5	4.8	11	1.1	4.42	66	4.7	56.3	NNE	6.7	5.2	
19	11.9	17.4	5.6	8.0	6	0.0	0.12	47	4.9	54.9	N	5.5	8.9	
20	14.7	20.2	8.1	10.6	3			55	6.5	50.8	S	1.2	6.9	
21	17.6	23.5	11.7	14.2	0			64	9.7	52.4	SSW	0.9	5.5	
22	17.1	21.9	12.8	15.1	1			73	11.1	54.3	SSW	0.7	5.0	
23	17.9	22.9	12.8	15.4	0			71	11.1	53.9	SSW	0.9	4.4	
24	17.9	23.5	13.8	13.9	0			58	9.0	54.6	NNE	5.7	5.3	
25	16.6	24.4	11.5	12.2	1			50	7.0	56.0	NNE	4.8	6.8	
26	14.9	19.2	11.4	11.7	3	0.0	0.25	61	8.1	54.8	S	0.9	3.9	
27	15.0	19.9	11.1	11.3	3	0.6	3.83	57	7.1	55.9	SW	0.6	5.1	
28	16.9	22.9	12.6	14.7	1	0.8	2.00	72	10.4	55.8	SW	1.0	3.2	
29	18.6	24.1	13.8	14.6	0			62	9.7	53.1	SSW	1.0	5.3	
30	19.7	24.7	15.2	14.7	0			53	9.0	51.5	SSW	0.6	7.1	
Sum					118	9.2	11.36				SSW		147.0	
Avg.	14.0	19.1	9.9	10.8				62	7.5	754.1	(6)	2.9	4.9	

ar : 1949

Month : April

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
5.8	3.7	4	5	9.7	12.3	9.5	10.2	11.0	11.7	1	D^{0-1}	1
5.2	8.7	5	5	11.0	14.3	10.9	10.7	11.1	11.7	1	$\oplus^{1}$ $\triangle^{0}$ $\equiv^{0}$ $\cap^{1}$	2
10.4	1.3	6	6	12.8	15.2	11.2	11.0	11.3	11.7	1		3
7.7	3.0	6	6	10.3	10.2	11.4	11.4	11.4	11.7	0		4
9.4	5.3	7	6	9.0	12.2	11.6	11.4	11.5	11.8	0		5
10.1	4.3	6	6	14.4	19.5	12.4	11.7	11.6	11.9	0	$\in^{1}$ D^{1-2}	6
9.8	2.7	6	5	15.3	21.1	14.4	12.5	11.9	12.0	0	D^{0-1}	7
10.2	5.0	7	7	18.7	23.7	15.6	13.2	12.4	12.2	0	D	8
5.5	6.7	7	7	15.0	19.2	16.1	14.0	12.8	12.4	0		9
8.2	5.7	7	7	11.2	15.9	15.3	14.1	13.2	12.6	0	$\oplus^{0}$ $\cap^{1}$	10
10.6	3.0	7	8	9.9	14.9	14.1	14.0	13.2	12.9	0	$\in^{0}$	11
11.4	3.7	7	7	14.1	18.1	13.3	13.6	13.2	13.0	0		12
9.3	7.0	7	6	17.0	20.8	14.6	13.6	13.3	13.1	0		13
5.1	8.0	8	8	17.7	22.8	16.0	14.4	13.6	13.3	0		14
12.5	1.0	7	7	19.8	24.7	16.9	14.9	13.9	13.6	0		15
8.1	5.7	7	6	19.1	22.8	16.6	15.3	14.2	13.6	0	$\oplus^{0}$	16
11.2	2.7	7	6	12.0	18.9	15.0	14.7	10.8	13.8	0		17
3.0	9.7	7	6	6.5	10.4	13.0	14.3	13.9	13.8	1	$\oplus^{1}$ $\oplus^{1}$	18
12.0	1.3	7	8	17.3	23.9	14.0	13.9	14.1	14.0	0	$\oplus^{0-1}$	19
11.9	6.3	7	8	17.3	22.6	15.5	14.5	14.2	14.0	0		20
12.3	0.7	6	6	16.9	24.1	17.4	15.3	14.5	14.1	0	D^{0}	21
12.7	0.1	6	6	18.4	25.1	21.7	16.0	14.8	14.3	0	D^{0-1}	22
12.7	0.1	6	6	19.3	26.7	19.1	16.6	15.2	14.5	0	D	23
12.2	3.0	6	6	17.9	25.1	19.4	17.2	15.6	14.8	0		24
12.9	1.7	7	7	18.6	26.5	19.4	17.4	16.0	15.0	0		25
0.1	9.0	7	7	14.6	17.6	18.4	17.6	16.3	15.3	0	$\oplus^{0}$ D^{0}	26
3.9	8.7	6	6	16.5	19.1	17.2	17.2	16.3	15.4	0	$\oplus^{0-1}$	27
9.1	4.0	7	6	18.7	27.1	17.8	16.8	16.2	15.5	1	$\oplus^{0-1}$ $\oplus^{0-1}$ D^{0}	28
13.0	1.7	7	7	20.0	29.7	19.2	17.0	16.2	15.6	0		29
12.8	3.7	7	7	18.8	19.0	20.3	17.8	16.5	15.7	0	$\in^{0-1}$	30
279.1											$\oplus$3, $\oplus$7, $\triangle$1, $\equiv$1, $\in$3, $\cap$2, D9.	
	4.3	6.6	6.5	15.3	20.2	15.6	14.4	13.8	13.5			

Year : 1949 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	(1) Wind (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(1)(7)
1	21.0	27.3	15.2	14.4	0			42	8.0	752.9	NE	0.7	8.1
2	23.4	28.8	18.6	14.1	0			31	6.1	52.7	NE	4.4	10.7
3	22.1	27.1	17.3	14.4	0			35	7.2	53.0	NNE	5.4	10.4
4	20.2	24.9	16.5	12.2	0			31	5.5	51.5	NNE	5.2	10.9
5	18.7	24.4	13.0	12.9	0			43	7.0	50.2	SW	0.9	8.8
6	19.7	25.8	13.8	14.4	0			50	8.1	51.0	SSW	0.6	7.7
7	19.5	25.9	14.1	14.0	0			48	8.1	51.8	SSW	0.4	7.3
8	21.8	28.4	16.6	15.4	0			47	10.9	47.4	NNE	1.4	8.2
9	19.1	23.0	15.7	15.8	0			63	12.5	45.8	S	1.7	6.1
10	18.0	22.4	14.5	16.4	0			79	11.1	47.9	S	1.3	2.9
11	19.5	23.8	15.3	16.1	0			68	10.0	51.5	SW	1.1	4.4
12	19.7	24.7	14.5	15.4	0			62	9.7	53.0	SW	0.6	5.7
13	20.1	24.9	14.9	15.5	0			59	10.7	52.0	SSW	0.6	6.0
14	19.4	22.6	17.5	15.7	0	0.0	1.25	61	10.8	50.0	S	0.6	5.0
15	19.4	23.6	15.9	15.7	0			65	12.4	46.8	SW	0.5	5.0
16	18.7	22.2	14.4	16.6	0	0.0	0.08	75	11.8	45.6	SW	0.7	3.0
17	19.0	23.8	14.8	16.3	0			74	10.5	44.2	S	0.5	3.3
18	19.9	24.7	15.2	15.9	0			62	10.6	46.4	S	2.7	5.8
19	20.2	24.9	17.3	15.9	0			60	10.1	48.4	S	1.9	6.1
20	19.8	23.9	15.4	15.5	0			59	11.2	50.1	S	2.3	6.5
21	20.0	24.8	15.5	16.2	0			64	8.8	50.8	S	2.1	5.7
22	20.0	24.8	15.9	14.7	0			55	10.1	49.0	SW	1.9	5.2
23	19.6	24.1	15.2	15.4	0			59	9.5	48.5	S	2.8	6.1
24	19.5	24.3	15.1	15.0	0			57	10.8	48.5	S	2.5	7.5
25	20.6	25.0	16.6	16.4	0			60	11.9	48.8	S	2.4	6.5
26	21.2	26.3	16.4	17.4	0	0.0	0.02	65	11.8	50.9	SSW	1.4	5.3
27	22.5	27.2	17.5	17.7	0			58	11.0	51.9	SSW	1.5	5.2
28	23.8	28.3	18.8	17.8	0			51	9.6	52.4	SW	1.5	7.5
29	25.3	31.4	18.5	17.6	0			41	9.4	51.4	NNE	5.8	8.9
30	25.0	31.2	20.0	17.1	0			39	8.7	49.8	NE	4.4	10.2
31	24.1	29.9	18.3	16.7	0			39		48.8	NNE	4.0	9.6
Sum					0	0.0	1.35				S		209.6
Avg.	20.7	25.6	16.1	15.6				55	9.7	749.8	(6)	2.1	6.8

ar : 1949

Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
6.9	7.7	7	7	20.0	24.4	20.6	18.2	16.8	15.9	0	⊕°	1
10.7	3.3	8	7	23.1	31.3	22.3	20.5	17.2	16.1	0		2
12.7	3.0	7	7	21.9	30.1	22.6	19.7	17.7	16.5	0		3
12.9	1.0	8	7	24.9	29.1	22.5	20.0	18.0	16.8	0		4
10.9	6.0	7	8	18.8	25.2	21.9	20.2	18.4	17.0	0		5
12.9	0.7	6	8	21.2	30.0	22.1	20.1	18.6	17.2	0		6
5.7	6.7	6	7	19.2	25.6	21.9	20.2	18.7	17.4	0		7
10.2	4.0	7	7	21.3	30.6	22.4	20.2	18.8	17.6	0		8
12.0	0.7	5	5	20.3	26.4	22.4	20.5	19.0	17.7	0		9
7.3	7.7	6	6	18.6	24.9	21.9	20.6	19.1	17.9	0		10
12.3	1.0	7	7	19.6	28.4	22.1	20.4	19.2	18.0	0	Ω°	11
12.7	4.0	7	8	21.4	30.0	22.4	20.6	19.3	18.1	0		12
12.7	7.0	6	7	19.9	29.7	22.6	20.7	19.4	18.2	0		13
1.5	9.7	6	6	17.2	22.9	21.8	20.8	19.5	18.4	0	◍°	14
8.5	6.3	7	7	21.1	29.2	21.5	20.4	19.5	18.5	0		15
5.7	8.7	6	7	19.1	24.0	21.7	20.5	19.4	18.5	0	◍° ⊕°	16
9.4	5.0	6	7	21.0	28.1	21.9	20.5	19.5	18.6	0		17
12.5	3.3	7	7	22.3	31.8	22.2	20.6	19.6	18.6	0		18
6.7	6.0	7	6	15.9	20.4	22.6	20.9	19.7	18.7	0		19
13.4	0.7	7	7	21.4	32.0	22.6	21.0	19.9	18.8	0		20
13.1	2.7	7	7	22.6	31.7	23.0	21.3	20.0	18.9	0		21
13.1	1.3	7	8	23.8	33.1	23.3	21.3	20.1	19.0	0		22
13.2	2.7	7	7	19.7	24.5	23.3	21.5	20.3	19.1	0		23
13.4	2.0	7	7	21.5	32.2	23.3	21.7	20.3	19.1	0		24
10.6	4.3	7	7	22.7	30.6	23.3	21.6	20.4	19.3	0		25
12.4	4.3	6	7	26.1	31.9	23.6	22.0	20.5	19.3	0	◍° T°	26
13.5	1.3	6	8	24.7	34.5	24.2	22.0	20.6	19.4	0		27
13.5	3.3	7	8	24.0	34.0	25.1	22.4	20.9	19.6	0		28
13.6	2.3	9	7	25.8	36.3	25.7	22.8	21.1	19.9	0		29
13.3	1.0	7	7	24.1	35.9	26.4	23.6	21.4	20.1	0		30
13.2	3.7	7	7	25.6	36.0	26.6	23.9	22.0	20.4	0		31
340.5											◍ 3, T 1, Ω 1, ⊕ 2.	
	3.9	6.8	7.0	21.6	29.5	22.9	21.0	19.5	18.3			

Year : 1949 Month : Jun

Date	Air temperature (°c)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	23.8	30.3	18.4	16.4	0			43	8.8	749.0	NE	1.7	9.0
2	22.6	30.7	15.5	16.8	0	0.0	0.13	50	9.8	49.5	SW	1.2	7.7
3	22.3	27.4	17.6	16.6	0			50	9.7	46.7	SSW	1.6	7.2
4	18.2	24.0	13.9	15.9	0	35.7	6.80	77	12.0	47.8	SSW	0.7	3.2
5	20.1	24.1	14.6	17.5	0			73	12.6	50.3	S	1.9	3.9
6	22.2	26.6	17.6	18.6	0	0.0	0.08	66	13.1	51.5	SSW	1.6	5.1
7	20.7	25.7	17.1	15.1	0	3.2	2.75	53	9.0	54.6	NNE	2.8	6.3
8	20.4	24.6	15.4	15.7	0			54	9.8	55.4	S	1.9	5.7
9	21.7	26.3	16.7	16.3	0			51	10.1	53.1	S	1.6	7.2
10	25.1	32.1	18.7	18.4	0			49	10.9	50.3	S	1.6	8.3
11	26.3	32.3	20.0	19.2	0			49	11.4	50.2	SSW	0.9	8.2
12	27.3	32.1	22.9	19.6	0			46	11.8	49.6	SSW	1.8	9.3
13	27.2	32.7	24.2	19.0	0			40	11.1	49.8	W	3.5	12.1
14	23.4	27.3	19.8	16.4	0			43	9.2	51.9	NW	1.9	11.2
15	23.0	29.3	18.0	16.8	0			52	10.1	52.9	SSW	2.0	9.3
16	24.1	31.7	18.5	18.0	0			51	11.4	52.0	SSW	2.3	8.1
17	24.5	30.7	18.8	17.4	0	0.0	0.06	47	9.6	49.6	S	2.3	7.1
18	24.9	29.9	20.1	18.7	0			52	11.8	46.6	S	2.2	9.5
19	23.9	27.6	20.2	19.9	0			65	14.5	47.8	S	2.7	8.9
20	24.5	30.4	20.1	17.4	0			48	9.5	47.2	SW	3.1	8.5
21	23.4	30.3	19.2	15.9	0			41	8.6	48.9	W	3.2	12.5
22	22.6	26.6	18.3	17.2	0			52	10.9	48.6	S	3.8	9.9
23	22.9	26.5	18.8	17.6	0			56	11.4	50.4	S	2.8	9.7
24	22.9	26.9	18.9	19.8	0			72	14.8	50.4	S	1.5	4.8
25	25.3	30.4	19.7	19.4	0			56	12.7	49.6	SSW	2.7	8.0
26	27.1	34.6	19.6	19.9	0			56	12.3	48.4	SW	2.5	13.5
27	27.4	33.3	24.1	17.2	0			47	7.9	50.2	W	3.2	13.3
28	25.1	32.1	20.3	17.1	0			34	8.9	51.2	S	2.3	12.0
29	24.6	28.8	20.0	18.3	0			38	11.3	50.1	S	2.2	9.0
30	24.2	28.6	19.9	17.5	0			48	10.5	50.8	S	3.3	12.0
..								51					
Sum					0	38.9	9.82				S		260.5
Avg.	23.7	29.1	18.9	17.7				52	10.9	750.1	(6)	2.2	8.7

ear : 1949 Month : June

	Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	13.7	2.3	7	7	23.7	36.4	26.6	23.9	22.2	20.5	0		1
2	10.6	5.7	7	7	21.0	31.2	26.0	24.2	22.4	20.8	0	◍⁰	2
3	10.8	3.7	7	8	22.5	31.7	25.6	24.0	22.6	20.8	0		3
4	1.3	9.3	5	5	18.3	21.0	23.7	23.6	22.5	21.0	2	◍¹ ◍² ☈²	4
5	13.6	1.0	8	7	21.8	24.0	22.1	22.6	22.0	20.9	1	☋⁰	5
6	12.5	6.0	6	7	23.9	25.5	23.4	22.2	21.7	20.9	1	◍⁰	6
7	11.9	4.0	8	8	20.9	24.4	23.5	22.4	21.6	20.9	1	◍¹ ◍¹	7
8	13.5	3.7	6	7	22.1	26.7	23.3	22.4	21.6	20.8	0		8
9	12.1	2.7	7	7	20.8	27.6	23.8	22.5	21.7	20.8	0		9
10	13.8	0.7	8	8	26.0	33.9	24.9	22.8	21.7	20.8	0		10
11	13.8	0.3	7	8	23.6	36.2	26.6	23.6	22.0	20.9	0		11
12	9.6	5.3	7	8	25.3	35.0	27.4	24.3	22.4	21.0	0		12
13	11.9	5.7	7	7	27.0	36.0	27.8	24.7	22.8	21.2	0	⊕⁰	13
14	13.9	0.7	8	8	29.5	36.6	27.7	25.0	23.0	21.3	0		14
15	13.7	0.3	7	7	24.8	35.9	27.2	25.0	23.2	21.4	0		15
16	13.7	0.3	7	7	29.7	36.7	27.6	25.1	23.3	21.7	0		16
17	13.2	2.7	7	7	24.9	34.8	27.4	25.3	23.5	21.9	0	◍⁰ ☾⁰	17
18	13.6	1.0	7	7	24.6	36,5	27.9	25.6	23.7	22.1	0		18
19	12.2	2.3	7	7	28.9	35.8	27.7	25.6	23.9	22.2	0	☇⁰	19
20	13.5	2.3	8	7	27.2	38.0	27.8	25.6	23.9	22.4	0		20
21	12.3	3.3	8	8	24.6	38.0	26.7	25.6	23.9	22.4	0		21
22	13.3	1.0	7	7	23.0	28.6	27.4	25.7	24.0	22.4	0		22
23	13.7	0.7	7	6	23.9	34.8	26.8	25.3	24.0	22.4	0		23
24	13.6	1.0	6	7	24.7	28.6	27.2	25.4	24.0	22.5	0		24
25	12.7	0.3	6	7	36.3	25.3	27.6	25.5	24.1	22.6	0		25
26	13.7	1.3	7	7	35.4	28.0	28.4	25.9	24.2	22.6	0		26
27	13.8	0.3	8	7	38.1	26.0	29.3	26.0	24.4	22.8	0		27
28	13.1	0.3	7	7	41.8	28.0	29.1	26.7	24.7	22.9	0		28
29	12.5	3.0	7	7	34.7	24.0	28.6	26.6	24.8	23.1	0		29
30	12.8	4.0	7	7	36.1	26.7	28.3	26.6	24.9	23.2	0		30
um	374.4											◍2 ◍5, ☈1, ☇1, ☋1, ⊕1, ☾1.	
vg.		2.5	7.0	7.1	26.9	31.1	26.6	24.7	23.2	21.7			

Year : 1949 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	23.0	27.7	18.9	18.7	0			60	12.9	746.9	SSW	3.1	7.8
2	21.0	27.5	17.1	17.0	0	23.0	3.72	67	11.7	46.8	SSW	1.3	5.3
3	21.9	28.3	16.9	17.5	0	6.4	6.33	61	11.5	49.4	S	2.6	5.5
4	22.4	26.3	18.3	19.0	0	0.1	0.75	69	13.3	51.9	S	1.8	5.3
5	22.0	25.6	18.3	17.7	0	0.0	0.33	63	12.4	51.1	S	1.6	5.0
6	23.8	29.1	18.8	18.6	0			57	12.4	52.9	SSW	1.7	6.3
7	26.4	32.4	19.9	18.5	0			45	10.3	54.8	NNE	4.0	8.3
8	28.2	33.3	21.7	19.3	0			37	10.5	52.4	N	5.0	11.5
9	28.8	34.2	23.7	20.7	0			41	12.7	49.6	SW	1.7	10.8
10	29.5	35.5	24.8	20.2	0			39	12.3	46.0	NNW	3.6	13.1
11	24.7	29.3	22.0	17.3	0			50	9.9	46.6	NE	5.3	9.5
12	20.2	25.6	16.0	17.3	0	9.7	7.00	73	12.4	47.9	NE	2.1	5.1
13	21.4	25.1	18.3	17.9	0	0.3	1.92	68	12.5	49.6	SW	0.6	4.5
14	23.4	30.9	17.6	18.8	0			61	12.9	51.0	SSW	1.1	7.2
15	25.7	30.8	20.9	20.1	0			55	13.5	50.3	SW	1.1	8.4
16	27.8	33.3	21.5	20.1	0			47	12.3	49.5	SW	1.1	9.6
17	29.5	37.4	23.7	21.6	0			44	13.4	50.0	SW	1.3	10.0
18	30.6	37.6	24.2	21.5	0			40	13.0	50.4	NE	3.9	11.8
19	29.5	34.4	24.3	21.3	0			46	13.3	47.3	SW	1.6	10.6
20	28.8	35.2	24.2	20.7	0			44	13.0	43.3	S	2.8	13.3
21	24.2	29.0	20.8	17.6	0			48	10.6	48.6	N	3.3	11.9
22	23.4	29.6	19.0	17.0	0			51	9.9	50.5	S	2.3	8.7
23	24.9	31.3	19.1	18.1	0			49	10.7	49.4	SSW	1.9	8.9
24	26.1	32.7	20.7	18.3	0			43	10.3	49.3	NNW	3.1	10.4
25	26.7	33.9	20.8	18.7	0			43	10.4	50.1	NE	2.6	8.6
26	26.4	31.8	21.9	18.6	0			40	10.6	51.3	NE	4.8	8.9
27	26.5	32.4	22.5	19.1	0			43	10.7	51.5	NNE	4.4	10.2
28	27.7	33.7	22.8	18.6	0			37	9.9	52.4	NE	3.6	10.8
29	28.3	33.3	23.5	18.8	0			34	9.6	51.6	NNE	5.4	12.0
30	29.2	34.5	24.4	18.6	0			31	9.1	47.8	NE	4.1	11.7
31	28.1	33.1	23.3	19.8	0			39	11.5	48.6	NNE	6.7	12.0
Sum					0	39.5	20.05				NE		283.0
Avg.	25.8	31.4	21.0	18.9				49	11.6	749.6	(6)	2.9	9.1

Year : 1949 Month : July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	12.8	1.3	6	7	24.9	34.1	27.8	26.3	24.9	23.2	0		1
2	7.6	6.0	7	7	21.7	29.2	26.5	25.9	24.6	23.3	0		2
3	12.1	5.0	8	8	25.1	23.6	24.9	24.9	24.3	23.3	1		3
4	12.5	3.7	7	8	25.4	28.4	25.0	24.6	24.0	23.1	0		4
5	9.1	5.7	8	8	22.5	24.5	24.8	24.4	23.6	23.0	0		5
6	13.9	1.0	7	7	27.3	31.1	25.4	24.3	23.6	22.9	0		6
7	13.6	0.7	8	7	25.7	33.7	27.1	24.9	23.5	22.9	0		7
8	13.9	0.0	8	7	29.4	34.6	28.2	25.4	23.9	23.0	0		8
9	13.5	0.3	7	7	30.4	37.5	29.3	26.4	24.4	23.1	0		9
10	13.6	1.3	8	8	29.0	41.6	30.5	26.9	24.8	23.3	0		10
11	11.1	4.7	7	7	22.6	33.6	30.0	27.4	25.2	23.5	0		11
12	3.9	7.7	8	8	23.6	25.0	26.4	26.6	25.1	23.7	0		12
13	2.3	8.7	8	6	24.1	26.5	24.2	25.3	24.8	23.8	1		13
14	12.8	1.7	7	8	26.1	32.0	24.9	24.5	24.4	23.6	0		14
15	13.4	0.7	6	7	29.8	36.5	26.5	25.0	24.3	23.5	0		15
16	13.5	0.3	7	7	29.7	38.5	28.1	25.6	24.4	23.5	0		16
17	13.6	0.3	8	8	30.3	42.4	29.2	26.5	24.8	23.6	0		17
18	13.0	0.7	8	7	31.7	32.5	30.5	27.0	25.2	23.8	0		18
19	13.3	0.3	6	6	27.4	39.8	31.0	27.9	25.7	24.0	0		19
20	13.2	3.0	6	7	29.9	34.8	30.8	28.1	26.0	24.2	0		20
21	13.5	0.7	7	6	27.6	37.1	29.7	28.1	26.3	24.3	0		21
22	13.2	0.3	7	7	27.0	36.5	28.9	27.7	26.1	24.5	0		22
23	13.4	0.3	8	7	28.2	39.9	29.0	27.4	26.2	24.6	0		23
24	13.2	0.3	8	7	28.3	40.4	29.0	27.5	26.1	24.6	0		24
25	13.2	0.0	8	7	26.8	37.7	29.5	27.7	26.1	24.6	0		25
26	12.8	0.3	7	6	27.3	39.3	29.7	27.7	26.2	24.8	0		26
27	13.4	1.3	8	7	26.1	40.5	30.1	28.0	26.2	25.0	0		27
28	13.4	0.7	8	7	28.9	41.0	30.2	28.1	26.6	24.9	0		28
29	13.4	0.3	7	7	27.4	40.5	30.3	28.5	26.8	25.1	0		29
30	13.3	0.0	7	7	28.8	42.2	31.0	28.7	26.9	25.3	0		30
31	12.8	0.0	7	7	28.5	39.5	30.5	28.8	27.1	25.5	0		31
Sum	378.3											◍ 4, ◎ 5, △ 1, ≋ 4, ⊤ 1, ∠ 2, ∩ 1:	
Avg.		1.9	7.3	7.1	27.2	35.3	28.4	26.7	25.2	23.9			

Year : 1949

Month : August

Date	Air temperature (°C					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.8	30.8	23.5	17.4	0			36	8.9	750.9	NE	9.6	12.8
2	27.7	34.0	22.4	18.9	0			36	10.3	50.2	NE	4.6	12.3
3	27.5	33.4	21.0	19.7	0			44	12.0	47.7	SSW	1.6	9.9
4	28.4	34.0	24.2	21.5	0			50	14.9	47.0	SW	1.2	8.7
5	30.2	35.3	25.3	18.7	0			32	8.7	48.1	NE	7.6	14.9
6	28.2	32.6	24.7	20.3	0			43	12.7	49.6	NNE	8.6	14.8
7	25.9	29.7	22.8	17.3	0			39	9.3	50.6	NE	8.2	14.4
8	25.0	28.9	20.9	16.9	0			41	9.0	52.0	NE	6.3	12.4
9	25.7	30.7	21.5	17.9	0			41	10.1	52.9	NNE	5.3	12.6
10	25.7	31.0	21.4	17.3	0			39	9.1	52.2	NNE	5.1	11.2
11	26.9	31.9	22.2	17.8	0			35	9.1	50.5	NNE	4.7	11.2
12	28.0	35.3	22.5	18.2	0			33	9.0	48.4	NE	3.2	10.9
13	25.8	30.7	21.5	20.0	0			51	13.4	47.2	SW	1.2	9.0
14	26.1	31.6	21.8	21.2	0			64	15.1	47.5	SW	1.4	7.5
15	26.5	33.6	21.0	18.0	0			43	9.4	48.2	W	1.8	12.0
16	26.2	32.1	20.5	17.4	0			39	9.2	47.6	W	2.3	10.9
17	24.6	29.7	19.8	16.5	0			43	8.9	44.9	W	3.3	11.7
18	24.0	28.6	20.1	18.3	0			53	11.7	46.5	S	2.7	8.9
19	22.6	26.9	19.6	17.8	0	0.9	0.75	59	12.0	43.8	W	5.4	9.3
20	20.5	26.5	16.0	12.5	0			34	5.7	51.6	NW	4.8	11.2
21	21.0	27.6	15.5	13.9	0			38	7.2	54.7	N	1.8	7.7
22	21.1	26.5	16.0	14.6	0			41	7.9	54.0	NE	4.3	8.4
23	21.7	25.9	16.1	14.8	0			41	7.8	54.3	NNE	8.0	9.7
24	22.9	27.3	19.9	16.2	0			44	9.2	53.9	NNE	7.9	11.0
25	22.9	28.2	19.0	15.7	0			42	8.5	54.8	NE	4.3	9.9
26	22.9	27.4	18.8	16.3	0			43	9.5	53.8	N	4.6	11.0
27	22.8	26.2	20.2	16.1	0			47	9.4	53.6	NNE	10.4	11.4
28	21.6	26.4	18.0	14.1	0			41	7.7	55.5	NE	11.0	13.4
29	22.0	26.7	18.2	15.4	0			45	8.7	55.4	NE	7.9	11.0
30	23.2	27.5	19.1	14.5	0			37	7.1	55.6	NE	5.8	12.3
31	23.8	28.3	18.7	14.9	0			32	6.9	55.1	NE	4.8	12.1
Sum					0	0.9	0.75				NNE		344.5
Avg.	24.8	29.9	20.4	17.1				42	9.6	750.9	(6)	5.1	11.1

ear : 1949 Month : August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Ground condition at 14h (10)		Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	12.8	0.0	8	7	26.5	37.7	29.8	28.3	27.1	25.3	0		1
2	13.1	0.0	8	7	28.3	40.1	30.1	28.7	27.3	25.7	0		2
3	12.9	0.0	7	7	28.4	38.6	30.4	28.8	27.5	25.8	0		3
4	12.7	0.3	6	7	29.7	37.8	30.6	28.8	27.6	25.9	0		4
5	12.8	0.7	8	7	28.0	40.5	30.8	28.8	27.3	25.5	0		5
6	12.8	1.0	8	7	28.0	39.5	30.8	29.0	27.5	25.8	0		6
7	12.8	0.0	8	8	25.6	37.3	29.9	28.8	27.5	25.8	0		7
8	13.2	0.0	8	7	25.3	37.3	29.3	28.5	27.6	25.9	0		8
9	13.2	0.3	8	7	26.0	37.3	29.2	28.5	27.5	26.1	0		9
10	13.2	0.3	8	8	26.4	36.7	29.3	28.3	27.4	26.1	0		10
11	13.0	0.0	8	8	24.5	36.3	29.5	28.5	27.4	26.0	0		11
12	13.2	0.0	8	8	27.6	39.0	29.9	28.5	27.5	26.1	0		12
13	12.8	0.0	7	7	26.3	34.7	29.7	28.6	27.5	26.2	0		13
14	12.8	0.0	7	8	27.1	35.3	29.3	28.4	27.5	26.2	0		14
15	12.9	0.0	8	8	26.3	35.6	29.7	28.3	27.5	26.1	0		15
16	12.9	0.0	8	8	28.7	35.9	29.4	28.3	27.4	26.2	0		16
17	12.2	2.0	8	8	28.2	36.2	29.1	28.2	27.2	26.0	0		17
18	12.7	0.3	8	8	26.8	34.3	28.4	27.9	27.0	25.8	0		18
19	10.3	2.3	6	6	23.3	29.0	27.2	27.5	26.8	25.6	0	⊘¹ ◎¹ T°	19
20	13.0	1.0	9	9	23.7	32.9	26.3	26.6	26.2	25.2	0		20
21	12.8	0.3	8	8	24.7	32.7	26.4	26.4	26.0	25.2	0		21
22	12,1	3.0	7	7	24.7	30.7	26.1	26.2	25.7	24.9	0		22
23	12.8	1.0	7	7	23.2	32.0	25.7	26.0	25.7	24.8	0		23
24	12.7	1.3	8	7	26.1	32.7	26.1	25.9	25.6	24.9	0		24
25	12.6	1.0	8	8	25.6	35.8	26.4	25.9	25.5	25.2	0		25
26	12.6	2.3	8	8	22.7	30.3	26.3	26.1	25.7	24.9	0		26
27	12.0	1.0	8	7	24.0	33.0	26.0	25.8	25.4	24.6	0		27
28	12.6	0.3	8	8	24.1	32.8	25.5	25.5	25.3	24.5	0		28
29	12.7	0.3	7	7	24.4	33.0	25.5	25.5	25.3	24.6	0		29
30	12.6	0.0	8	7	23.6	31.1	25.6	25.0	25.2	24.6	0		30
31	12.6	0.0	8	7	24.6	32.9	25.7	25.4	25.2	24.4	0		31
m	393.4											◎1, ◎1, T 1.	
g.		0.6	7.7	7.5	25.9	35.1	28.2	27.5	26.7	25.5			

Year : 1949 Month : Septembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	24.9	30.7	19.7	15.6	0			31	7.1	753.2	NE	4.0	112.7
2	24.5	30.7	19.6	15.2	0			31	6.8	51.7	NE	4.1	9.1
3	25.2	30.1	20.2	15.7	0			30	7.1	51.7	NE	3.6	11.5
4	26.5	34.0	20.9	17.3	0			33	8.7	51.5	NE	3.0	12.7
5	25.8	31.5	22.3	18.5	0	0.9	0.23	46	11.6	51.0	NE	3.8	10.2
6	23.5	27.6	20.3	16.3	0			45	9.2	51.6	N	5.7	7.5
7	22.5	27.1	19.1	15.5	0			47	8.7	50.6	NE	5.0	8.2
8	22.0	27.4	17.2	16.8	0			53	11.0	52.8	E	1.1	6.8
9	21.4	26.4	15.8	15.8	0			53	9.7	55.0	SSW	1.3	6.7
10	21.5	25.7	17.1	15.4	0			47	9.0	55.7	SSW	1.6	7.7
11	21.9	28.1	17.4	17.2	0			57	11.6	56.2	SSW	1.2	6.5
12	21.6	27.5	18.1	16.7	0	0.0	0.13	60	10.9	54.6	NE	3.3	5.7
13	20.4	25.7	14.9	16.2	0			58	10.7	54.4	SW	1.0	5.1
14	20.4	24.8	16.3	16.0	0			61	10.6	55.3	SSW	1.5	5.0
15	21.5	25.9	17.4	19.0	0			72	14.3	53.8	SSW	1.4	4.0
16	22.6	26.9	18.7	20.5	0			78	16.2	51.6	SSW	0.6	2.9
17	21.9	26.6	18.6	20.2	0			81	16.3	49.9	SSW	1.2	2.8
18	19.8	27.1	16.1	17.7	0	142.9	5.17	82	13.5	49.8	NE	1.5	2.9
19	19.6	23.4	17.0	17.6	0	0.6	2.50	80	13.6	51.0	NE	2.8	1.9
20	21.1	26.2	17.1	18.0	0	0.0	0.12	70	11.5	53.6	NE	1.0	3.8
21	21.1	28.0	16.7	17.2	0			63	11.9	55.6	NE	1.5	5.0
22	22.1	28.1	17.3	18.2	0			66	13.0	55.7	SW	0.6	4.8
23	22.4	29.2	18.1	17.7	0			61	12.0	54.4	SW	1.5	5.9
24	19.4	21.6	17.9	14.7	0			61	9.7	55.1	NE	6.6	5.2
25	18.2	21.4	15.7	12.8	0			51	7.6	56.9	N	6.9	5.8
26	17.7	21.4	15.1	12.9	0			53	7.9	57.3	NNE	9.1	6.8
27	18.0	21.0	15.3	12.5	0			47	7.3	57.4	NNE	7.9	7.9
28	18.4	22.5	15.3	13.3	0			45	8.1	56.7	NNE	5.5	7.4
29	19.1	24.5	13.5	13.1	0			45	7.3	56.5	NW	2.1	6.7
30	19.8	25.7	15.1	15.1	0			54	10.0	56.6	S	0.8	6.3
Sum					0	144.4	8.15				NE		195.5	S
Avg.	21.5	26.6	17.5	16.3				55	10.4	753.9	(6)	3.0	6.5	A

r : 1949 Month : September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)
1	12.2	1.0	7	7	26.3	34.9	26.3	25.6	25.2	24.5	0	
2	12.1	1.0	8	7	25.2	35.9	26.6	25.8	25.3	24.7	0	
3	12.3	0.3	8	7	26.3	36.3	26.8	26.0	25.4	24.7	0	
4	12.2	0.3	8	7	26.8	36.5	27.1	26.1	25.6	24.8	0	
5	10.5	2.7	7	7	21.5	26.3	27.2	26.4	25.6	24.7	1	$\oplus^{1}$ $\odot^{0}$ R^{0}
6	11.1	5.0	8	7	23.9	31.9	26.3	26.1	25.6	24.8	0	
7	10.7	5.3	8	8	21.5	31.6	25.9	25.8	25.5	24.7	0	
8	10.1	2.7	8	8	21.1	27.3	25.1	25.5	25.4	24.6	0	
9	11.5	2.3	7	7	24.8	32.5	24.8	25.2	25.2	24.7	0	
10	9.8	5.3	7	7	23.4	32.5	24.9	25.2	25.1	24.9	0	
11	11.4	1.7	6	6	26.4	31.6	24.8	24.8	24.9	24.5	0	
12	8.0	4.3	9	7	19.8	30.9	25.0	24.8	24.7	24.2	0	$\odot^{0}$
13	10.5	3.3	7	7	21.6	27.8	24.1	24.6	24.7	24.2	0	
14	11.1	1.0	7	7	21.6	29.7	24.0	24.4	24.5	24.2	0	Ω^{0}
15	10.8	4.3	7	7	24.0	31.2	24.2	24.2	24.3	24.0	0	
16	11.0	3.0	7	6	24.5	32.1	24.9	24.4	24.3	24.0	0	Ω^{1-2}
17	8.5	5.0	6	6	21.8	26.1	24.8	24.0	24.2	23.8	0	Ω^{2}
18	4.2	9.7	6	7	20.3	23.6	23.7	24.0	24.0	23.6	0	$\oplus^{2}$ $\odot^{0}$ Ω^{1} R^{2}
19	2.1	9.0	7	7	19.9	21.1	22.1	23.3	23.6	23.4	1	$\oplus^{0}$ $\odot^{1}$ R^{0}
20	7.5	4.0	6	6	19.9	21.0	21.9	22.9	23.2	23.3	1	$\odot^{0}$ Ω^{1}
21	11.2	1.0	7	6	23.9	24.8	21.7	22.1	23.0	23.1	1	Ω^{0}
22	10.6	0.3	6	6	23.4	25.8	22.2	22.4	22.8	23.1	0	Ω^{1}
23	10.8	2.3	7	7	21.1	25.8	22.6	22.4	22.8	23.0	0	Ω^{1}
24	3.8	6.0	7	7	18.2	21.4	22.0	22.4	22.4	22.6	0	Ω^{1}
25	9.6	5.3	7	7	19.1	23.2	20.9	21.8	22.3	22.5	0	Ω^{0}
26	4.2	5.3	7	7	19.7	21.9	20.3	21.5	21.9	22.2	0	Ω^{0-1}
27	10.0	4.7	8	7	19.1	22.7	20.4	21.3	21.7	22.2	0	Ω^{0}
28	11.0	1.3	7	7	19.2	23.9	20.5	21.2	21.6	22.2	0	
29	11.0	1.0	7	6	19.0	24.8	20.6	21.2	21.6	22.0	0	Ω^{0}
30	10.8	0.3	7	7	19.0	22.8	21.1	21.4	21.7	22.0	0	
Sum	290.6											$\oplus 3, \odot 5, \mathrm{R}\,3, \Omega 13.$
Avg.		3.3	7.1	6.8	22.1	27.9	23.8	23.9	23.9	23.7		

Year : 1949 Month : October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at C°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure(mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	19.6	24.8	14.8	17.5	0			73	12.8	755.8	SSW	0.6	3.4
2	20.9	26.4	15.9	17.7	0			71	12.6	55.5	S	0.5	3.8
3	22.7	27.7	18.5	19.1	0			68	13.9	55.6	S	0.8	4.1
4	24.2	29.9	19.5	18.6	0			57	12.5	53.5	S	1.0	7.0
5	21.4	25.0	18.5	15.5	0			52	9.6	55.3	NE	5.4	6.9
6	19.1	26.3	15.3	14.5	0			59	9.3	55.7	NE	3.2	5.9
7	19.0	23.4	14.9	16.8	0			76	13.5	53.1	S	1.1	3.5
8	19.2	24.2	15.3	17.4	0	8.6	1.45	83	14.4	52.5	SW	0.8	2.2
9	19.1	22.5	16.5	16.7	0	0.4	1.00	78	12.5	51.6	SSW	0.2	1.9
10	17.8	20.7	14.8	16.3	0	13.3	2.85	82	12.2	51.6	NE	0.7	1.7
11	17.7	20.2	16.4	15.5	0	0.0	0.02	76	11.6	55.2	NE	9.4	3.2
12	15.7	17.7	14.3	13.0	2	0.0	0.05	74	9.7	60.0	NE	8.5	5.0
13	15.6	17.9	14.2	12.9	2			71	9.2	61.6	NE	4.3	3.9
14	16.2	20.5	12.5	13.4	2			69	9.5	58.8	NE	3.9	3.8
15	14.9	17.6	12.9	12.3	3	0.5	2.33	71	8.9	56.2	NE	6.6	3.7
16	12.2	13.5	11.3	11.8	6	29.4	21.67	95	10.1	54.7	NE	0.9	1.6
17	13.1	16.8	11.5	12.1	5	16.4	10.42	81	9.3	52.2	NW	2.3	2.4
18	16.9	22.6	11.1	13.4	1			72	9.7	54.0	NE	1.2	3.6
19	14.8	17.7	12.5	13.0	3			79	9.8	54.7	NE	4.8	2.9
20	14.7	16.4	13.3	12.7	3	0.0	-	79	9.8	54.9	NE	7.9	3.0
21	15.7	18.9	13.9	13.4	2			77	10.1	55.6	NE	3.1	2.5
22	15.8	21.1	13.3	13.8	2	0.0	0.02	77	10.3	54.6	NNE	0.5	2.3
23	16.4	22.6	12.3	13.7	2			74	9.8	55.2	SSW	0.5	3.1
24	17.3	23.9	12.4	13.8	1			65	9.2	56.5	NNE	0.7	5.3
25	18.0	23.7	13.0	15.1	0			65	10.7	57.5	S	0.3	3.7
26	18.4	24.0	14.1	14.0	0			60	9.2	57.0	SW	0.5	3.8
27	18.3	23.5	14.3	14.6	0			62	9.9	54.5	SSW	0.6	4.8
28	17.7	22.7	13.6	15.1	0			75	10.9	53.6	S	0.5	3.1
29	17.1	21.7	14.1	15.2	1			78	11.5	55.3	SW	0.6	2.6
30	16.8	22.1	13.7	14.4	1			75	10.4	56.7	NE	2.4	2,5
31	15.6	18.9	12.3	13.1	2			76	9.8	57.4	NE	4.7	2.7
Sum					38	68.6	39.81				NE		109.9
Avg.	17.5	21.8	14.2	14.7				73	10.7	755.4	(6)	2.5	3.5

Year : 1949 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	10.5	0.3	6	6	19.7	25.5	21.4	21.5	21.7	22.2	0	D^{1}	1
2	10.3	0.0	6	6	21.0	27.1	21.8	21.5	21.7	21.8	0	D^{1}	2
3	10.2	3.3	6	7	21.7	27.6	22.5	22.0	21.8	21.9	0	D^{0}	3
4	10.8	0.3	7	7	25.0	29.8	23.4	22.3	22.0	21.9	0	D^{0}	4
5	9.6	1.0	6	5	20.7	25.4	23.1	22.5	22.0	21.8	0	D	5
6	10.3	0.0	7	7	20.5	24.2	22.1	22.3	22.0	21.9	0	D^{0}	6
7	10.0	1.3	6	6	19.9	20.1	21.8	22.1	22.1	21.9	0	D^{1}	7
8	6.9	7.3	5	6	21.9	22.2	21.8	21.9	22.0	21.9	0	$\textcircled{1}$ $\textcircled{0}$ $\equiv^{0}$ $\oplus^{0}$ D^{2}	8
9	1.1	9.3	7	7	19.7	18.3	20.8	21.2	21.8	21.8	1	$\textcircled{0}$ $\oplus^{2}$	9
10	2.2	6.7	8	6	20.3	19.0	20.0	21.1	21.5	21.7	2	$\textcircled{1}$ $\textcircled{2}$ $\equiv$	10
11	4.4	9.0	6	6	18.1	18.3	19.5	20.6	21.1	21.3	1	$\textcircled{0}$	11
12	6.1	6.7	7	6	14.9	15.2	18.2	19.8	20.6	21.1	1	$\textcircled{0}$	12
13	1.2	8.0	7	6	15.4	15.7	17.8	19.2	19.9	21.0	1		13
14	9.6	3.0	8	7	17.5	18.6	17.6	19.1	19.9	20.4	1	D^{0-1}	14
15	1.4	9.0	7	7	15.5	16.6	17.2	18.8	19.6	20.2	0	$\textcircled{1}$	15
16	0.0	10.0	6	6	12.4	12.5	16.0	18.4	19.1	20.2	2	$\textcircled{1}$ $\textcircled{1}$	16
17	1.1	7.0	9	8	13.4	14.7	15.8	17.7	18.5	20.0	1	$\textcircled{1-2}$ $\textcircled{0}$	17
18	9.7	3.0	9	7	16.5	16.7	16.2	17.4	18.2	19.5	1	D^{1}	18
19	0.8	9.0	6	7	15.0	14.9	16.0	17.5	18.2	19.3	1	D^{0-1}	19
20	0.0	9.3	7	7	14.0	14.0	15.7	17.2	18.1	19.2	0	$\textcircled{0}$ D^{1}	20
21	5.2	6.3	7	7	15.2	15.7	16.0	17.2	18.0	19.1	1	D^{0-1}	21
22	2.1	6.3	8	7	17.1	16.9	16.6	17.3	18.1	19.0	1	$\textcircled{0}$ D^{1-2}	22
23	10.1	1.3	8	8	17.7	19.6	16.6	17.4	18.0	19.8	1	D^{2}	23
24	10.0	0.7	8	6	17.1	19.5	16.6	17.4	18.0	18.8	1	D^{2}	24
25	10.1	0.3	6	6	18.9	19.9	16.8	17.5	18.0	18.8	0	D^{0}	25
26	10.3	0.0	6	6	16.2	18.6	16.9	17.6	18.1	18.8	0	D^{0-1}	26
27	10.1	0.7	6	8	18.4	18.5	17.0	17.7	18.1	18.8	0	D^{0-1}	27
28	9.9	4.0	8	8	18.5	19.3	17.6	17.8	18.1	18.8	0	Ψ^{1} D^{1-2}	28
29	9.2	5.0	7	7	16.4	18.9	17.3	17.8	18.1	18.7	0	D^{1}	29
30	5.2	6.7	7	7	18.0	19.1	17.4	17.7	18.1	18.7	0	D^{1}	30
31	5.8	6.7	7	8	15.0	14.7	17.0	17.7	18.0	18.6	0	D^{1-2}	31
Tot.	204.2											$\textcircled{4}$, $\textcircled{10}$, $\equiv$ 2, Ψ 1, $\oplus$ 1, $\oplus$ 1, D 23.	
Avg.		4.6	6.9	6.7	17.8	19.3	18.5	19.3	19.7	20.3			

Year : 1949 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	15.1	19.3	12.6	12.1	3	0.0	0.02	68	8.5	756.0	NE	4.0	3.3	
2	15.1	18.7	11.3	13.2	3	0.0	0.23	78	10.1	53.2	NNE	0.8	2.3	
3	16.4	20.2	13.7	14.6	2	3.5	4.75	82	10.9	52.4	NE	1.8	2.0	
4	16.5	21.1	14.6	14.1	1			78	10.5	57.0	NNE	3.0	2.6	
5	17.2	22.0	13.6	15.4	1	0.0	0.50	82	11.8	53.9	E	1.6	2.2	
6	18.0	20.3	14.9	16.1	0	4.7	2.67	80	12.5	48.1	S	5.5	4.0	
7	18.2	19.2	15.7	15.9	0	0.0	0.05	78	12.0	48.3	S	8.2	4.1	
8	17.3	20.0	13.5	15.9	1	3.9	3.50	81	12.3	42.8	S	9.6	6.0	
9	14.6	19.1	11.8	12.1	3	1.2	1.05	74	9.1	41.1	WSW	5.4	4.7	
10	13.0	15.8	8.8	10.0	5	0.3	0.18	63	7.1	46.8	W	2.9	5.0	
11	13.0	17.3	8.5	10.6	5	2.0	2.00	72	8.0	50.0	S	0.5	3.6	
12	13.2	16.8	11.2	12.0	5	3.4	2.50	82	9.4	51.0	NNE	2.8	1.5	
13	14.2	18.8	9.4	12.6	4			84	9.8	53.4	SSW	0.3	2.2	
14	14.8	18.9	12.1	13.8	3	0.0	0.25	86	10.6	54.5	S	1.2	1.8	
15	15.9	18.4	12.8	14.7	2	0.0	0.25	84	11.7	54.4	S	1.8	2.8	
16	17.3	20.5	12.8	15.0	1	0.0	0.17	76	11.0	51.4	SSW	3.1	4.2	
17	15.5	18.4	12.7	13.0	2	27.1	4.25	79	9.7	48.3	S	3.7	4.7	
18	14.2	18.8	10.0	12.5	4			77	9.5	52.8	SSW	0.5	3.4	
19	14.5	18.9	11.6	12.7	3			77	9.7	57.0	S	0.3	2.9	
20	14.6	20.1	11.0	12.4	3			74	9.2	58.7	WNW	0.4	2.6	
21	13.8	20.3	10.3	12.0	4			75	8.9	57.3	NW	0.7	3.2	
22	12.3	18.1	8.5	10.7	6			81	8.6	54.3	NNE	1.0	2.6	
23	13.3	18.3	9.3	12.6	5			84	9.8	52.0	S	0.8	2.4	
24	15.7	19.3	9.9	15.0	2			91	12.2	51.0	S	2.2	2.4	
25	16.2	20.7	12.1	14.0	2			80	10.6	53.8	SW	0.5	3.1	
26	16.3	19.5	12.6	14.5	2			82	11.1	54.0	S	2.0	3.1	
27	16.8	19.3	13.3	14.4	1	6.0	0.70	82	11.1	51.9	S	2.8	4.7	
28	16.1	19.9	13.0	14.7	2			87	11.5	54.3	S	2.1	2.8	
29	15.8	18.9	12.4	14.3	2			89	11.5	53.2	S	1.6	1.9	
30	15.7	20.9	12.5	14.1	2			82	10.8	49.4	N	0.5	1.7	
Sum					79	52.1	23.47				S		93.8	
Avg.	15.4	19.3	11.9	13.5				80	10.3	752.1	(6)	2.4	3.1	

Year : 1949 Month : November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	4.9	8.3	8	7	14.5	17.2	16.7	17.5	17.9	18.5	0	◍° ⊕¹ D¹	1
2	1.6	9.3	5	7	13.9	15.2	16.6	17.4	17.9	18.5	1	◍ᵃ ◍° ⊕¹ D¹	2
3	6.1	7.0	9	8	18.1	19.3	17.1	17.4	17.8	18.5	1	◍⁰⁻¹ ◍¹ ∪ ∩⁰⁻¹ D¹	3
4	5.0	8.0	7	7	15.8	16.9	17.1	17.5	17.9	18.4	0	D D¹	4
5	4.8	8.3	7	6	16.3	17.2	16.8	17.4	17.9	18.4	0	◍° ∈¹ D¹	5
6	0.4	6.7	7	7	16.3	15.9	17.3	17.6	17.8	18.4	1	◍⁰⁻¹ ◍⁰⁻¹ ≋¹⁻²	6
7	5.0	6.7	6	6	16.8	15.5	16.5	17.4	17.9	18.4	0	◍° ≋°	7
8	0.7	9.7	6	7	17.0	16.6	16.8	17.3	17.8	18.3	1	◍° ◍° ≋°	8
9	2.1	7.7	7	6	12.7	12.7	15.4	16.8	17.5	18.3	1	◍° ◍¹	9
10	9.7	1.0	8	7	13.3	12.1	14.3	16.2	17.3	18.0	1	◍° ◍°	10
11	1.5	8.7	7	9	12.4	12.5	13.5	16.0	16.6	17.6	1	◍°	11
12	1.7	6.7	8	7	12.4	13.3	14.2	15.5	16.4	17.4	1	◍⁰⁻¹ ◍¹	12
13	9.3	2.7	7	6	14.5	14.3	14.0	15.3	16.2	17.3	1	D²	13
14	4.7	5.3	7	7	15.3	15.1	14.8	15.5	16.3	17.2	1	◍ᵃ D D¹	14
15	1.1	9.3	7	7	14.7	14.4	15.0	15.7	16.2	17.1	1	◍° D D¹	15
16	5.5	3.7	7	7	15.8	15.9	15.2	15.7	16.3	17.1	0	◍° ∩° D¹⁻²	16
17	5.8	2.7	8	8	13.8	13.8	15.4	15.9	16.2	17.1	1	◍² ◍¹⁻² ≋¹	17
18	9.0	2.0	8	8	14.4	13.0	14.4	15.6	16.1	16.9	1	D¹⁻²	18
19	8.1	4.3	8	7	14.5	13.1	14.2	15.3	16.0	16.8	1	D D¹	19
20	9.3	0.3	8	7	13.6	12.7	13.9	15.1	15.8	16.7	1	D D⁰⁻¹	20
21	9.2	0.7	8	7	16.4	12.5	13.7	15.0	15.7	16.6	1	D D⁰⁻¹	21
22	9.2	0.7	7	8	14.9	11.7	13.4	14.7	15.6	16.5	1	D D¹⁻²	22
23	4.2	6.3	6	5	13.5	12.5	13.5	14.6	15.5	16.4	1	D D¹	23
24	6.7	5.7	7	7	16.6	14.7	14.3	14.9	15.5	16.4	1	D D²	24
25	9.0	1.7	7	7	16.3	14.4	14.7	15.1	15.6	16.4	1	D D²	25
26	8.1	5.7	8	7	16.4	13.8	14.6	15.2	15.7	16.4	1	D²	26
27	4.5	9.0	7	6	14.9	14.7	15.2	15.3	15.8	16.4	1	◍² ≋⁰⁻¹ ∈⁰⁻¹	27
28	4.5	7.3	6	6	15.4	14.3	14.9	15.4	15.8	16.4	1	D¹⁻²	28
29	4.5	10.0	6	7	14.9	14.4	15.0	15.4	15.8	16.4	1	⊕° D²	29
30	4.6	9.7	5	5	16.1	15.1	15.4	15.5	15.8	16.4	1	≡² ∈° ⊖° D²	30
um	160.8											◍9, ◍15, ≋5, ≡1, ∈4, ⊖3, ⊕2 ∩2, D21.	
g.		5.8	7.1	6.9	15.1	14.5	15.1	16.0	16.5	17.3			

Year : 1949 Month : December

Date	Air temperature (°C)					Precipit.		Average of		Avg. pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	12.2	15.1	10.7	10.0	6			76	7.9	752.9	NE	7.0	2.6	
2	10.5	12.6	8.3	8.4	7			71	6.4	53.3	NNE	3.4	3.0	
3	10.2	14.7	5.7	8.5	8			75	7.0	50.9	SSW	0.7	2.5	
4	12.2	17.7	9.8	10.6	6			79	8.4	49.6	NE	0.4	2.3	
5	13.1	17.8	8.7	12.1	5			83	9.2	50.2	SSW	0.3	2.5	
6	13.7	18.3	11.0	11.8	4			79	9.0	51.1	W	0.4	2.5	
7	13.4	19.5	10.7	11.6	5			79	8.9	55.5	SSW	0.2	3.4	
8	13.1	19.1	9.3	11.8	5			82	9.3	57.3	WSW	0.2	2.7	
9	13.6	19.2	10.5	12.6	4			84	9.8	53.2	S	0.9	2.7	
10	14.7	19.9	11.0	14.4	3	0.0	0.17	89	11.6	49.7	S	1.2	2.2	
11	15.0	19.6	11.4	13.0	3			79	9.6	52.3	WSW	0.6	3.4	
12	13.7	15.5	10.7	12.4	4	5.1	8.22	82	9.7	56.1	W	0.5	2.5	
13	14.9	17.8	12.7	14.4	3			92	11.8	58.2	S	0.7	1.0	
14	15.4	20.0	13.2	14.6	3			88	11.6	58.5	S	0.4	1.2	
15	13.2	15.3	11.0	12.3	5	0.0	0.37	91	10.0	58.1	NE	0.2	0.9	
16	14.4	17.2	12.2	13.4	4	4.4	1.50	90	11.0	50.1	S	1.5	1.4	
17	12.6	18.1	10.4	10.5	5			75	8.0	46.2	E	0.9	2.5	
18	11.4	15.7	7.3	6.8	7			77	7.6	42.1	SSW	0.9	3.0	
19	7.3	13.3	5.0	3.6	11	0.4	1.67	66	4.3	40.5	WNW	9.9	6.2	
20	11.0	13.0	4.3	9.4	7	0.2	4.08	76	7.6	50.8	NE	7.0	3.2	
21	11.4	13.2	10.0	9.5	7	0.0	1.05	76	7.8	55.6	NNE	4.8	2.9	
22	11.3	13.0	10.0	9.4	7	0.0	1.50	77	7.5	55.9	NE	3.9	2.6	
23	9.4	11.3	8.8	8.1	9	0.6	11.17	84	7.2	54.2	NE	5.4	2.1	
24	7.4	8.7	5.4	6.0	11	3.3	8.83	80	6.0	54.2	NE	6.1	2.0	
25	5.6	6.6	4.3	2.7	12	1.0	8.00	64	4.0	54.7	NNE	9.9	3.4	
26	6.3	9.2	4.2	3.7	12			56	4.1	54.7	N	5.0	5.4	
27	9.8	15.2	3.5	7.5	8			60	6.0	52.9	W	1.4	4.8	
28	11.7	17.0	8.1	8.7	6			64	6.5	52.0	W	1.2	3.4	
29	10.6	16.7	6.4	8.2	7			69	6.5	55.6	S	0.7	2.8	
30	10.7	14.8	6.7	8.9	7			74	7.2	56.0	S	1.4	2.6	
31	12.5	16.3	9.6	10.9	5			80	8.5	52.2	S	1.1	2.3	
Sum					196	15.0	46.56				NE		86.0	S
Avg.	11.7	15.5	8.7	9.9				77	8.1	752.7	(6)	2.5	2.8	A

ar : 1949 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	3.9	8.7	7	7	11.7	11.9	14.5	15.5	15.7	16.3	1	☉° ☽¹	1
	0.9	9.0	7	8	9.9	10.1	13.0	14.7	15.4	16.2	1		2
	7.9	6.0	8	8	12.2	11.5	11.9	14.1	15.0	16.0	1	☽⁰⁻¹	3
	4.1	5.7	8	7	12.2	11.7	12.4	13.9	14.9	15.9	1	☽⁰	4
	8.5	5.3	7	6	15.7	12.9	12.8	13.9	14.5	15.8	1	☽¹	5
	6.1	4.0	8	8	14.8	13.7	13.2	14.1	14.8	15.8	1	☽⁰	6
	8.6	3.3	7	7	14.0	13.1	12.8	14.0	14.6	15.6	1	☽¹	7
	9.0	0.3	4	4	15.1	13.2	12.9	14.0	14.6	15.6	1	☽¹	8
	8.6	0.7	7	7	15.4	15.4	12.9	13.9	14.5	15.6	1	☽²	9
	6.3	3.7	7	7	13.7	15.0	13.2	13.9	14.5	15.4	1	☾⁰⁻¹ ☉⁰⁻¹ ☽¹	10
	7.9	3.3	7	7	13.9	13.5	13.5	14.1	14.6	15.5	1	☉² ☽²	11
	0.0	9.7	6	6	12.6	12.7	12.9	14.2	14.6	15.5	2	◍¹ ☾¹	12
	1.9	10.0	6	7	14.2	14.2	14.1	14.3	14.7	15.4	1	☽¹⁻²	13
	1.4	9.0	5	6	14.4	14.8	14.6	14.5	14.9	15.5	1	☽²	14
	0.0	10.0	3	3	12.6	12.7	14.1	14.6	14.9	15.5	1	☾⁰ ≡° ☽²	15
	2.7	6.0	8	7	13.2	13.0	14.4	14.6	14.9	15.5	2	◍¹ ☾⁰⁻¹ ☊° ☽²	16
	5.7	5.0	8	7	11.0	11.8	13.3	14.3	14.7	15.4	1	☽²	17
	3.3	8.7	7	8	9.6	9.7	12.0	13.8	14.5	15.3	1	☽⁰⁻¹	18
	4.7	6.0	7	7	5.4	6.1	10.4	13.4	14.7	15.4	1	◍° ☾° ⚹°	19
	3.2	9.0	8	8	10.1	10.9	11.0	12.8	13.9	14.9	1	◍° ☾⁰⁻¹ ⚹° ☊°	20
	0.9	9.3	7	7	10.0	10.0	11.3	12.7	13.7	14.8	1	☾°	21
	0.8	10.0	7	8	10.1	10.5	11.6	12.7	13.4	14.6	1	☾°	22
	1.5	9.7	6	6	8.1	8.3	11.1	12.6	13.4	14.6	1	◍° ☾¹ ⚹°	23
	0.0	9.3	7	7	7.8	7.0	10.1	12.2	13.1	14.3	1	◍° ☾¹ ⚹°	24
	0.1	7.7	6	7	3.4	3.3	8.4	11.4	12.6	13.9	2	☾° ⚹¹	25
	6.0	2.3	7	6	7.0	5.5	7.6	10.8	12.1	13.8	1		26
	6.8	3.7	8	8	9.2	7.7	7.7	10.3	11.8	13.6	1	⌙°	27
	8.8	0.7	8	7	11.3	9.3	8.0	10.5	11.8	13.4	1	☽°	28
	8.2	0.7	8	7	10.3	12.7	9.2	10.7	11.7	13.2	1	☽¹	29
	5.3	5.0	6	7	8.5	9.5	9.4	10.9	11.8	13.2	1	☽°	30
	4.4	9.3	8	8	11.3	13.0	10.8	11.3	12.0	13.2	1	⊕¹ ☿°	31
um	137.5											◍ 6, ☾ 11, ⚹ 5, ≡ 1, ⌙ 1,	
rg.		6.2	6.9	6.9	11.3	11.1	11.8	13.2	13.9	15.0		☿ 1, ☽ 2, ☉ 2, ⊕ 1, ☊ 2, ☋ 19	

YEAR : 1949

Month	Air temperature (°C)							Average of			Vapor pressure (mm)	Sunshine hrs	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date	Degree days (base 18°C) (1)	Wet bulb tempr. (3)	Relative humid.(%) (1)	(3)	Total	Possible (9)
JAN.	8.6	12.3	5.7	18.2	20	-0.1	27	290	6.7	73	6.2.	138.8	30
FEB.	7.8	12.0	4.4	18.2	21	-1.3	5	282	5.4	66	5.2	173.7	30
MAR.	9.0	12.8	5.8	18.4	18	0.6	6	278	6.8	69	6.0	158.4	36
APR.	14.0	19.1	9.9	24.7	30	4.2	12	118	10.8	62	7.5	279.1	39
MAY	20.7	25.6	16.1	31.4	29	13.0	5	0	15.6	55	9.7	340.5	43
JUNE	23.7	29.1	18.9	34.6	26	13.9	4	0	17.7	52	10.9	374.4	43
JULY	25.8	31.4	21.0	37.6	18	16.0	12	0	18.9	49	11.6	378.3	44
AUG.	24.8	29.9	20.4	35.3	5/12	15.5	21	0	17.1	42	9.6	393.4	41
SEP.	21.5	26.6	17.5	34.0	4	13.5	29	0	16.3	55	10.4	290.6	37
OCT.	17.5	21.8	14.2	29.9	4	11.1	18	38	14.7	73	10.7	204.2	34
NOV.	15.4	19.3	11.9	22.0	5	8.5	11	79	13.5	80	10.3	160.8	30
DEC.	11.7	15.5	8.7	20.0	14	3.5	27	196	9.9	77	8.1	137.5	29
YEAR	16.7	21.3	12.9	37.6	July 18	-1.3	Febr 5	1281	12.8	63	8.9	3029.7	442

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11)		Average soil temperature (°C) (3)						Number of days (4)				
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.0°C
				Green	Bare	30	60	90	120					
JAN.	6.2	6.8	6.6	7.9	8.7	8.4	9.4	10.1	11.2	1	0	0	0	
FEB.	5.2	6.6	6.4	7.4	8.7	7.7	8.3	8.9	9.7	2	0	0	0	
MAR.	6.1	7.0	6.7	9.2	11.8	10.2	10.5	10.7	11.1	0	0	0	0	
APR.	4.3	6.6	6.5	15.3	20.2	15.6	14.4	13.8	13.5	0	0	0	0	
MAY	3.9	6.8	7.0	21.6	29.5	22.9	21.0	19.5	18.3	0	0	13	2	
JUNE	2.5	7.0	7.1	26.9	31.1	26.6	24.7	23.2	21.7	0	0	27	14	
JULY	1.9	7.3	7.1	27.2	35.3	28.4	26.7	25.2	23.9	0	0	31	20	
AUG.	0.6	7.7	7.5	25.9	35.1	28.2	27.5	26.7	25.5	0	0	31	14	
SEP.	3.3	7.1	6.8	22.1	27.9	23.8	23.9	23.9	23.7	0	0	22	5	
OCT.	4.6	6.9	6.7	17.8	19.3	18.5	19.3	19.7	20.3	0	0	5	0	
NOV.	5.8	7.1	6.9	15.1	14.5	15.1	16.0	16.5	17.3	0	0	0	0	
DEC.	6.2	6.9	6.9	11.3	11.1	11.8	13.2	13.9	15.0	0	0	0	0	
YEAR	4.2	7.0	6.9	17.3	21.1	18.1	17.9	17.7	17.6	3	0	129	55	

YEAR : 1949

Month	Average Pressure at 0C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm)	Number of days								
		Avg. speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date	(4)(7)	Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat (4)	Dew (4)	Hoarfrost (4)	Dry ground (10)
JAN.	754.8	4.3	NNE	67.0	25.1	13	85.1	7	15	4	7	0	19	16	3	1
FEB.	757.0	4.5	NNE	17.0	3.8	13	81.3	6	7	3	1	0	9	15	3	10
MAR.	750.6	4.6	NNE	33.3	8.0	7	100.7	9	19	2	0	0	20	12	2	16
APR.	754.1	2.9	SSW	9.2	6.7	2	147.0	3	7	0	0	1	8	9	0	25
MAY	749.8	2.1	S	0.0	0.0	m.t.	209.6	0	3	0	0	0	3	1	0	31
JUNE	750.1	2.2	S	38.9	35.7	4	260.5	2	5	0	0	0	5	0	0	26
JULY	749.6	2.9	NE	39.5	23.0	2	283.0	4	5	0	0	1	6	0	0	29
AUG.	750.9	5.1	NNE	0.9	0.9	19	344.5	1	1	0	0	0	1	0	0	31
SEP.	753.9	3.0	NE	144.4	142.9	18	195.5	3	5	0	0	0	5	13	0	26
OCT.	755.4	2.5	NE	68.6	29.4	16	109.9	4	10	0	0	0	10	23	0	17
NOV.	752.1	2.4	S	52.1	27.1	17	93.8	9	15	0	0	0	16	21	0	5
DEC.	752.7	2.5	NE	15.0	5.1	12	86.0	6	11	0	5	0	11	19	1	0
YEAR	752.6	3.3	NE	485.9	142.9	Sep. 18	1996.9	54	103	9	13	2	113	129	9	217

Month	Number of days															
	Moist and wet ground (10)	Snow cover (10)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0tenths (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)		
JAN.	28	2	7	10	14	5	4	1	0	0	0	5	0	0	1		
FEB.	17	1	6	13	9	10	3	0	0	0	1	2	2	0	0		
MAR.	15	0	3	20	8	3	3	1	1	0	0	1	0	0	0		
APR.	3	0	8	18	4	8	0	1	0	0	0	3	0	2	0		
MAY	0	0	8	21	2	11	0	1	0	0	2	0	0	0	0		
JUNE	4	0	14	15	1	18	0	1	1	0	1	1	0	1	0		
JULY	2	0	23	7	1	23	0	5	2	0	0	0	0	1	0		
AUG.	0	0	27	4	0	26	0	1	0	0	0	0	0	0	0		
SEP.	4	0	11	17	2	12	0	3	0	0	0	0	0	0	0		
OCT.	14	0	11	14	6	13	2	2	0	0	1	1	1	0	0		
NOV.	25	0	5	16	9	6	0	5	0	0	2	4	3	2	1		
DEC.	31	0	4	14	13	5	3	0	0	2	1	1	2	2	1		
YEAR	145	3	127	169	69	140	15	21	4	2	8	18	8	8	3		

YEAR : 1949

Month	Frequency (%) of the wind direction (24 hourly observations) (5)																Calm
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	9.5	18.3	6.9	1.0	0.1	0.5	2.6	4.3	2.0	2.3	2.3	1.9	2.3	1.7	3.5	6.2	3
FEB.	4.0	22.9	14.4	0.4	0.9	0	0	0	2.4	3.1	4.5	1.5	3.0	3.3	3.6	4.2	3
MAR.	15.3	16.5	7.1	0.4	0.7	0.1	2.3	2.4	9.0	4.8	4.5	4.5	7.3	3.0	3.2	5.1	1
APR.	9.6	11.5	6.9	0.1	0.8	0.1	1.4	2.0	9.6	12.9	6.0	1.4	1.1	0.6	4.2	3.3	2
MAY	4.5	8.3	5.2	0.4	0.4	0	0.7	1.5	14.1	11.0	9.1	1.9	1.4	0.1	0.8	1.9	3
JUNE	3.1	2.2	2.6	0.7	0.7	0.3	0.8	0.1	17.5	15.1	10.3	2.8	4.3	1.8	3.2	2.6	3
JULY	8.1	9.8	11.3	0.8	1.1	0.4	0	0.4	7.0	7.0	8.1	0.8	2.7	2.6	3.2	6.9	2
AUG.	11.3	21.4	25.8	1.7	0.1	0.3	0.3	0.1	2.1	2.6	3,4	1.6	5.4	1.5	4.8	3.6	1
SEP.	9.4	11.3	20.3	2.1	1.1	0.4	0.3	0	3.3	7.6	5.4	0.4	0.3	0	1.5	3.6	3
OCT.	2.4	7.3	28.6	1.2	0.5	0.3	0.5	0.1	4.7	3.5	3.8	0.3	1.0	1.0	2.0	1.4	4
NOV.	2.1	6.4	4.5	0.8	2.1	0.6	0.6	2.6	22.8	5.0	2.8	2.2	3.5	0.8	1.2	1.4	4
DEC.	5,6	9.3	11.6	0.8	1.0	0.3	0.4	1.0	6.9	4.5	2.4	2.0	3,9	2.1	3.6	2.3	4
YEAR	7.1	12,1	12.2	0.9	0.8	0.3	0.8	1.2	8.4	6.6	5.2	1.8	3.0	1.5	2.9	3.5	3

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending at 24 h.

3) Average of 8,14 and 20h. observations.

4) Day ending at 20 h.

5) From Steffens-Hedde anemograph (mean instantaneous readings).

6) Monthly prevailing direction.

7) From Piche evaporimeter

8) From Compbell-Stokes recorder

9) Monthly possible sunshine uncorrected for the around topography.

10) According to the International Code 0-9.

11) At 14h. observation.

YEAR 1950

Year : 1950 Month : January

Date	air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	9.2	12.7	5.7	7.5	9	1.2	5.92	84	7.3	752.3	NE	6.9	1.5	
2	4.4	6.2	3.6	1.8	14	0.0	0.08	64	3.8	58.4	NE	8.4	3.0	
3	6.0	8.5	2.7	4.9	12	0.0	0.33	76	5.6	47.9	NE	0.2	1.0	
4	7.7	10.7	6.4	5.7	10	0.3	0.47	79	5.8	39.3	NE	1.7	1.3	
5	6.8	11.1	3.1	3.1	11	0.0	1.00	52	3.5	46.5	NW	2.4	3.8	
6	9.0	15.2	3.8	6.8	9			63	5.4	56.3	S	0.6	3.0	
7	9.9	14.6	6.8	8.5	8			77	7.2	55.5	NE	0.4	2.1	
8	9.9	14.8	5.3	8.0	8			75	6.6	55.1	NNE	1.0	2.0	
9	9.8	14.7	6.4	7.0	8			64	5.8	56.8	S	1.2	3.0	
10	11.1	16.4	7.3	8.0	7			63	6.3	54.7	WSW	1.0	2.9	10
11	9.4	14.1	7.2	7.2	9			70	6.3	55.3	NE	4.0	3.0	11
12	1.0	7.5	-1.0	-1.0	17	0.4	11.50	78	3.6	58.1	NE	12.7	1.8	12
13	-0.6	1.6	-2.3	-1.1	19	0.0	-	78	3.6	60.2	NNE	7.1	1.0	13
14	-0.6	2.5	-2.3	-1.6	19	0.0	-	77	3.6	61.1	NW	3.3	0.9	14
15	4.7	11.0	-2.6	3.1	13			63	4.3	56.8	N	2.0	2.2	15
16	8.1	12.2	3.7	5.2	10			64	4.9	57.0	SSW	1.4	4.3	16
17	11.5	16.0	6.8	9.5	6			75	7.6	53.7	S	2.3	3.4	17
18	13.3	15.7	10.7	12.3	5			85	9.9	52.6	S	6.7	3.5	18
19	12.9	14.8	10.4	11.0	5	6.3	1.92	80	8.6	49.6	S	6.5	5.2	19
20	10.1	13.6	7.1	8.0	8	8.2	3.50	76	6.6	45.2	SSW	2.0	3.5	20
21	7.4	9.6	6.0	5.6	11	0.0	0.33	76	5.8	48.8	NE	4.7	2.6	21
22	5.2	5.8	4.6	4.2	13	1.7	6.17	83	5.5	49.1	NE	3.2	1.4	22
23	3.6	5.7	2.0	2.1	14	0.0	0.17	74	4.3	55.4	NE	8.5	2.4	23
24	3.2	4.4	2.3	1.3	15			67	3.9	58.3	NNE	11.1	3.7	24
25	3.8	6.7	2.4	2.0	14	0.0	0.83	69	4.1	59.1	NNE	10.6	4.1	25
26	4.6	6.8	1.7	2.9	13			68	4.3	60.8	NNE	5.9	3.1	26
27	5.2	10.7	1.9	3.4	13			70	4.6	59.9	N	1.4	2.2	27
28	7.0	11.6	2.5	5.6	11			74	5.7	55.7	S	1.2	2.9	28
29	10.1	14.8	4.9	8.8	8	0.0	0.08	80	7.4	53.3	SSW	1.6	2.6	29
30	12.7	16.7	10.5	10.8	5	0.0	1.33	77	8.2	51.6	SSW	3.4	4.6	30
31	7.8	11.8	4.5	6.2	10	4.4	7.92	84	6.3	51.8	NE	6.9	2.4	31
Sum					334	22.5	-				NE		84.4	Su
Avg.	7.2	10.0	4.2	5.4				73	5.7	754.1	(6)	4.2	2.7	Av

ear : 1950 Month : January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	0.0	9.7	6	6	7.1	7.6	10.5	11.3	12.0	13.0	2	◍⁰ ◍²	1
2	0.0	9.7	6	7	3.7	4.1	8.2	10.6	11.6	12.8	1	◍	2
3	0.4	9.7	6	6	6.7	7.2	7.8	10.2	11.4	12.7	1	◍	3
4	3.5	8.7	8	8	7.5	8.2	8.9	10.3	11.4	12.7	1	◍⁰ ◍ ⊕	4
5	7.1	2.0	7	9	4.9	7.1	8.1	10.1	11.1	12.5	1	◍⁰ ⌊⁰ ⌐⁰	5
6	7.7	2.3	8	7	7.7	8.5	8.1	9.9	11.0	12.2	0	⌊⁰ ⌐⁰	6
7	1.7	5.7	5	5	8.8	9.2	8.7	10.0	11.0	12.2	0		7
8	8.0	3.7	7	8	9.5	10.0	9.0	10.0	11.0	12.2	0	⌐²	8
9	9.0	3.3	7	7	7.7	9.0	9.0	10.2	10.9	12.2	0	⌐¹	9
10	5.1	3.7	6	6	8.2	9.3	9.4	10.3	11.4	12.1	0	∈⁰ ⌐⁰	10
11	6.0	5.0	7	6	8.0	10.0	9.2	10.3	11.0	12.1	0	⌐⁰	11
12	0.0	9.7	3	2	-0.7	1.6	7.5	9.9	10.4	11.6	1	✳¹⁻²	12
13	3.4	8.3	6	6	-1.5	0.4	4.6	8.5	10.0	11.5	3	✳¹ ⌊¹	13
14	1.6	6.3	7	7	0.2	0.7	4.4	7.9	9.6	11.4	1	✳¹ ⌊²	14
15	8.1	7.0	7	8	5.0	6.4	4.8	7.5	9.4	11.1	1	⌊²	15
16	8.9	0.7	6	6	7.6	7.9	7.0	8.0	9.3	11.0	1	∠⁰ ⌐⁰	16
17	7.1	6.3	7	7	9.2	10.6	7.9	8.5	9.5	11.0	1	⌐¹	17
18	3.5	5.7	6	6	12.5	13.8	9.9	9.2	9.9	11.1	1	⊕¹ ⌐²	18
19	4.5	7.7	7	6	10.2	10.5	10.9	10.2	10.3	11.2	1	◍¹⁻² ◍⁰	19
20	7.8	6.0	7	8	9.3	9.4	10.1	10.3	10.5	11.3	1	◍¹ ⊼⁰ ⌐¹	20
21	0.7	9.0	7	6	6.8	6.5	8.9	10.1	10.4	11.2	1	◍¹ ∠⁰	21
22	0.0	10.0	6	7	4.8	4.9	8.2	9.5	10.2	11.2	1	◍⁰ ◍⁰⁻¹	22
23	2.3	9.3	6	7	3.9	4.1	6.7	9.0	9.9	11.0	1	✳⁰	23
24	0.2	9.7	7	7	2.6	3.1	6.0	8.6	9.5	10.7	1		24
25	5.6	8.0	6	6	4.3	5.3	6.0	8.1	9.2	10.6	1	✳	25
26	0.0	9.7	8	8	4.2	4.5	5.9	8.0	9.1	10.6	1		26
27	7.3	4.0	7	8	5.1	6.2	6.3	7.9	9.0	10.4	1	⌐¹	27
28	0.0	8.0	8	7	9.3	8.2	6.7	8.3	9.0	10.3	1	⊓¹ ⌊⁻² ⌐⁰	28
29	6.6	6.3	7	7	11.0	12.0	7.9	8.2	9.1	10.3	1	◍¹ ⌐¹⁻²	29
30	5.6	9.0	8	8	13.7	14.4	10.1	9.1	9.5	10.5	1	◍¹ ⊓¹ ⌐¹	30
31	0.8	9.7	8	6	6.8	7.3	9.5	9.7	9.7	10.4	1	◍⁰ ◍¹	31
Sum	122.5											◍6, ◍11, ⊼1, ∠1, ✳3, ✳2,	
Avg.		6.9	6.7	6.7	6.6	7.4	7.9	9.4	10.2	11.5		⊕2, ⊓2, ⊔1, ⌊6, ⌂15.	

Year : 1950 Month : February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	5.1	9.6	3.4	3.2	13	0.1	0.25	72	4.6	756.8	NNE	3.3	3.1
2	6.9	12.5	2.4	5.2	11			75	5.5	55.7	NE	1.3	2.8
3	3.0	7.8	1.1	0.9	15			76	4.0	59.6	NE	9.9	3.3
4	3.8	10.2	-0.7	2.7	14			72	4.3	59.4	NE	3.6	2.0
5	1.2	4.4	-0.6	-0.3	17	0.0	1.52	68	3.5	63.0	NE	7.1	2.0
6	3.1	7.8	-1.9	1.3	15			68	3.9	62.2	SSW	1.0	2.4
7	9.6	12.2	2.7	9.1	8	0.0	1.75	81	7.6	57.7	S	7.6	2.7
8	10.8	12.1	9.1	8.8	7	3.6	8.67	78	7.4	56.3	SW	5.1	4.9
9	11.2	14.7	8.0	8.9	7			74	7.0	51.6	S	1.7	3.8
10	10.9	14.2	9.3	9.7	7	7.8	13.25	83	7.8	48.8	S	1.6	2.5
11	11.7	16.7	6.9	9.6	6			74	7.8	52.5	SSW	1.5	3.4
12	12.8	16.8	8.7	9.9	5			66	7.3	53.2	WSW	2.4	4.8
13	13.7	19.7	10.5	10.2	4			62	7.5	56.6	SW	1.3	5.2
14	12.1	15.6	8.3	10.5	6			77	8.3	57.3	S	3.1	4.0
15	13.1	16.2	9.6	11.3	5			78	8.6	57.1	S	3.4	4.1
16	12.8	18.3	8.2	10.7	5			71	8.0	61.5	NE	3.6	2.9
17	12.8	17.2	8.1	8.6	5			53	5.7	61.5	NE	4.8	6.5
18	13.5	18.4	9.1	9.5	4			53	6.4	60.1	NNE	4.8	4.2
19	12.9	19.3	9.0	9.4	5			57	6.4	56.3	NE	2.1	4.5
20	13.5	19.1	8.1	8.5	4			46	4.9	50.4	NW	1.9	6.4
21	13.4	17.8	8.3	9.8	5			52	6.7	48.3	W	2.4	6.4
22	14.9	19.1	12.0	12.2	3			72	8.9	45.7	W	3.1	5.7
23	10.1	13.9	8.0	8.0	8	0.0	0.03	78	6.8	51.8	NE	5.9	3.3
24	9.6	14.4	6.2	7.9	8			74	6.5	54.9	NNE	2.9	3.7
25	10.4	14.7	6.3	7.9	8			70	6.2	52.0	S	1.7	3.3
26	12.7	17.5	18.9	10.9	5			77	8.5	50.9	S	3.0	3.7
27	14.2	17.2	11.4	12.3	4			76	9.1	49.2	S	8.1	3.5
28	14.0	18.9	10.7	10.4	4			64	7.2	50.0	SSW	1.1	5.0
Sum					208	11.5	25.47				S		110.1
Avg.	10.5	14.9	6.8	8.1				69	6.7	755.0	(6)	3.5	3.9

Year : 1950 Month : February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Aug. Soil. temperature (°C) (3)						Ground condition at 14h (10)		Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	6.8	4.3	7	7	6.4	7.3	7.5	9.1	9.6	10.4	1		1
2	9.3	7.3	6	7	8.2	8.3	7.4	8.9	9.5	10.4	1		2
3	7.2	8.0	6	6	3.1	5.8	7.0	8.6	9.2	10.2	1		3
4	4.5	3.7	7	7	7.6	8.7	6.9	8.5	9.2	10.3	1		4
5	7.6	6.3	7	7	2.4	2.8	5.6	7.9	8.8	10.1	1		5
6	9.4	0.7	6	6	5.6	5.5	5.1	7.5	8.6	10.0	1		6
7	0.0	9.3	6	7	10.0	9.2	7.1	8.0	8.9	10.1	1		7
8	0.0	10.0	6	6	9.0	8.8	8.8	8.6	9.1	10.2	2		8
9	7.8	7.3	7	7	11.5	10.6	9.2	9.0	9.3	10.1	1		9
10	3.1	7.0	7	6	10.6	11.7	10.0	9.4	9.6	10.2	2		10
11	9.9	0.0	7	7	11.8	10.9	9.7	9.7	9.8	10.5	1		11
12	9.8	0.7	8	8	13.1	11.6	10.4	9.8	9.9	10.4	1		12
13	9.7	1.3	7	7	13.2	14.2	11.3	10.4	10.2	10.7	1		13
14	7.8	0.7	7	7	12.6	12.5	10.9	10.5	10.4	10.7	1		14
15	9.5	6.3	6	7	14.1	15.2	11.9	10.9	10.6	10.9	1		15
16	9.0	4.0	7	7	12.7	13.8	12.2	11.3	10.9	11.0	1		16
17	10.1	0.3	6	7	11.3	13.5	11.8	11.3	11.0	11.1	1		17
18	7.1	0.3	6	7	12.7	15.6	12.5	11.7	11.3	11.3	0		18
19	10.1	6.0	7	7	15.8	15.8	12.3	11.8	11.4	11.5	0		19
20	9.7	4.0	7	9	15.1	14.1	12.8	12.0	11.6	11.6	0		20
21	9.9	4.7	6	6	11.8	13.9	12.6	12.0	11.8	11.8	0		21
22	7.6	6.0	5	8	14.7	16.3	13.2	12.3	12.0	11.9	0		22
23	5.0	7.3	7	7	13.9	15.0	13.2	12.7	12.2	12.1	0		23
24	8.8	3.7	8	6	11.5	12.9	11.7	14.5	12.2	12.2	0		24
25	10.2	5.7	7	7	11.3	13.3	11.7	12.2	12.2	12.2	0		25
26	7.7	4.7	6	7	13.8	16.3	12.5	12.1	12.2	12.3	0		26
27	6.3	7.7	7	7	15.0	16.2	13.4	12.9	12.4	12.4	0		27
28	7.3	6.7	6	6	14.2	16.7	14.3	12.8	12.6	12.5	0		28
Sum	211.2											●2, ◍5, ✳1, ⚹1, ◯1, ⊕3, Ψ3, Θ2, ⊔2, ⊓14.	
Avg.		4.8	6.6	6.9	11.2	12.0	10.5	10.6	10.6	11.0			

Year : 1950 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)(5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	13.3	14.8	12.0	12.2	5	10.6	5.50	88	10.0	747.4	SSE	1.7	2.4	
2	13.3	16.1	10.5	11.4	5	2.0	3.17	79	8.7	44.9	S	3.4	3.2	
3	12.8	15.4	10.8	10.5	5	0.3	3.75	72	7.8	47.5	S	6.1	4.4	
4	10.7	13.9	7.7	9.6	7	34.6	8.67	87	8.4	44.6	NE	7.8	3.0	
5	7.7	9.5	5.7	5.7	10	6.8	8.50	79	5.8	46.7	NE	11.1	2.3	
6	8.2	11.5	5.5	6.8	10	1.4	2.00	73	6.2	54.8	NE	10.2	3.1	
7	10.1	14.4	7.3	7.6	8			64	6.0	57.5	NNE	4.1	3.9	
8	11.3	16.4	6.6	9.2	7			66	6.9	52.9	SSW	1.2	4.0	
9	13.4	18.5	8.3	10.3	5			66	6.8	50.4	S	1.3	4.2	
10	13.6	19.3	9.2	10.7	4			65	7.5	50.7	S	1.5	3.8	
11	13.8	18.3	8.5	11.2	4			72	8.0	48.9	SW	1.1	3.0	
12	14.4	19.3	11.0	11.5	4			68	8.2	49.0	S	0.9	3.1	
13	14.8	18.6	11.0	11.6	3			70	8.3	49.9	S	2.2	4.3	
14	15.5	21.4	12.9	11.7	2	0.0	0.17	66	8.0	49.8	NW	1.7	3.2	
15	12.8	17.8	10.3	11.2	5	5.7	0.67	78	8.7	54.6	S	0.6	2.0	
16	13.6	19.2	8.7	11.8	4	0.0	0.17	72	8.6	56.0	SW	0.7	2.5	
17	13.8	20.1	9.3	10.4	4			59	7.1	57.8	NE	4.0	3.8	
18	9.4	12.6	7.5	5.8	9			56	4.8	59.6	NE	9.7	4.9	
19	7.9	12.8	4.8	5.2	10			62	4.7	58.2	NE	7.3	5.2	
20	7.6	13.2	3.2	5.0	10			59	4.6	56.0	NE	3.7	3.7	
21	8.4	12.1	4.4	6.0	10			66	5.4	54.2	NNE	1.4	2.5	
22	9.6	12.2	7.2	7.7	8	0.0	0.67	75	6.5	53.0	NE	1.2	1.9	
23	8.3	10.4	6.3	6.8	10	8.2	18.50	80	6.5	53.2	NE	5.7	1.8	
24	9.7	13.8	6.2	6.8	8			61	5.5	52.8	NNE	5.0	3.8	
25	7.8	11.3	6.0	5.2	10	0.3	0.42	64	4.8	51.0	NE	4.8	3.4	
26	8.0	12.7	2.8	5.9	10	2.5	2.50	66	5.2	52.4	SW	1.3	3.3	
27	7.2	9.4	5.2	5.6	11	14.1	16.50	82	6.0	52.4	NE	4.7	1.2	
28	9.9	15.9	5.3	7.3	8			59	5.3	55.1	NW	2.9	4.7	
29	10.9	15.6	6.3	8.7	7			68	6.6	54.1	SSW	1.2	4.0	
30	14.1	17.4	9.4	11.7	4			71	8.6	48.0	S	3.7	4.0	
31	15.7	20.2	13.0	13.3	2			76	10.0	46.1	S	1.8	5.3	
Sum					209	86.5	71.19				NE		105.9	Su
Avg	11.2	15.3	7.8	8.9				70	7.0	751.9	(6)	3.7	3.4	Av

Year : 1950 Month : March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	0.0	10.0	4	4	11.7	12.0	13.6	13.1	12.7	12.7	2		1
2	2.4	8.7	6	7	12.8	12.3	13.2	13.1	12.8	12.7	2		2
3	9.0	5.3	8	8	14.0	13.4	12.8	12.8	12.8	12.8	1		3
4	0.8	10.0	6	6	10.1	11.3	12.3	12.7	12.7	12.8	2		4
5	0.0	9.3	5	5	5.6	6.5	10.4	11.9	12.3	12.6	2		5
6	2.9	6.7	8	8	7.4	7.8	9.3	11.2	12.1	12.5	1		6
7	6.4	4.3	6	6	12.4	11.3	10.2	11.2	11.8	12.5	1		7
8	4.2	0.3	6	5	12.5	13.7	10.4	11.3	11.6	12.4	1		8
9	1.7	0.3	6	6	12.6	15.0	11.6	11.5	11.9	12.5	0		9
0	9.6	0.3	6	6	15.9	16.6	12.3	11.9	12.0	12.5	0		10
1	9.6	2.0	6	6	14.6	17.1	12.9	12.2	12.2	12.5	0		11
2	6.5	4.7	7	7	15.2	18.0	13.6	12.6	12.4	12.6	0		12
3	10.2	4.0	7	7	15.3	18.0	14.0	12.9	12.6	12.7	0		13
4	7.4	7.7	6	6	16.9	19.1	15.0	13.4	12.8	12.9	0		14
5	3.5	7.3	6	6	15.4	15.7	14.1	13.5	13.0	12.9	0		15
6	7.0	2.7	6	6	16.4	15.2	13.5	13.4	13.1	13.1	1		16
7	10.6	1.0	7	8	17.4	18.7	13.8	13.4	13.2	12.9	0		17
8	10.2	1.3	6	7	13.3	14.2	13.1	13.3	13.1	13.2	0		18
9	10.4	0.7	7	7	9.6	14.9	11.7	12.6	12.9	13.2	0		19
20	8.4	3.3	7	7	10.9	13.5	11.4	12.4	12.8	13.2	0		20
21	0.8	9.0	5	5	8.4	11.7	11.3	12.4	12.8	13.2	0		21
22	0.1	10.0	6	6	10.3	11.6	11.5	12.3	12.7	13.2	1		22
23	0.0	10.0	6	6	7.0	7.9	10.8	12.1	12.4	13.0	2		23
24	10.6	2.7	7	7	11.5	12.7	10.5	11.7	12.4	12.9	1		24
25	6.3	6.3	7	7	9.0	10.5	10.5	11.6	12.2	12.8	1		25
26	7.8	9.3	7	7	11.1	12.6	10.0	11.4	12.1	12.8	1		26
27	0.2	9.3	8	7	6.6	7.9	10.0	11.4	11.9	13.0	2		27
28	11.3	0.7	7	8	13.8	14.5	10.3	11.1	11.9	12.6	1		28
29	8.5	5.7	7	6	14.9	15.3	11.0	11.4	11.9	12.6	1		29
30	0.0	10.0	6	6	14.3	14.1	11.9	11.9	12.1	12.6	1		30
31	2.4	9.3	6	5	15.2	16.0	13.4	12.3	12.3	12.7	1		31
Sum	168.8											11, 14, 2, 2, 2, 1, 1, 3, 18.	
Avg		5.6	6.4	6.4	12.3	13.5	12.0	12.3	12.4	12.8			

Year : 1950 Month : April

Date	Air temperature (°C)					Precipit		Average of		Avg. pressure at 0°C (mm)	(1) Wind (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	14.2	19.1	10.3	13.0	4	0.0	0.08	84	10.3	746.3	SW	0.4	1.9	
2	14.5	18.5	10.1	12.7	3			80	9.6	45.1	SSW	1.7	2.7	
3	13.9	17.7	10.6	12.4	4	0.0	0.33	81	9.3	41.6	S	2.7	2.9	
4	12.8	16.1	10.5	10.6	5	0.2	0.25	76	8.6	40.1	SW	3.7	3.3	
5	12.8	16.5	9.7	10.5	5			68	7.6	42.5	S	3.1	3.9	
6	12.2	15.1	9.6	10.4	6	0.6	1.33	76	8.2	46.7	SW	0.5	3.0	
7	11.5	17.5	8.4	10.1	6	16.1	4.17	80	8.2	51.1	NE	1.3	2.1	
8	11.8	16.1	8.3	9.6	6	0.3	0.67	70	6.9	51.6	NW	2.8	4.1	
9	9.8	13.9	6.9	7.7	8	7.1	8.75	71	6.2	49.6	N	4.3	2.9	
10	12.9	17.4	7.0	10.1	5			62	7.0	47.6	S	2.0	4.2	
11	13.7	18.2	8.4	11.6	4			74	8.7	46.9	SSW	1.2	4.7	
12	14.5	18.7	10.5	12.9	3			79	9.8	50.4	SSW	1.2	2.7	
13	14.7	19.0	11.3	13.4	3			85	10.4	52.9	SSW	0.9	2.0	
14	15.4	22.0	11.6	14.6	3			87	11.4	51.3	SW	0.5	2.0	
15	16.6	21.6	13.1	14.3	1			74	10.5	49.9	SW	0.7	2.9	
16	19.3	26.5	14.8	15.6	0			63	11.1	50.8	S	0.8	5.5	
17	18.3	24.6	13.6	14.8	0			66	10.5	50.7	SW	0.8	4.7	
18	19.9	25.3	15.7	15.7	0	0.0	0.17	63	10.6	50.0	E	2.3	5.1	
19	20.4	25.6	16.5	15.5	0			58	7.1	47.9	ENE	2.0	6.1	
20	23.2	30.9	17.0	16.6	0			46	9.5	47.8	NE	1.1	8.3	
21	25.5	32.2	20.7	18.0	0			44	10.6	47.7	S	1.0	9.5	
22	23.2	31.2	18.6	17.4	0			52	10.7	47.3	NW	1.5	9.0	
23	19.6	23.7	15.9	16.2	0			64	11.2	45.7	SW	1.1	4.2	
24	17.3	22.1	14.2	13.0	1			58	8.4	49.2	S	2.5	5.2	
25	17.9	23.4	12.9	13.2	0			56	8.1	50.5	SW	1.2	6.0	
26	19.1	25.3	12.3	13.4	0			47	7.4	51.3	W	1.6	5.6	
27	18.9	24.7	13.9	14.3	0			54	8.9	52.7	SW	1.2	7.4	
28	20.1	25.6	13.3	13.6	0			43	7.1	52.0	NE	5.0	7.7	
29	20.9	26.9	16.0	14.1	0			42	7.4	51.1	NE	3.6	9.9	
30	20.5	29.3	16.3	15.2	0			48	9.1	52.0	NE	6.9	9.3	
Sum					67	24.3	15.75	.	.		SW		148.8	S
Avg.	16.8	22.2	12.6	13.3				65	9.0	748.7	(6)	2.0	5.0	A

ar : 1950 Month : April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	1.6	8.7	5	5	15.4	14.8	13.8	12.8	12.5	12.8	1	
2	9.9	4.7	6	6	16.9	19.8	14.5	13.3	12.8	12.9	1	
3	1.1	7.3	7	7	15.1	14.9	14.3	13.5	13.0	13.0	1	
4	3.7	7.3	5	5	11.5	12.3	13.4	13.4	13.2	13.1	1	
5	7.3	7.7	8	7	15.8	17.6	13.6	13.3	13.2	13.2	0	
6	1.4	9.0	7	7	15.9	14.9	13.5	13.4	13.2	13.3	1	
7	2.9	8.7	7	6	12.7	16.1	12.9	13.1	13.1	13.3	1	
8	7.4	8.7	7	7	14.7	16.0	13.2	13.1	13.2	13.3	1	
9	2.0	6.7	7	7	11.4	12.0	12.1	12.9	13.1	13.3	1	
10	10.9	6.3	7	7	16.3	16.0	12.5	12.8	13.0	13.3	1	
11	11.9	0.7	5	6	17.9	18.9	13.8	12.9	13.0	13.3	1	
12	11.7	2.7	7	7	18.9	20.7	15.0	13.6	13.3	13.4	0	
13	6.7	7.3	7	7	17.1	21.8	15.6	14.1	13.5	13.5	0	
14	3.7	6.7	7	7	19.9	20.6	16.0	14.5	13.8	13.6	0	
15	3.3	4.7	7	7	17.4	19.1	16.4	14.9	14.1	13.8	0	
16	5.3	8.3	6	6	21.7	23.0	17.5	15.3	14.4	14.0	0	
17	4.9	7.3	6	5	18.9	20.0	17.8	15.8	14.7	14.1	0	
18	1.2	9.3	7	6	18.8	23.0	18.2	16.1	15.0	14.3	0	
19	1.1	9.0	5	5	17.9	19.7	18.2	16.3	15.2	14.6	0	
20	5.2	9.0	7	7	23.4	28.4	19.3	16.9	15.5	14.9	0	
21	11.8	1.7	7	7	23.8	30.7	21.6	17.5	15.9	15.1	0	
22	10.2	4.7	7	7	26.3	23.7	22.6	20.2	16.5	15.3	0	
23	11.0	0.7	7	7	24.1	29.2	22.5	19.3	17.1	15.6	0	
24	12.4	4.3	7	7	19.2	26.3	21.1	19.2	17.4	15.9	0	
25	11.7	4.0	7	7	21.1	28.1	19.2	19.0	17.6	16.2	0	
26	12.0	0.3	8	8	21.2	30.0	21.0	19.1	17.7	16.4	0	
27	12.1	0.3	8	8	20.6	28.2	21.2	19.2	17.9	16.6	0	
28	12.3	0.7	5	4	22.6	29.4	21.2	19.4	18.1	16.9	0	
29	11.7	0.7	8	8	25.2	32.3	21.8	19.4	18.3	17.1	0	
30	7.9	4.7	7	7	23.6	27.5	21.9	20.0	18.5	17.4	0	
um	216.3											◍3, ◍8, ⊼3, ⊕2, Ψ1, Ω 17.
vg.		5.4	6.7	6.6	18.8	21.9	17.2	15.8	14.9	14.5		

Year : 1950 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	17.3	20.5	15.3	12.6	1			54	7.9	752.6	NE	13.5	8.5	
2	16.1	19.3	13.9	11.3	2			50	6.9	50.7	NNE	11.1	9.1	
3	14.4	17.5	12.0	12.1	4	2.5	5.00	73	9.1	46.7	NE	7.7	3.4	
4	15.4	19.2	13.0	12.5	3	0.0	1.50	66	8.8	45.6	NW	4.3	4.8	
5	16.0	20.7	13.8	14.2	2	0.7	1.50	76	10.5	48.2	SW	1.0	3.4	
6	15.5	18.3	13.9	14.3	2	17.2	7.67	87	11.4	48.5	N	0.9	1.4	
7	17.6	21.9	13.1	15.2	0			75	11.0	48.4	SW	1.8	3.7	
8	17.8	22.3	14.8	15.5	0	0.4	1.00	77	11.7	48.1	WSW	0.8	2.7	
9	18.1	23.3	13.7	15.0	0	0.0	0.17	71	10.6	48.5	NE	2.9	3.8	
10	17.6	22.6	14.0	13.3	0			57	8.3	48.7	NE	4.2	5.0	
11	16.4	20.7	12.4	10.2	2			41	5.3	49.8	NE	6.2	9.3	
12	17.4	23.5	12.1	11.2	1			41	5.8	49.6	NE	4.8	8.7	
13	13.2	17.4	11.2	10.1	5	2.6	7.25	60	7.1	47.9	NE	3.0	5.0	
14	16.3	23.2	10.8	12.6	2			57	7.7	49.4	NE	2.8	6.0	
15	16.8	21.7	11.8	12.8	1			59	8.0	50.2	SW	2.0	5.4	
16	18.2	23.0	13.6	14.0	0			57	8.7	50.1	S	2.3	6.6	
17	17.6	22.0	13.5	13.9	0			57	9.1	50.0	SW	1.5	4.7	
18	19.1	25.6	14.7	14.5	0	0.0	0.17	58	9.2	50.4	SW	1.2	4.9	
19	20.2	25.4	15.0	15.7	0			57	10.0	52.0	S	2.0	6.1	
20	20.3	24.2	16.1	15.4	0	0.3	1.00	60	10.5	53.7	S	1.3	5.5	
21	21.4	28.4	16.1	16.6	0			58	10.7	53.2	SW	2.7	6.8	
22	22.6	28.2	17.4	17.1	0			54	10.7	53.0	NE	2.4	6.1	
23	24.7	31.2	18.1	17.9	0			48	10.5	52.6	NE	2.3	7.8	
24	25.6	31.1	21.1	18.8	0			47	11.5	53.1	SW	1.4	8.3	
25	26.5	31.7	21.0	19.7	0			47	12.7	54.4	SW	1.2	8.2	
26	26.9	31.8	21.2	20.1	0			47	12.9	53.9	SW	1.3	8.0	
27	27.5	32.9	22.4	20.3	0			48	12.9	53.2	SW	1.1	8.6	
28	28.3	34.2	23.0	20.7	0			46	13.1	53.5	SW	1.4	10.7	
29	28.7	36.1	23.0	19.2	0			37	10.3	51.1	W	2.5	14.4	
30	22.3	26.7	19.5	15.1	0			43	8.3	51.1	NNW	7.2	14.1	
31	23.4	28.8	18.6	17.0	0			49	10.1	52.3	N	7.6	12.0	
Sum					25	23.7	25.26				NE		213.0	
Avg.	20.0	25.0	15.8	15.1				57	9.7	750.7	(6)	3.4	6.9	

ar : 1950 Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
8.1	6.0	5	6	17.5	26.1	21.0	19.9	18.7	17.6	0		1
4.5	10.0	7	7	18.3	24.9	19.8	19.6	18.6	17.7	0		2
0.0	10.0	7	7	13.2	14.8	18.1	19.0	18.4	17.8	1	$\bigcirc^{0}$ $\bigcirc^{1}$	3
2.4	9.3	7	7	17.3	19.7	17.6	18.3	18.3	17.8	1	$\bigcirc^{0}$	4
0.3	10.0	6	5	18.2	20.5	18.2	18.1	18.1	17.7	1	$\bigcirc^{1}$	5
1.8	9.0	7	6	15.1	15.6	17.6	17.8	17.9	17.6	2	$\bigcirc^{1-2}$ $\bigcirc^{1}$ $\forall^{0}$ T^{0}	6
10.6	4.0	8	8	19.0	21.2	18.2	17.7	17.8	17.5	1	D_{0}	7
4.1	5.0	7	7	17.4	18.0	18.1	18.0	17.7	17.5	2	$\bigcirc^{1}$ $\bigcirc^{2}$	8
8.3	6.0	7	8	18.4	22.2	20.9	18.1	17.8	17.5	1	$\bigcirc^{0}$ D_{0-1}	9
7.4	6.3	7	7	18.5	21.0	19.3	18.3	17.8	17.5	1		10
12.4	1.0	7	7	23.1	28.3	18.9	18.4	17.9	17.5	0	D_{0}	11
13.1	4.0	8	7	21.4	28.4	20.3	18.8	18.1	17.6	0		12
0.7	7.3	6	6	13.9	19.6	18.5	18.8	18.1	17.7	1	$\bigcirc^{1}$	13
10.9	5.0	7	8	22.0	26.6	18.1	18.0	18.1	17.7	1		14
12.2	4.7	7	6	18.7	24.0	19.1	18.2	18.0	17.6	0		15
12.3	4.0	7	7	20.8	26.2	20.3	18.6	18.1	17.6	0		16
4.5	9.7	6	6	19.8	21.0	19.9	19.0	18.2	17.7	0		17
5.4	7.0	7	7	21.4	22.5	20.4	19.2	18.4	17.8	0	$\bigcirc^{0}$	18
11.7	3.7	7	7	22.0	27.9	24.5	19.3	18.5	17.8	0		19
7.3	5.0	6	7	17.7	19.8	21.7	19.9	18.7	17.9	0	$\bigcirc^{1}$ $\bigcirc^{1}$ R	20
11.5	6.0	8	8	21.2	26.7	22.2	20.3	19.0	18.1	0		21
9.7	3.3	8	8	22.8	28.1	23.3	20.6	19.2	18.2	0		22
12.7	2.7	8	8	26.6	33.8	24.5	21.2	19.6	18.4	0		23
12.9	3.0	8	7	25.3	33.3	25.5	22.3	20.1	18.6	0		24
12.4	1.3	6	6	26.3	33.1	26.2	22.6	20.5	18.9	0		25
13.2	1.3	7	6	26.9	34.3	26.9	23.3	21.0	19.1	0		26
12.2	2.0	7	6	27.8	35.0	27.5	23.8	21.4	19.4	0		27
12.1	3.3	7	7	33.1	30.8	28.1	24.2	21.9	19.7	0		28
9.6	0.7	7	7	30.5	37.9	28.9	24.9	22.3	20.1	0		29
11.1	3.7	7	7	26.0	37.0	27.7	24.9	22.6	20.3	0		30
11.5	2.3	7	7	26.6	33.3	27.0	25.0	22.9	20.7	0		31
Sum 266.9											$\bigcirc$ 4, $\bigcirc$ 9, $\forall$ 9, R 2, T 1, Ω 3.	
Avg		5.0	7.0	6.9	21.5	26.2	21.9	20.2	19.1	18.2		

Year : 1950 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	(1) Wind (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.0	32.9	19.9	19.2	0			44	11.6	753.3	NE	2.7	9.8
2	25.6	33.0	19.8	17.7	0			39	9.8	52.3	NE	4.8	9.8
3	21.0	24.8	19.0	15.5	0			50	9.6	53.6	NE	10.0	8.2
4	18.9	21.9	15.9	13.5	0			50	8.0	54.8	NE	12.0	9.0
5	19.9	23.8	16.2	13.7	0			42	7.5	55.4	NE	10.2	10.5
6	21.5	26.4	15.6	14.8	0			40	7.7	55.0	NE	4.9	10.8
7	23.4	28.7	17.5	15.2	0			35	7.2	52.9	NE	6.3	13.9
8	23.2	28.3	18.3	16.9	0	0.0	0.08	44	9.8	50.1	S	2.2	10.0
9	21.9	25.8	19.8	17.3	0	0.4	1.00	62	11.9	49.4	SW	1.3	6.1
10	22.9	28.5	17.3	19.0	0			64	13.5	51.5	SW	1.4	6.6
11	24.0	29.0	18.9	19.5	0			62	13.7	53.9	SW	1.6	6.0
12	24.8	29.9	20.0	20.1	0			60	14.2	53.7	SW	1.2	6.3
13	25.3	30.3	21.4	19.6	0			56	13.4	53.0	SW	1.0	7.1
14	25.8	30.3	21.0	19.8	0			53	13.0	52.4	SW	1.3	7.0
15	28.2	34.7	21.6	19.7	0			43	11.7	51.0	W	2.9	11.5
16	27.0	33.0	22.7	20.4	0			52	13.6	51.0	SW	1.7	8.5
17	27.8	33.7	21.3	21.4	0			53	14.3	50.8	SW	1.3	8.1
18	29.6	34.3	23.7	22.3	0			49	15.0	49.6	SW	2.9	9.5
19	29.3	34.5	25.4	21.7	0			48	14.6	48.7	WSW	2.3	13.2
20	26.3	30.1	23.5	20.4	0			59	13.9	50.0	N	5.6	12.2
21	25.4	29.6	21.0	19.7	0			57	13.4	50.5	SSW	2.4	9.1
22	26.3	30.9	20.8	21.2	0			57	14.3	50.1	SW	2.4	9.5
23	28.9	36.7	23.3	22.3	0			53	15.1	47.8	S	2.1	11.5
24	28.1	32.9	24.0	21.6	0			56	14.9	47.9	SW	1.2	8.1
25	28.4	35.5	23.9	20.4	0			48	12.9	48.9	SW	2.9	9.1
26	25.5	29.9	21.5	18.7	0	0.0	0.08	52	11.8	48.7	NE	6.1	8.9
27	24.6	29.9	20.3	16.8	0			45	8.9	49.2	N	5.0	8.5
28	24.9	29.5	21.2	17.2	0			44	9.5	49.8	N	6.6	10.7
29	26.7	31.1	22.6	17.6	0			36	9.0	51.2	NNE	6.2	12.1
30	28.3	34.7	22.7	19.6	0			40	11.1	52.1	N	2.3	10.4
Sum.					0	0.4	1.16				NE		282.0
Avg.	25.3	30.5	20.7	18.8				50	11.8	751.3	(6)	3.8	9.4

ar : 1950 Month : June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)
1	12.1	2.7	7	6	27.8	36.1	27.7	25.0	23.1	21.0	0	
2	11.7	3.7	7	8	30.4	37.6	28.2	25.3	23.2	21.3	0	
3	11.9	1.0	6	7	26.6	31.0	26.7	25.1	23.3	21.5	0	
4	12.5	1.0	7	7	25.4	30.2	25.5	24.6	23.2	21.4	0	
5	12.5	1.0	8	7	26.8	30.1	24.8	24.2	23.2	21.7	0	
6	12.1	1.3	7	8	29.4	34.8	25.2	24.1	23.2	21.8	0	
7	13.6	0.3	8	8	29.3	35.0	25.8	24.4	23.2	21.8	0	
8	10.5	4.0	7	7	24.4	33.5	26.1	24.6	23.4	21.9	0.	⑨°
9	5.5	5.3	7	6	22.6	26.3	25.7	24.6	23.5	21.2	1.	⑨° K$^{0-1}$
10	12.2	4.7	6	7	24.5	32.5	25.5	24.4	23.4	21.9	0	T
11	8.1	2.3	8	7	25.9	30.2	26.6	24.6	23.4	22.0	0	
12	11.0	2.7	6	5	27.0	35.4	27.3	24.9	23.5	22.0	0	
13	10.4	1.0	6	7	26.6	35.9	27.5	25.1	23.7	22.1	0	
14	13.2	0.7	7	6	27.0	35.9	27.9	25.5	23.9	22.2	0	
15	11.4	1.0	7	7	27.1	37.2	28.5	25.7	24.1	22.3	0	
16	11.2	1.3	7	8	28.0	35.5	29.3	26.2	24.3	22.5	0	
17	12.0	2.7	7	7	30.5	38.1	28.7	26.3	24.5	22.6	0	
18	11.8	0.3	7	7	29.9	39.1	29.4	26.6	24.7	22.8	0	
19	12.5	0.7	7	7	32.1	38.5	26.9	27.0	24.9	23.0	0	
20	12.3	1.0	7	6	30.4	41.6	30.0	27.3	25.3	23.2	0	
21	12.2	1.0	6	6	29.3	34.3	28.9	27.3	25.4	23.4	0	
22	11.2	0.3	7	7	29.2	37.5	28.7	27.0	25.5	23.6	0	
23	11.7	0.7	5	6	33.6	41.0	29.6	27.1	25.5	23.7	0	
24	12.6	1.0	7	7	30.2	38.4	30.2	27.5	25.7	23.8	0	
25	11.3	3.3	7	7	29.7	39.4	29.4	27.7	25.8	23.9	0	
26	8.3	4.0	7	8	28.2	32.2	29.3	27.8	25.9	24.2	0	⑨° T
27	12.2	4.0	6	7	29.3	37.0	28.9	27.4	25.9	24.4	0	
28	12.7	5.3	5	6	27.3	37.6	28.4	27.2	26.0	24.3	0	
29	8.9	1.0	7	7	32.4	38.5	28.8	27.2	25.9	24.4	0	
30	11.4	2.7	6	7	31.2	38.6	29.4	27.5	26.2	24.5	0	
um	341.0											⑨3, K1, T2.
vg.		2.1	6.7	6.9	28.4	35.6	27.8	26.3	24.4	22.7		

Year : 1950 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	30.0	36.1	24.5	20.6	0			38	11.7	750.6	NE	4.4	9.4
2	30.0	34.3	25.2	19.0	0			31	9.2	48.7	NNE	7.9	14.7
3	30.8	34.9	26.5	19.9	0			34	10.3	49.2	N	7.3	15.4
4	30.7	35.7	25.5	20.6	0			36	11.7	50.1	NE	6.5	13.3
5	30.5	35.3	24.8	19.7	0			33	10.0	48.5	NNE	5.4	12.0
6	32.0	37.2	26.8	20.1	0			29	9.7	47.9	NE	6.1	15.1
7	30.7	39.7	26.0	21.6	0			40	12.9	47.6	SW	2.4	12.6
8	29.1	35.3	23.6	21.1	0			48	13.2	45.8	SW	1.1	8.6
9	27.9	31.9	25.4	18.6	0			40	11.0	46.8	NE	6.4	12.3
10	24.2	28.9	20.6	17.8	0			52	11.1	50.1	NE	4.8	8.7
11	24.0	28.3	19.8	18.9	0			56	12.9	48.7	SW	1.8	7.4
12	26.3	33.7	20.2	18.7	0			45	11.2	48.6	ENE	2.2	9.3
13	27.5	32.9	22.2	19.8	0			46	12.0	50.2	SW	1.4	8.0
14	28.1	33.4	24.0	20.9	0			49	13.7	49.9	SW	1.6	8.4
15	27.9	32.1	23.6	19.9	0			45	11.8	47.5	SW	1.8	7.3
16	28.1	33.4	23.5	19.9	0			43	11.7	45.8	SSW	2.2	10.0
17	27.5	32.9	23.0	22.0	0			61	16.2	47.1	W	1.3	6.3
18	29.1	33.7	25.4	17.2	0			26	6.9	50.4	NE	5.9	11.6
19	28.5	32.1	25.0	18.8	0			35	9.9	50.8	NNE	9.4	12.4
20	27.7	31.6	24.6	18.2	0			35	9.5	48.7	NE	7.5	11.4
21	27.5	32.1	23.1	17.7	0			34	8.6	46.8	NNE	7.8	12.6
22	28.5	33.8	25.2	17.8	0			32	8.3	47.3	NNE	10.5	14.1
23	28.3	34.3	24.3	17.2	0			28	7.4	48.2	NNE	8.1	13.5
24	28.9	36.1	23.2	19.0	0			35	9.1	47.9	NE	3.0	11.6
25	29.5	36.7	23.7	19.8	0			37	10.7	48.9	NE	3.3	10.0
26	28.4	32.6	25.5	18.2	0			32	9.3	50.3	NE	7.3	11.1
27	27.4	31.9	23.3	17.7	0			33	8.7	50.0	NE	6.4	11.3
28	29.0	35.5	23.2	19.1	0			32	9.7	49.0	NE	4.3	10.3
29	29.7	35.2	24.2	19.0	0			31	9.6	48.3	NE	5.8	12.4
30	29.5	37.4	23.2	20.8	0			40	13.1	47.2	NE	1.8	9.9
31	29.6	36.1	24.6	20.7	0			42	12.5	48.3	ENE	1.5	8.6
Sum					0	0	0				NE		339.6
Avg.	28.6	34.0	24.0	19.4				39	10.8	748.6	(6)	4.7	11.3

ar : 1950 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
9.3	2.7	6	7	30.4	40.4	30.0	27.7	26.2	24.5	0		1
12.7	0.0	7	8	33.3	40.6	30.8	28.2	26.4	24.6	0		2
12.8	0.7	5	6	29.8	40.5	31.1	28.4	26.6	24.7	0		3
10.2	0.3	6	7	32.2	42.7	31.4	28.8	26.9	24.9	0		4
12.9	0.0	6	7	32.5	43.1	31.7	29.0	27.1	25.1	0		5
13.1	0.0	7	7	31.6	44.6	32.3	29.3	27.3	25.2	0		6
12.9	0.0	8	7	34.6	39.4	32.6	29.7	27.7	25.4	0		7
12.8	1.0	6	6	32.2	38.3	32.0	29.8	27.9	25.6	0		8
12.6	0.3	8	7	31.8	41.9	31.8	29.7	27.8	25.8	0		9
12.6	2.0	7	8	29.4	35.7	30.3	29.4	27.9	25.8	0		10
12.6	0.7	7	7	30.9	37.1	29.7	29.0	27.9	25.9	0		11
12.8	0.7	7	8	29.0	37.8	29.7	28.6	27.6	25.9	0		12
12.8	0.7	7	7	30.4	38.7	30.1	28.6	27.5	25.9	0		13
12.4	0.7	6	7	30.4	39.1	30.4	28.7	27.5	25.9	0		14
12.7	0.7	7	7	28.4	38.1	30.4	28.8	27.5	25.9	0		15
12.8	0.7	8	7	33.5	40.1	30.4	28.8	27.5	25.9	0		16
12.7	0.3	7	7	31.3	41.0	30.4	28.8	27.6	26.0	0		17
12.8	0.3	7	7	33.3	41.6	30.6	28.9	27.3	25.8	0		18
12.8	0.0	6	7	32.2	40.0	30.6	29.0	27.5	25.7	0		19
12.8	0.3	6	7	31.2	38.4	30.6	28.9	27.4	25.8	0		20
12.5	0.3	6	7	31.0	42.0	30.3	29.2	27.7	25.9	0		21
12.6	0.3	7	7	30.9	40.5	30.4	29.0	27.6	25.8	0		22
12.8	0.0	9	9	38.9	40.8	30.6	29.0	27.7	26.0	0		23
12.7	0.0	7	8	32.9	43.5	31.0	29.2	27.9	26.2	0		24
12.5	1.0	7	7	30.9	42.1	31.3	29.4	28.0	26.3	0		25
12.7	1.3	7	8	29.3	40.4	31.3	29.5	28.0	26.1	0		26
12.8	0.0	6	7	31.1	41.1	30.7	29.5	28.1	26.3	0		27
12.9	0.0	7	8	31.1	38.9	30.8	29.5	28.2	26.3	0		28
13.2	0.0	6	7	30.9	41.2	31.3	29.5	28.1	26.4	0		29
13.2	0.0	7	8	30.2	45.1	31.6	29.7	28.4	26.5	0		30
12.3	0.0	7	8	31.8	36.8	31.9	29.9	28.5	26.7	0		31
m 389.3												
	0.5	6.8	7.3	31.5	40.4	30.9	29.1	27.6	25.8			

Year : 1950 Month : August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	28.7	34.2	24.3	21.8	0			51	15.0	750.2	SW	1.4	8.4
2	29.4	34.8	24.3	22.0	0			48	14.8	49.7	SW	1.4	9.1
3	30.1	35.5	25.4	22.5	0			46	15.2	46.9	SW	1.2	9.8
4	29.6	33.8	24.8	22.9	0			50	16.5	42.0	SSW	1.8	9.2
5	28.5	34.7	25.2	20.7	0			44	12.9	43.2	W	2.7	11.1
6	26.3	30.6	22.4	19.2	0			52	11.8	46.8	S	1.9	7.1
7	26.2	31.2	21.4	20.2	0			57	13.7	47.5	SSW	2.4	7.6
8	26.6	31.9	21.0	20.4	0			56	13.5	47.2	SW	1.3	6.6
9	27.5	33.5	21.1	18.9	0			48	10.6	48.0	SW	1.2	8.2
10	28.2	33.1	24.7	18.8	0			37	10.0	48.5	NE	3.9	11.6
11	26.4	31.3	22.8	19.8	0	0.0	0.08	48	11.9	49.9	NNE	5.3	9.4
12	24.4	29.0	21.0	17.4	0			49	10.2	51.8	NNE	7.4	9.1
13	24.5	29.6	18.9	16.4	0			39	8.4	51.5	NNE	5.6	10.5
14	26.4	31.8	20.8	16.9	0			34	8.0	49.7	NNE	4.3	10.4
15	26.8	32.1	21.6	16.6	0			30	7.4	49.8	N	2.7	11.2
16	27.1	33.9	22.0	19.3	0			42	11.7	48.8	NE	2.4	10.1
17	26.1	31.6	21.8	19.7	0			51	12.9	47.1	SSW	1.8	7.4
18	26.1	30.8	22.2	21.1	0			59	15.4	48.3	SW	1.3	6.1
19	28.0	34.8	21.4	18.3	0			36	9.2	49.7	NE	3.7	9.1
20	30.1	35.2	24.5	19.1	0			29	9.3	50.2	NE	5.4	11.2
21	29.6	34.6	25.3	19.4	0			33	10.2	51.5	NE	6.5	12.7
22	27.3	31.1	25.2	17.3	0			36	8.7	54.4	NE	8.5	11.2
23	25.9	30.2	21.9	16.7	0			36	8.3	54.3	NNE	7.3	11.4
24	27.4	33.7	22.8	17.4	0			32	8.5	51.7	NE	5.3	11.3
25	29.2	35.5	22.2	18.5	0			28	8.8	51.2	NE	6.4	11.6
26	28.3	32.6	25.3	19.3	0			38	11.3	51.8	NE	7.0	12.4
27	27.8	34.0	22.2	16.2	0			25	6.2	50.1	NE	4.0	12.3
28	29.3	34.7	24.2	19.5	0			33	10.3	49.7	NE	6.3	12.5
29	29.2	33.5	24.3	18.9	0			35	10.1	50.3	NE	8.5	14.6
30	27.6	35.2	22.8	18.3	0			38	9.8	51.0	NE	2.8	9.6
31	26.0	31.9	20.6	19.0	0			45	11.6	49.2	SW	1.2	8.7
Sum					0	0.0	0.08				NE		311.6
Avg.	27.6	32.9	22.9	19.1				41	11.0	749.4	(6)	4.0	10.5

r : 1950 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
13.0	0.3	7	6	30.3	41.6	31.7	29.9	28.6	26.7	0		1
11.8	0.3	7	7	30.6	40.5	31.5	29.9	28.6	26.7	0		2
13.2	0.3	6	7	34.3	42.9	31.8	29.9	28.6	26.8	0		3
13.1	0.3	7	7	29.0	39.6	31.5	29.8	28.6	26.8	0		4
13.0	0.3	7	7	31.2	41.7	31.7	29.9	28.6	26.9	0		5
11.3	0.8	8	8	31.5	37.2	30.6	29.7	28.5	26.8	0		6
12.6	1.2	7	7	27.9	36.5	30.0	29.4	28.4	26.9	0		7
12.9	0.8	7	7	28.0	39.0	30.0	29.2	28.3	26.9	0		8
11.2	3.0	7	8	26.4	32.6	30.0	29.1	28.2	26.8	0		9
11.9	6.0	6	7	28.6	40.6	30.5	29.2	27.9	26.5	0		10
12.6	2.2	7	7	30.8	39.0	30.3	29.2	27.9	26.6	0	⑨°	11
13.1	1.2	7	7	25.3	37.1	28.8	29.1	27.8	26.5	0		12
13.1	1.3	8	9	25.7	38.3	28.8	28.5	27.8	26.5	0		13
12.4	6.0	8	9	28.1	33.4	28.8	28.4	27.7	26.3	0		14
11.5	0.3	7	8	27.2	38.1	29.5	28.6	27.8	26.7	0		15
12.9	0.3	7	8	28.1	40.3	29.9	28.6	27.8	26.6	0		16
10.9	3.5	8	7	29.1	35.8	29.5	28.8	27.9	26.6	0		17
12.3	2.5	8	6	26.2	35.1	29.1	28.8	27.8	26.6	0		18
12.9	0.0	8	8	27.8	37.8	29.2	28.3	27.5	26.2	0		19
13.1	0.0	7	7	29.0	39.0	30.1	28.6	27.6	26.2	0		20
13.0	0.0	7	8	31.7	38.4	30.4	28.8	27.7	26.6	0		21
12.7	0.5	7	7	26.9	36.6	30.0	28.7	27.6	26.1	0		22
12.9	0.0	7	8	25.7	35.5	29.2	28.2	27.7	26.3	0		23
13.0	0.0	8	7	30.3	37.8	29.2	28.4	27.7	26.2	0		24
12.9	0.0	7	7	26.8	37.9	29.4	28.5	27.7	26.3	0		25
12.7	0.0	6	6	29.3	37.8	30.1	28.8	27.8	26.3	0		26
12.8	0.3	8	8	32.3	36.6	29.6	28.6	27.8	26.5	0		27
12.5	0.3	7	7	28.5	37.0	29.6	28.6	27.6	26.4	0		28
12.3	0.3	7	6	30.2	37.2	30.2	28.7	27.8	26.3	0		29
12.5	0.3	7	8	32.6	38.1	29.9	28.8	27.9	26.6	0		30
11.8	0.3	8	8	24.7	33.4	29.1	28.7	28.0	26.8	0		31
387.9											⑨ 1.	
	1.0	7.2	7.3	28.8	37.8	30.0	29.0	28.0	26.6			

Year : 1950 Month : Septemb

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.4	33.0	20.2	18.1	0			45	9.6	747.2	SSW	1.3	8.2
2	27.6	33.1	22.6	21.5	0			51	15.1	46.9	SW	0.8	8.0
3	27.4	32.7	22.9	21.9	0			55	16.1	46.9	W	3.0	8.0
4	25.4	30.9	21.6	18.5	0			49	11.8	48.1	W	2.8	10.6
5	21.0	26.7	17.2	17.6	0	23.4	6.00	73	11.1	46.4	N	2.4	4.5
6	20.4	24.3	16.9	17.0	0	12.3	5.50	70	12.1	50.5	NNE	4.7	3.8
7	22.2	28.5	17.1	17.3	0			56	11.2	54.0	NE	2.8	5.9
8	23.3	30.3	18.5	18.3	0			56	12.0	52.5	SW	1.1	6.3
9	25.9	34.0	19.3	19.2	0			52	11.7	51.0	NE	1.7	7.6
10	27.6	34.6	22.2	19.9	0			45	11.8	51.5	NE	1.3	8.2
11	27.7	32.5	22.8	19.3	0			41	11.0	52.4	NNE	4.5	9.5
12	27.3	33.6	21.8	19.1	0			42	11.1	51.4	NNE	3.6	8.9
13	28.2	34.0	22.4	19.5	0			38	11.0	49.7	NNE	3.1	9.8
14	26.5	30.7	22.8	18.3	0			41	10.7	50.4	NE	7.4	9.9
15	23.7	28.0	20.2	17.6	0			53	11.0	49.9	NE	6.0	7.2
16	24.3	31.9	19.8	18.5	0			53	11.8	49.8	N	1.4	7.8
17	22.8	27.6	18.0	19.8	0			72	15.1	50.4	SW	1.0	4.2
18	24.4	28.6	20.3	20.8	0			72	15.7	50.8	SW	1.1	3.7
19	24.9	30.0	19.9	19.2	0			61	13.6	50.1	SW	1.1	5.5
20	23.7	29.2	19.3	18.6	0			62	12.7	47.8	SW	1.3	5.3
21	24.4	28.7	20.5	19.5	0			64	13.6	48.7	SSW	1.6	5.4
22	24.1	30.4	20.0	20.8	0			71	15.7	52.1	SW	0.8	3.8
23	24.9	30.3	19.7	20.4	0			66	14.8	53.8	NE	0.9	4.1
24	24.2	28.9	19.7	18.8	0			58	12.6	52.6	NE	3.7	5.2
25	23.8	29.0	19.4	17.4	0			50	10.8	53.7	NE	4.0	6.5
26	23.3	30.4	18.4	15.5	0			39	8.0	55.0	NE	3.2	8.2
27	23.1	29.0	16.1	17.9	0			52	7.1	55.2	SW	1.5	6.8
28	25.4	31.4	19.4	20.0	0			59	13.6	54.0	SSW	0.8	5.4
29	26.5	31.6	22.0	19.5	0			51	12.5	52.0	SW	1.3	6.5
30	23.4	27.9	18.4	19.4	0	0.0	0.50	65	13.8	50.7	S	1.4	5.3
Sum					0	35.7	12.00				NE		200.1
Avg.	24.8	30.4	20.0	18.9				55	12.3	750.8	(6)	2.4	6.7

ear : 1950 Month : September

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	12.2	0.0	7	6	26.3	34.2	28.7	28.5	28.0	26.7	0		1
	12.3	2.7	7	7	28.0	35.4	29.0	28.4	27.8	26.7	0		2
	11.0	3.3	7	7	26.6	33.7	29.5	28.5	27.7	26.7	0	∩	3
	11.4	3.3	8	7	28.6	33.4	28.8	28.2	27.6	26.6	0		4
	1.4	9.7	7	6	21.2	20.8	26.6	27.6	27.3	26.4	0	$\bigcirc^{1-2}$ $\bigcirc^{0}$ R	5
	8.3	5.3	7	8	22.3	20.0	23.6	26.0	26.5	26.0	1	$\bigcirc^{1-2}$ $\bigcirc^{1-2}$ ∩	6
	10.7	2.0	7	7	24.3	22.9	23.2	25.2	26.0	25.8	1		7
	11.9	1.3	6	6	23.0	25.1	23.8	24.9	25.5	25.6	1		8
	12.1	0.0	7	6	27.6	29.1	25.0	24.9	25.3	25.5	0		9
	11.9	0.7	6	7	30.8	31.5	26.3	25.3	25.3	24.9	0		10
	11.8	0.0	7	7	28.1	30.7	26.8	26.0	25.5	25.1	0		11
	11.7	0.7	7	7	29.5	32.3	27.5	26.2	25.6	25.0	0		12
	11.4	0.3	8	7	27.0	28.8	27.6	26.4	25.9	25.2	0		13
	11.6	0.3	6	6	27.1	30.6	27.6	26.6	25.9	25.1	0		14
	11.5	1.0	7	7	24.9	29.7	26.8	26.6	26.1	25.3	0		15
	10.3	0.3	8	7	24.7	35.5	26.8	26.4	26.1	25.4	0		16
	4.6	2.7	6	6	23.9	28.1	26.3	26.2	26.0	25.3	0	D_0	17
	10.7	0.7	7	7	24.8	30.0	26.5	26.1	26.0	25.4	0		18
	11.3	0.3	8	7	24.1	33.2	26.2	26.1	26.0	25.3	0		19
	11.2	0.3	7	6	25.8	30.0	26.3	25.9	25.9	25.3	0	$\leftarrow^{0-1}$ D_1	20
	11.2	0.7	7	7	24.9	30.0	26.3	26.0	25.8	25.3	0		21
	11.0	0.3	6	6	27.5	32.9	26.5	26.1	25.8	25.2	0		22
	10.9	0.3	7	7	25.5	30.5	26.5	25.9	25.7	25.2	0		23
	8.0	3.0	7	8	24.2	27.5	26.2	26.0	25.6	25.1	0		24
	10.2	1.7	7	9	24.8	28.6	25.8	25.7	25.5	25.0	0		25
	11.2	0.0	7	8	22.8	29.7	25.3	25.4	25.4	24.9	0		26
	11.1	0.0	6	6	28.3	30.5	25.0	25.3	25.4	25.0	0		27
	10.8	0.7	7	7	25.4	31.0	25.7	25.4	25.4	24.9	0	D_0	28
	8.9	4.3	7	7	25.8	31.0	26.4	25.7	25.4	24.9	0	D_0	29
	3.8	9.3	6	6	25.2	27.7	25.6	25.6	25.3	24.9	0	$\bigcirc^{0-1}$ ←	30
m	306.4											$\bigcirc$ 2, $\bigcirc$ 3, R 1, ← 2, ∩ 2, Ω 4.	
g.		1.8	6.9	6.8	25.8	29.8	26.4	26.2	26.0	25.5			

Year : 1950 Month : Octobe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	22.2	27.1	17.6	18.0	0	0.3	0.33	63	12.3	752.9	NW	2.1	5.2	
2	23.1	27.5	19.0	19.3	0			68	14.3	52.3	SW	0.7	3.9	
3	23.2	28.5	18.7	18.0	0			63	11.6	52.7	NE	1.4	5.3	
4	22.1	26.1	18.2	16.6	0			55	10.6	54.7	NE	5.0	5.9	
5	21.6	26.4	16.2	15.9	0			53	9.8	56.2	NNE	3.7	5.9	
6	21.0	26.5	16.3	16.7	0			59	11.2	55.1	WSW	0.8	4.9	
7	18.9	23.5	16.0	13.8	0			58	8.8	54.8	NE	3.6	4.0	
8	17.8	23.4	14.3	13.5	0			58	8.7	53.3	NE	3.2	4.4	
9	17.4	22.2	13.5	12.8	1			56	7.9	53.8	NE	4.3	5.0	
10	18.5	24.4	13.9	14.4	0			58	9.1	56.0	NE	3.1	4.7	
11	19.4	26.5	14.4	15.1	0			59	9.6	57.2	NE	1.5	4.6	
12	19.7	25.4	14.4	15.9	0			64	10.9	55.8	SSW	0.6	4.3	
13	15.4	19.0	13.4	11.1	3	0.0	0.03	66	7.4	54.6	NE	5.8	3.1	
14	14.8	20.3	10.6	10.8	3			56	6.8	54.1	SW	1.0	4.2	
15	15.3	19.8	11.2	10.7	3			53	6.6	56.6	NE	3.6	4.6	
16	15.4	22.6	10.3	11.0	3			54	6.7	59.2	NNE	1.9	4.3	
17	16.2	22.1	10.3	11.9	2			58	7.4	57.4	NE	1.1	4.2	
18	18.1	23.2	12.2	14.3	0			63	9.3	53.3	S	1.0	3.9	
19	19.2	24.8	15.0	15.0	0			65	9.9	49.4	S	1.1	3.7	
20	13.5	16.1	10.2	9.9	4	6.4	4.47	65	6.9	52.8	NE	8.8	3.5	
21	14.5	19.9	10.2	9.6	3			48	5.7	54.1	NNW	1.9	4.6	
22	16.7	24.1	11.1	11.5	1			47	6.5	55.4	E	0.9	5.4	
23	15.7	20.0	12.3	11.9	2			58	7.5	58.0	NE	4.1	4.2	
24	15.0	19.3	11.2	11.2	3			60	7.5	56.9	NNE	1.7	3.9	
25	16.9	19.8	12.8	14.6	1			72	10.8	52.7	S	3.8	3.3	
26	20.2	22.5	18.0	17.3	0			76	12.8	50.4	S	6.9	4.7	
27	19.9	22.8	17.5	17.2	0	2.5	2.18	77	12.8	49.3	SSE	4.2	4.1	
28	19.4	23.1	17.1	14.8	0			62	9.7	49.7	W	0.6	3.7	
29	18.1	21.6	14.8	14.6	0			67	10.2	50.8	S	1.5	4.0	
30	21.7	24.0	16.9	16.9	0	0.0	0.05	61	11.0	47.6	SSE	6.4	6.7	
31	18.2	20.6	15.9	12.9	0			56	8.0	47.9	W	4.4	7.1	
Sum					29	9.2	7.06				NE		141.3	
Avg.	18.3	23.0	14.3	14.1				61	9.3	753.7	(6)	2.8	4.6	

Year : 1950 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Date
1	4.5	6.7	8	8	23.8	26.9	25.1	25.1	25.2	24.8	0	1
2	10.1	3.0	7	6	22.3	25.4	25.2	25.0	25.1	24.7	0	2
3	6.9	8.7	7	8	22.2	26.6	24.9	24.9	25.0	24.5	0	3
4	9.0	3.0	7	8	24.1	27.8	24.5	24.7	24.7	24.4	0	4
5	10.5	2.7	6	7	25.9	27.9	24.1	24.4	24.6	24.4	0	5
6	9.7	2.7	6	6	21.0	27.3	23.7	24.3	24.6	24.3	0	6
7	5.7	6.3	7	7	22.2	22.4	23.7	24.4	24.3	24.2	0	7
8	7.5	3.7	8	8	17.4	20.7	21.7	23.2	23.8	23.8	0	8
9	9.6	2.7	7	5	18.9	22.6	21.2	22.6	23.5	23.6	0	9
10	10.4	2.7	6	7	21.9	23.8	21.4	22.5	23.2	23.6	0	10
11	10.3	0.7	7	6	23.5	24.9	22.0	22.5	23.1	23.4	0	11
12	10.2	0.7	5	6	22.2	22.2	22.0	22.5	23.1	23.4	0	12
13	2.5	8.3	5	6	13.4	16.5	20.6	21.9	22.6	22.9	0	13
14	9.6	1.3	5	6	17.7	19.8	19.6	21.4	22.2	22.7	0	14
15	7.5	2.0	8	8	17.3	19.3	19.5	21.1	22.0	22.7	0	15
16	9.8	1.0	5	7	17.1	21.7	19.2	20.7	21.8	22.5	0	16
17	9.5	2.0	6	6	15.9	18.6	19.2	20.7	21.6	22.3	0	17
18	9.1	2.0	4	5	18.9	21.1	19.7	20.6	21.6	22.2	0	18
19	8.1	7.3	6	6	18.3	20.3	20.2	20.9	21.6	22.1	0	19
20	3.4	5.0	7	7	13.4	14.2	17.9	20.0	21.0	21.6	1	20
21	8.9	3.0	5	7	19.8	16.4	16.4	18.9	20.6	21.3	1	21
22	9.5	0.0	7	8	18.0	19.9	17.0	18.8	20.2	21.2	0	22
23	9.0	2.7	4	6	15.7	18.6	17.7	19.0	20.0	20.9	0	23
24	9.2	2.3	6	7	13.7	17.2	17.5	18.9	20.0	20.8	0	24
25	6.9	8.0	6	6	16.6	18.0	17.5	18.9	20.0	20.8	0	25
26	8.4	6.7	6	6	20.2	22.1	19.8	19.5	20.2	20.8	0	26
27	3.0	8.7	7	7	18.6	19.9	20.0	20.0	20.2	20.7	0	27
28	7.8	8.0	5	7	16.9	18.4	19.2	19.8	20.2	20.6	1	28
29	6.7	5.7	7	7	17.0	17.9	18.8	19.6	20.1	20.5	0	29
30	0.0	6.7	6	6	20.8	20.1	19.5	19.4	19.9	20.0	0	30
31	7.0	5.0	8	8	17.4	18.1	19.7	20.0	20.1	20.6	0	31
Sum	240.3											
Avg.		4.2	6.3	6.7	19.1	21.2	20.6	21.5	22.1	22.5		



● 2, ◍ 5, ≺ 2, ⊕ 2, ⊕ 1, Ψ 2, ∩ 1, Ω 3,

Year : 1950 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	17.0	21.5	13.1	12.6	1			60	8.1	750.9	SW	1.2	4.4	
2	16.7	21.2	11.0	13.1	1			63	8.9	51.1	S	0.7	4.0	
3	15.9	19.0	13.3	13.9	2	3.7	1.47	79	10.6	48.6	S	0.4	2.1	
4	17.8	20.7	13.6	15.5	0	0.0	0.12	71	11.1	46.9	S	4.1	3.5	
5	19.7	22.4	18.3	17.6	0			80	13.6	46.1	S	7.0	3.9	
6	17.7	21.1	13.6	15.0	0	7.5	5.92	78	11.1	44.9	S	6.5	4.3	
7	16.4	19.9	13.1	11.6	2			57	7.2	51.1	W	2.4	4.9	
8	15.6	20.2	10.9	11.7	2			63	7.7	51.7	SW	0.9	3.4	
9	14.4	18.3	11.7	11.2	4	0.0	0.33	70	8.1	51.1	NE	3.8	3.0	
10	11.6	13.6	9.6	8.6	6	0.0	0.05	66	6.6	57.6	NNW	6.6	3.5	1
11	12.4	16.8	9.5	9.3	6	0.0	0.50	63	6.7	57.4	NW	3.0	3.8	1
12	13.1	18.3	8.0	10.6	5			69	7.8	55.0	NE	1.0	2.4	1
13	14.4	19.8	10.2	12.2	4			76	9.0	51.6	SW	0.4	2.2	1
14	15.5	20.2	11.5	13.7	2			79	10.4	50.8	S	0.8	1.5	1
15	16.7	19.9	13.1	14.8	1			80	11.3	49.0	SW	1.5	2.2	1
16	15.0	17.0	12.1	8.9	3			49	5.3	51.9	NNW	2.8	4.9	1
17	14.1	19.1	9.3	10.2	4			57	6.5	54.0	SW	1.2	3.9	1
18	17.4	24.2	13.5	14.2	1			64	9.6	53.1	W	1.9	3.7	1
19	15.7	20.7	13.7	11.3	2	0.0	0.17	56	7.2	57.9	NE	3.5	4.1	1
20	13.9	19.3	10.6	10.8	4			63	7.5	57.1	NE	3.0	3.3	1
21	12.6	19.2	8.2	10.4	5			71	7.7	54.8	N	1.3	2.8	1
22	12.5	18.6	8.1	9.9	5			68	7.2	55.9	NE	1.7	2.5	1
23	13.1	16.4	9.2	10.6	5			71	7.9	55.7	NE	4.9	2.8	1
24	12.8	17.9	9.0	10.0	5			69	7.3	54.9	W	0.7	2.5	1
25	14.0	19.4	10.5	12.2	4			76	9.2	54.9	S	0.4	1.9	1
26	15.5	19.4	12.1	12.5	2			70	8.9	54.1	W	2.2	2.5	1
27	16.1	19.0	12.5	12.5	2	0.0	0.08	65	8.5	51.4	W	2.5	4.0	1
28	10.2	12.1	8.7	7.3	8	1.5	2.67	70	5.9	57.2	NNE	12.0	3.6	1
29	10.8	15.8	8.4	7.9	7			64	6.2	55.5	NNE	3.1	3.5	2
30	12.0	17.2	7.5	10.1	6			74	7.7	50.3	SW	0.6	2.5	3
Sum					99	12.7	11.31				NE		97.6	S
Avg.	14.7	18.9	11.1	11.7				68	8.4	752.7	(6)	2.7	3.3	A

Year : 1950 Month : November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	8.2	3.0	6	7	16.6	17.6	18.6	19.4	19.9	20.3	0		1
2	8.9	4.7	8	7	16.6	19.4	18.3	19.2	19.8	20.1	0		2
3	1.4	6.3	6	5	15.7	15.2	18.1	18.9	19.6	20.0	0		3
4	1.1	8.0	7	6	17.7	16.7	17.3	18.6	19.4	19.9	0		4
5	3.9	9.0	7	7	20.4	19.5	18.7	18.8	19.3	19.8	0		5
6	2.3	7.0	5	5	15.9	15.1	18.2	18.8	19.3	20.1	2		6
7	9.6	2.7	7	8	15.5	14.5	16.6	18.1	18.9	19.6	0		7
8	7.7	5.3	5	6	14.5	13.8	15.8	17.5	18.5	19.3	0		8
9	1.8	8.0	6	7	13.7	14.1	16.3	17.5	18.2	19.4	0		9
10	4.9	8.7	7	7	10.7	11.5	14.8	16.8	17.8	18.9	0		10
11	7.5	3.7	6	6	12.1	14.5	14.6	16.4	17.5	18.7	0		11
12	8.0	2.7	4	5	12.6	14.2	14.4	16.0	17.4	18.9	0		12
13	9.2	0.3	5	6	14.7	15.5	15.0	16.1	17.2	18.6	0		13
14	9.3	3.3	6	6	14.7	16.4	15.5	16.4	17.3	18.1	0		14
15	8.3	5.7	5	6	15.8	17.1	16.2	16.7	17.4	18.2	0		15
16	6.6	8.7	7	8	12.7	17.3	16.4	16.8	17.4	18.2	0		16
17	8.3	1.0	6	6	12.6	14.1	15.2	16.6	17.3	18.1	0		17
18	8.8	4.7	5	7	16.8	19.1	16.3	16.8	17.4	18.2	0		18
19	4.5	6.7	8	8	13.9	16.4	16.8	17.2	17.3	18.0	0		19
20	8.1	1.7	5	7	12.8	15.1	15.6	16.6	17.4	17.9	0		20
21	8.6	4.7	6	8	11.6	15.1	14.8	16.1	17.0	17.7	0		21
22	7.5	4.0	5	7	11.1	13.5	14.2	15.7	16.8	17.3	0		22
23	8.6	1.3	5	6	11.6	13.3	14.4	15.7	16.6	17.3	0		23
24	6.4	6.3	7	7	10.5	13.5	14.0	15.4	16.5	17.3	0		24
25	4.5	6.7	5	5	13.6	15.1	14.4	15.5	16.4	17.4	0		25
26	8.7	7.0	7	7	13.8	15.3	14.8	15.5	16.4	17.4	0		26
27	3.1	9.0	8	8	14.5	16.1	15.6	16.0	16.6	17.4	0		27
28	4.7	5.0	6	7	8.4	9.1	13.6	15.3	16.0	16.7	0		28
29	6.1	0.7	6	7	9.7	10.9	12.4	14.4	15.8	16.8	0		29
30	8.7	5.3	6	6	12.2	11.4	12.5	14.2	15.6	17.1	0		30
Sum	195.3											◍3, ◍9, Ψ2, Ψ3, ⊕3, ≡1, ∩1, Ω18.	
Avg.		5.0	6.0	6.6	13.8	15.0	15.7	16.8	17.6	18.4			

Year : 1950 Month : December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	13.4	17.1	11.5	12.7	5	5.7	-	86	10.5	752.2	NNE	2.1	1.0	1
2	14.0	16.7	12.0	12.5	4	1.0	1.33	82	9.7	52.8	NE	5.4	2.1	2
3	13.1	15.8	10.9	12.2	5	30.1	9.00	88	9.7	50.8	NNE	1.9	1.2	3
4	13.2	17.7	9.5	11.9	5			83	9.4	50.4	SW	0.5	1.5	4
5	15.5	19.3	11.7	13.4	2			79	10.0	52.5	SSW	1.3	2.7	5
6	15.9	21.0	12.0	13.9	2			80	10.4	54.6	SW	0.7	2.3	6
7	14.9	18.1	12.0	14.0	3	0.0	4.33	91	11.3	56.0	S	1.6	1.0	7
8	16.3	17.9	14.0	13.9	2			82	10.3	57.8	S	5.1	2.4	8
9	17.0	19.2	15.1	15.5	1	0.0	-	82	12.1	57.3	S	4.3	2.9	9
10	16.4	19.1	14.6	14.0	2	0.4	0.23	80	10.6	55.0	S	4.7	2.9	10
11	13.8	18.5	10.2	11.6	4	0.0	0.05	75	8.5	53.7	SW	1.3	2.7	11
12	14.0	18.3	9.2	11.5	4			71	8.4	54.6	S	1.4	2.6	12
13	15.5	17.8	12.4	12.8	2			72	9.4	55.8	SSW	4.7	3.9	13
14	16.5	19.9	13.4	14.3	1			78	10.6	54.6	S	4.7	3.6	14
15	16.3	17.3	15.2	14.6	2	0.1	0.52	81	11.4	50.8	S	5.9	2.6	15
16	14.9	19.1	11.9	12.3	3	2.9	1.17	75	8.0	50.7	S	2.9	3.5	16
17	14.5	18.1	10.5	12.4	3			78	9.5	54.5	S	1.7	2.4	17
18	14.4	18.4	11.6	12.4	4			79	9.3	52.4	S	1.2	2.2	18
19	11.1	15.4	8.9	7.1	7	0.1	0.33	63	5.6	49.4	W	5.3	4.0	19
20	12.1	15.8	8.2	10.7	6	5.0	5.67	74	8.6	47.8	SSW	4.1	2.9	20
21	11.3	14.9	8.1	8.1	7	0.2	0.25	68	6.4	49.1	W	1.6	4.2	21
22	11.3	16.1	7.5	9.9	7	12.5	5.50	77	8.1	52.0	NE	0.8	1.4	22
23	13.1	15.6	10.3	12.0	5	0.2	1.25	82	9.6	50.0	NE	3.0	1.2	23
24	12.9	17.4	9.3	11.5	5			83	9.3	50.8	S	0.7	2.2	24
25	13.1	16.5	9.4	10.0	5	5.2	1.83	74	7.6	46.5	SW	2.9	3.0	25
26	12.6	17.5	8.4	10.2	5			72	7.8	48.8	SSW	0.4	2.1	26
27	12.2	14.7	10.0	10.2	6	0.2	4.10	78	8.2	47.7	NE	0.5	1.7	27
28	10.2	13.2	8.0	9.0	8	47.6	9.42	89	7.6	38.4	NW	3.8	1.3	28
29	8.7	11.3	6.6	6.9	9	9.3	5.00	77	6.2	37.8	WNW	3.7	2.0	29
30	8.1	10.6	7.1	7.3	10	2.7	7.00	87	7.0	45.9	NNE	2.7	1.1	30
31	8.5	13.7	4.7	8.0	9	6.2	3.33	88	7.3	50.6	NNW	0.5	0.8	31
Sum					143	129.4	-				S		71.4	Sum
Avg	13.4	16.8	10.5	11.5				79	9.0	751.0	(6)	2.6	2.3	Avg

Year : 1950 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	0.0	9.7	6	5	12.4	12.0	13.5	14.5	15.6	16.5	1		1
2	4.8	7.0	6	7	12.6	12.3	13.8	14.6	15.6	16.3	1		2
3	0.2	6.0	7	7	11.6	11.9	13.8	14.6	15.5	16.3	1		3
4	8.5	1.7	6	8	11.3	11.6	13.1	14.3	15.4	16.3	1		4
5	5.5	5.7	6	6	14.1	13.9	13.6	14.3	15.3	16.2	2		5
6	8.3	3.3	5	6	13.8	14.4	14.0	14.6	15.3	16.1	1		6
7	3.4	7.7	5	5	13.8	13.5	14.1	14.7	15.4	16.1	1		7
8	0.5	9.7	6	6	15.6	14.2	14.9	15.0	15.6	16.2	1		8
9	0.6	8.0	7	7	16.2	14.8	15.1	15.2	15.7	16,1	1		9
10	6.1	4.7	7	7	13.7	13.5	15.4	15.4	15.7	16.2	1		10
11	7.2	4.7	7	8	12.1	12.5	13.9	14.9	15.5	16.1	1		11
12	8.1	3.0	6	7	12.6	14.6	13.3	14.4	15.3	16.0	1		12
13	7.3	3.3	7	7	12.9	12.8	14.0	14.6	15.4	16.2	0		13
14	5.9	6.3	6	7	15.5	15.6	14.8	14.8	15.3	16.0	0		14
15	1.6	8.7	7	8	15.6	15.0	15.3	15.2	15.6	16.1	0		15
16	8.7	1.0	7	8	13.8	13.2	14.7	15.1	15.5	16.1	1		16
17	7.3	9.3	7	7	13.0	13.2	13.7	14.6	15.4	15.9	1		17
18	6.2	6.7	6	6	14.1	13.4	14.2	14.6	15.3	16.9	1		18
19	7.2	5.0	9	6	10.7	10.2	13.3	14.5	15.4	16.2	1		19
20	0.0	7.7	5	5	11.2	10.2	12.3	14.2	15.0	15.9	2		20
21	8.7	3.3	6	9	9.6	10.6	12.1	13.4	14.6	15.6	1		21
22	3.6	9.0	6	6	10.8	10.5	11.6	13.1	14.4	15.2	1		22
23	1.0	9.3	7	7	12.2	11.5	12.7	13.3	14.2	15.1	1		23
24	6.0	6.3	8	7	12.3	11.7	12.5	13.4	14.2	15.0	1		24
25	6.1	10.0	9	8	11.6	11.2	12.9	13.5	14.3	15.2	1		25
26	6.7	7.0	7	7	11.1	10.9	11.9	13.0	14.0	14.9	1		26
27	1.1	5.7	7	6	10.6	10.2	12.2	13.0	14.0	14.6	1		27
28	2.2	4.3	8	8	9.9	10.3	11.9	12.9	13.8	14.9	2		28
29	6.1	6.7	8	8	9.0	9.3	10.9	12.5	13.6	14.8	1		29
30	0.2	3.7	7	7	7.4	7.8	10.5	12.1	13.2	14.4	1		30
31	2.1	2.7	7	6	8.9	8.7	9.9	11.6	13.0	14.1	1		31
Sum	141.2												
Avg.		6.2	6.7	6.8	12.3	12.1	13.2	14.1	14.9	15.7			



YEAR : 1950

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid.(%) (1)	Average of Vapor pressure (mm) (3)	Sunshine hrs (8) Total	Sunshine hrs (8) Possible (9)
JAN.	7.2	10.9	4.2	16.7	30	-2.6	15	334	5.4	73	5.7	122.5	303.8
FEB.	10.5	14.9	6.8	19.7	13	-1.9	6	208	8.1	69	6.7	211.2	300.4
MAR.	11.2	15.3	7.8	21.4	14	2.8	26	209	8.9	70	7.0	168.8	368.9
APR.	16.8	22.2	12.6	32.2	21	6.9	9	67	13.3	65	9.0	216.3	393.4
MAY	20.0	25.0	15.8	36.1	29	10.8	14	25	15.1	57	9.7	266.9	438.3
JUNE	25.3	30.5	20.7	36.7	23	15.6	6	0	18.8	50	11.8	341.0	439.6
JULY	28.6	34.0	24.0	39.7	7	19.8	11	0	19.4	39	10.8	389.3	446.4
AUG.	27.6	32.9	22.9	35.5	25	18.9	13	0	19.1	41	11.0	387.9	418.8
SEP.	24.8	30.4	20.0	34.6	10	16.1	27	0	18.9	55	12.3	306.4	370.4
OCT.	18.3	23.0	14.3	28.5	3	10.2	20.21	29	14.1	61	9.3	240.3	344.9
NOV.	14.7	18.9	11.1	24.2	18	7.5	30	99	11.7	68	8.4	195.3	301.8
DEC.	13.4	16.8	10.5	21.0	6	4.7	31	143	11.5	79	9.0	141.2	294.6
YEAR	18.2	22.9	14.2	39.7	July 7	-2.6	Jan. 15	1114	13.7	61	9.2	2.987.1	4.421.3

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.°0C (Tropical nights)
JAN.	6.9	6.7	6.7	6.6	7.4	7.9	9.4	10.2	11.5	4	0	0	0	0
FEB.	4.8	6.6	6.9	11.2	12.0	10.5	10.6	10.6	11.0	3	0	0	0	0
MAR.	5.6	6.4	6.4	12.3	13.5	12.0	12.3	12.4	12.8	0	0	0	0	0
APR.	5.4	6.7	6.6	18.8	21.9	17.2	15.8	14.9	14.5	0	0	10	3	1
MAY	5.0	7.0	6.9	21.5	26.2	21.9	20.2	19.1	18.2	0	0	13	7	6
JUNE	2.1	6.7	6.9	28.4	35.6	27.8	26.3	24.4	22.7	0	0	27	16	19
JULY	0.5	6.8	7.3	31.5	40.4	30.9	29.1	27.6	25.8	0	0	31	29	30
AUG.	1.0	7.2	7.3	28.8	37.8	30.0	29.0	28.0	26.6	0	0	31	29	30
SEP.	1.8	6.9	6.8	25.8	29.8	26.4	26.2	26.0	25.5	0	0	29	28	14
OCT.	4.2	6.3	6.7	19.1	21.2	20.6	21.5	22.1	22.5	0	0	8	0	0
NOV.	5.0	6.0	6.6	13.8	15.0	15.7	16.8	17.6	18.4	0	0	0	0	0
DEC.	6.2	6.7	6.8	12.3	12.1	13.2	14.1	14.9	15.7	0	0	0	0	0
YEAR	4.0	6.7	6.8	19.2	22.7	19.5	19.3	19.0	18.7	7	0	149	102	100

YEAR : 1950

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm) (4)(7)	Number of days								
		Avg. speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)	Dry ground (10)
JAN.	754.1	4.2	NE	22.5	8.2	20	84.4	6	11	3	2	0	17	15	6	6
FEB.	755.0	3.5	S	11.5	7.8	10	110.1	2	5	1	1	0	6	14	2	111
MAR.	751.9	3.7	NE	86.5	34.6	4	105.9	11	14	0	0	0	14	18	0	12
APR.	748.7	2.0	SW	24.3	16.1	7	148.8	3	8	0	0	0	8	17	0	20
MAY	750.7	3.4	NE	23.7	17.2	6	213.0	4	9	0	0	1	9	3	0	21
JUNE	751.3	3.8	NE	0.4	0.4	9	282.0	3	0	0	0	0	3	0	0	29
JULY	748.6	4.7	NE	0	0	0	339.6	0	0	0	0	0	0	0	0	31
AUG.	749.4	4.0	NE	0.0	0.0	11	311.6	0	1	0	0	0	1	0	0	31
SEP.	750.8	2.4	NE	35.7	23.4	5	200.1	2	3	0	0	0	3	4	0	27
OCT.	753.7	2.8	NE	9.2	6.4	20	141.3	2	5	0	0	0	5	3	0	28
NOV.	752.7	2.7	NE	12.7	7.5	6	97.6	3	9	0	0	0	9	18	0	29
DEC.	751.0	2.6	S	129.4	47.6	28	71.4	13	16	0	1	1	20	17	0	3
YEAR	751.5	3.3	NE	355.9	47.6	Dec. 28	2105.8	49	81	4	4	2	95	109	8	248

Month	Number of days														
	Moist and wet ground (10)	Snow cover (10)	Clear(0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0tenths) (3)	Cloudy(8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thundestorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
JAN.	25	0	1	17	13	3	5	1	2	0	2	1	2	0	0
FEB.	17	0	7	19	2	9	2	0	0	0	3	3	2	1	0
MAR.	19	0	7	13	11	5	4	4	0	0	1	1	3	2	0
APR.	10	0	7	15	8	9	0	3	0	0	2	1	0	0	0
MAY.	10	0	4	21	6	9	1	3	0	0	0	0	0	0	0
JUNE	1	0	17	13	0	15	0	3	0	0	0	0	0	0	0
JULY	0	0	29	2	0	28	0	0	0	0	0	0	0	0	0
AUG.	0	0	25	6	0	23	0	0	0	0	0	0	0	0	0
SEP.	3	0	20	8	2	20	0	1	2	0	0	0	0	2	0
OCT.	3	0	5	23	3	7	1	0	2	0	2	2	1	1	0
NOV.	1	0	5	21	4	7	0	0	0	0	3	2	3	1	1
DEC.	28	0	2	22	7	4	2	4	2	0	4	5	5	4	2
YEAR	117	0	129	180	56	139	15	19	8	0	17	15	16	11	3

YEAR : 1950

Month	Frequency (%) of the wind direction (24 hourly observations) (5)																
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm.
JAN.	3.5	17.7	19.9	1.9	0.4	0.4	0.1	1.2	9.5	6.2	3.8	0.9	0.6	1.8	3.8	1.3	27.0
FEB.	3.1	8.5	13.5	2.7	0.4	0.4	0.6	1.9	18.2	8.8	6.3	3.6	2.5	0.6	2.7	3.0	23.2
MAR.	4.7	9.5	26.0	1.3	2.2	0.3	0.6	1.6	12.1	5.2	3.4	0.9	1.5	0.4	2.0	1.9	26.4
APR.	2.4	4.3	8.1	1.3	1.8	0.1	0.1	0.8	8.3	9.0	11.4	1.7	3.1	1.4	2.8	2.9	40.5
MAY	6.9	5.6	17.5	2.2	1.9	0.3	0.1	0.3	3.9	5.2	11.4	2.6	3.0	1.3	3.9	4.4	29.5
JUNE	10.0	8.2	16.8	1.3	1.4	0.3	0.1	0.1	4.9	5.0	14.2	3.6	1.8	1.1	1.4	3.3	26.5
JULY	8.5	19.5	28.1	2.2	0.3	0.1	0.1	0.1	0.8	4.1	6.7	3.0	2.0	0.6	1.8	1.9	20.7
AUG.	6.7	15.6	27.8	1.2	0.3	0.3	0	0.3	1.9	4.2	7.9	2.8	2.4	0.9	2.0	3.5	22.2
SEP.	5.4	10.7	17.5	3.3	1.6	0.4	0.3	0.3	3.1	6.4	10.1	1.7	4.2	0.8	0.8	1.0	32.4
OCT.	3.0	9.8	22.9	2.0	2.6	0.4	1.1	4.1	9.3	4.4	4.8	1.6	3.1	0.6	2.0	2.3	26.0
NOV.	5.2	8.5	10.6	1.4	2.1	0.3	0.6	0.8	10.1	5.6	7.5	3.8	6.7	0.7	3.1	4.7	28.3
DEC.	1.8	5.1	7.0	1.6	2.6	0.3	1.6	2.8	23.8	9.0	7.5	1.2	5.1	1.8	1.8	2.2	24.8
YEAR	5.1	10.3	18.1	1.8	1.4	0.3	0.4	1.2	8.8	6.1	7.9	2.3	3.0	1.0	2.3	2.7	27.3

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean istantaneous readings)
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell-Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography
10) According to the International Code 0-9.
11) At 14 h. observation.